

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG053023\
 Data File : BG057606.D
 Acq On : 30 May 2023 14:31
 Operator : CG/JU
 Sample : PB153095BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB153078BL

Quant Time: May 31 03:28:03 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG052723.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed May 31 03:25:39 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.343	152	18850	20.000	ng	0.00
21) Naphthalene-d8	11.181	136	76781	20.000	ng	# 0.00
39) Acenaphthene-d10	14.958	164	57333	20.000	ng	0.00
64) Phenanthrene-d10	17.695	188	154082	20.000	ng	0.00
76) Chrysene-d12	21.995	240	170447	20.000	ng	0.00
86) Perylene-d12	25.485	264	180459	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.858	112	184657	170.189	ng	0.00
7) Phenol-d6	7.486	99	264564	155.806	ng	0.00
23) Nitrobenzene-d5	9.524	82	164979	100.443	ng	0.00
42) 2,4,6-Tribromophenol	16.438	330	119674	130.376	ng	0.00
45) 2-Fluorobiphenyl	13.583	172	408750	102.458	ng	0.00
79) Terphenyl-d14	20.262	244	1007951	102.436	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG053023\
Data File : BG057606.D
Acq On : 30 May 2023 14:31
Operator : CG/JU
Sample : PB153095BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB153078BL

Quant Time: May 31 03:28:03 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG052723.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed May 31 03:25:39 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.343 min Scan# 819
Delta R.T. -0.001 min
Lab File: BG057606.D
Acq: 30 May 2023 14:31




Instrument :
BNA_G
ClientSampleId :
PB153078BL


Tgt Ion:152 Resp: 18850
Ion Ratio Lower Upper
152 100
150 149.9 123.0 184.4
115 67.2 47.4 71.2



#5
2-Fluorophenol
Concen: 170.189 ng
RT: 5.858 min Scan# 395
Delta R.T. -0.000 min
Lab File: BG057606.D
Acq: 30 May 2023 14:31

Tgt Ion:112 Resp: 184657
Ion Ratio Lower Upper
112 100
64 63.2 47.8 71.6
63 33.7 27.8 41.8









#7
Phenol-d6
Concen: 155.806 ng
RT: 7.486 min Scan# 61
Delta R.T. -0.000 min
Lab File: BG057606.D
Acq: 30 May 2023 14:31




Instrument :
BNA_G
ClientSampleId :
PB153078BL


Tgt Ion: 99 Resp: 264564
Ion Ratio Lower Upper
99 100
42 16.4 12.8 19.2
71 38.6 30.3 45.5



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 11.181 min Scan# 1301
Delta R.T. 0.005 min
Lab File: BG057606.D
Acq: 30 May 2023 14:31

Tgt Ion: 136 Resp: 76781
Ion Ratio Lower Upper
136 100
137 11.0 9.8 14.8
54 6.6 5.8 8.6
68 6.4 4.1 6.1#





#23
Nitrobenzene-d5
Concen: 100.443 ng
RT: 9.524 min Scan# 1019
Delta R.T. -0.000 min
Lab File: BG057606.D
Acq: 30 May 2023 14:31





Instrument :

BNA_G

ClientSampleId :




PB153078BL


Tgt Ion: 82 Resp: 164979
Ion Ratio Lower Upper
82 100
128 38.9 30.0 45.0
54 44.9 35.2 52.8



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.958 min Scan# 1944
Delta R.T. -0.000 min
Lab File: BG057606.D
Acq: 30 May 2023 14:31

Tgt Ion:164 Resp: 57333
Ion Ratio Lower Upper
164 100
162 103.8 80.1 120.1
160 44.9 35.9 53.9









#42
2,4,6-Tribromophenol
Concen: 130.376 ng
RT: 16.438 min Scan# 2199
Delta R.T. -0.006 min
Lab File: BG057606.D
Acq: 30 May 2023 14:31




Instrument :
BNA_G
ClientSampleId :
PB153078BL


Tgt Ion:330 Resp: 119674
Ion Ratio Lower Upper
330 100
332 96.6 77.3 115.9
141 31.2 24.6 37.0



#45
2-Fluorobiphenyl
Concen: 102.458 ng
RT: 13.583 min Scan# 1710
Delta R.T. -0.000 min
Lab File: BG057606.D
Acq: 30 May 2023 14:31

Tgt Ion:172 Resp: 408750
Ion Ratio Lower Upper
172 100
171 36.8 29.2 43.8
170 24.2 19.0 28.4









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.695 min Scan# 2412
Delta R.T. -0.000 min
Lab File: BG057606.D
Acq: 30 May 2023 14:31




Instrument :
BNA_G
ClientSampleId :
PB153078BL


Tgt Ion:188 Resp: 154082
Ion Ratio Lower Upper
188 100
94 6.8 5.2 7.8
80 7.7 6.7 10.1



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.995 min Scan# 3142
Delta R.T. -0.006 min
Lab File: BG057606.D
Acq: 30 May 2023 14:31

Tgt Ion:240 Resp: 170447
Ion Ratio Lower Upper
240 100
120 7.5 5.2 7.8
236 27.7 21.4 32.0









#79
 Terphenyl-d14
 Concen: 102.436 ng
 RT: 20.262 min Scan# 21
 Delta R.T. -0.006 min
 Lab File: BG057606.D
 Acq: 30 May 2023 14:31

Instrument :
 BNA_G
 ClientSampleId :
 PB153078BL

Tgt Ion:244 Resp: 1007951
 Ion Ratio Lower Upper
 244 100
 212 7.5 5.6 8.4
 122 6.9 4.8 7.2



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 25.485 min Scan# 3736
 Delta R.T. -0.006 min
 Lab File: BG057606.D
 Acq: 30 May 2023 14:31

Tgt Ion:264 Resp: 180459
 Ion Ratio Lower Upper
 264 100
 260 23.4 19.1 28.7
 265 21.7 17.7 26.5

