

Data Path : Z:\HPCHEM1\BNA G\DATA\BG060718\
 Data File : BG034963.D
 Acq On : 7 Jun 2018 21:58
 Operator : SJ/JU
 Sample : J3344-01
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :

Quant Time: Jun 08 04:33:24 2018
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG060718.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jun 07 13:13:20 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.08	152	50532	20.00	ng	0.00
21) Naphthalene-d8	10.89	136	204233	20.00	ng	0.00
38) Acenaphthene-d10	14.71	164	118470	20.00	ng	0.00
63) Phenanthrene-d10	17.46	188	257885	20.00	ng	0.00
75) Chrysene-d12	21.72	240	288842	20.00	ng	0.00
86) Perylene-d12	24.96	264	307906	20.00	ng	-0.02

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
5) 2-Fluorophenol	5.65	112	255407	85.30	ng	0.00
7) Phenol-d6	7.23	99	404677	91.57	ng	0.00
23) Nitrobenzene-d5	9.24	82	285216	66.38	ng	-0.01
41) 2,4,6-Tribromophenol	16.19	330	126108	83.15	ng	0.00
44) 2-Fluorobiphenyl	13.33	172	635634	69.75	ng	0.00
78) Terphenyl-d14	20.06	244	897670	65.10	ng	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
19) n-Nitroso-di-n-propylamine	9.24	70	41840	11.14	ng	# 72
31) Naphthalene	10.94	128	66273	6.25	ng	97
37) 2-Methylnaphthalene	12.54	142	301551	37.49	ng	91
45) 1,1'-Biphenyl	13.54	154	21856	2.29	ng	92
49) Dimethylphthalate	14.15	163	29992	2.90	ng	# 85
50) 2,6-Dinitrotoluene	14.24	165	15358	8.15	ng	# 25
52) 3-Nitroaniline	14.62	138	4127	2.23	ng	# 34
56) 2,4-Dinitrotoluene	15.06	165	6909	2.76	ng	# 37
61) 4-Nitroaniline	15.59	138	4471	2.25	ng	85


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG060718\
Data File : BG034963.D
Acq On : 7 Jun 2018 21:58
Operator : SJ/JU
Sample : J3344-01
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :

Quant Time: Jun 08 04:33:24 2018
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG060718.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jun 07 13:13:20 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.08 min Scan# 816
Delta R.T. -0.01 min
Lab File: BG034963.D
Acq: 7 Jun 2018 21:58

Instrument :
BNA_G
ClientSampleId :

Tot Ion:152 Resp: 50532
Ion Ratio Lower Upper
152 100
150 147.7 126.6 189.8
115 60.8 53.0 79.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 85.30 ng
RT: 5.65 min Scan# 402
Delta R.T. -0.00 min
Lab File: BG034963.D
Acq: 7 Jun 2018 21:58

Tgt Ion:112 Resp: 255407
Ion Ratio Lower Upper
112 100
64 64.5 56.3 84.5
63 37.1 30.1 45.1



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 91.57 ng

RT: 7.23 min Scan# 671

Delta R.T. -0.01 min

Lab File: BG034963.D

Acq: 7 Jun 2018 21:58

Instrument :

BNA_G

ClientSampleId :


Tot Ion: 99 Resp: 404677

Ion Ratio Lower Upper




99 100

42 16.7 14.1 21.1

71 44.3 26.1 39.1#



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#19

n-Nitroso-di-n-propylamine

Concen: 11.14 ng

RT: 9.24 min Scan# 1013

Delta R.T. 0.34 min

Lab File: BG034963.D

Acq: 7 Jun 2018 21:58

Tgt Ion: 70 Resp: 41840


Ion Ratio Lower Upper

70 100



42 41.5 49.1 73.7#


101 0.0 8.5 12.7#

130 1.5 13.4 20.0#



Abundance Ion 70.00 (69.70 to 70.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 101.00 (100.70 to 101.70): BGC
Ion 130.00 (129.70 to 130.70): BGC





#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.89 min Scan# 1294

Delta R.T. -0.01 min

Lab File: BG034963.D


Acq: 7 Jun 2018 21:58

Instrument :

BNA_G

ClientSampleId :

Tot Ion:136	Resp:	204233
Ion Ratio	Lower	Upper
136 100		
137 11.2	9.2	13.8
54 7.2	10.3	15.5#
68 5.1	4.5	6.7






Abundance Ion 136.00 (135.70 to 136.70): B

Ion 137.00 (136.70 to 137.70): B

Ion 54.00 (53.70 to 54.70): B

Ion 68.00 (67.70 to 68.70): B



#23

Nitrobenzene-d5

Concen: 66.38 ng


RT: 9.24 min Scan# 1013

Delta R.T. -0.01 min

Lab File: BG034963.D

Acq: 7 Jun 2018 21:58



Tgt Ion: 82	Resp: 285216
Ion Ratio	Lower Upper
82 100	
128 34.0	29.7 44.5
54 44.1	43.1 64.7




Abundance Ion 82.00 (81.70 to 82.70): B

Ion 128.00 (127.70 to 128.70): B

Ion 54.00 (53.70 to 54.70): B









#31
Naphthalene
Concen: 6.25 ng
RT: 10.94 min Scan# 1302
Delta R.T. -0.01 min
Lab File: BG034963.D
Acq: 7 Jun 2018 21:58




Instrument :
BNA_G
ClientSampleId :


Tot Ion:128 Resp: 66273
Ion Ratio Lower Upper
128 100
129 12.4 8.6 12.8
127 15.5 11.6 17.4



#37
2-Methylnaphthalene
Concen: 37.49 ng
RT: 12.54 min Scan# 1575
Delta R.T. -0.01 min
Lab File: BG034963.D
Acq: 7 Jun 2018 21:58

Tgt Ion:142 Resp: 301551
Ion Ratio Lower Upper
142 100
141 90.8 67.1 100.7
115 44.9 30.7 46.1





#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 14.71 min Scan# 1944

Delta R.T. -0.00 min

Lab File: BG034963.D

Acq: 7 Jun 2018 21:58

Instrument :

BNA_G

ClientSampleId :


Tot Ion:164 Resp: 118470

Ion Ratio Lower Upper

164 100

162 101.8 78.8 118.2




160 50.0 35.4 53.0



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 83.15 ng

RT: 16.19 min Scan# 2197

Delta R.T. -0.00 min

Lab File: BG034963.D

Acq: 7 Jun 2018 21:58


Tgt Ion:330 Resp: 126108

Ion Ratio Lower Upper

330 100

332 97.0 77.0 115.6



141 40.5 25.2 37.8#




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
2-Fluorobiphenyl
Concen: 69.75 ng
RT: 13.33 min Scan# 1710
Delta R.T. -0.01 min
Lab File: BG034963.D
Acq: 7 Jun 2018 21:58




Instrument :
BNA_G
ClientSampled :


Tot Ion:172 Resp: 635634
Ion Ratio Lower Upper
172 100
171 33.5 30.0 45.0
170 22.5 19.5 29.3



#45
1,1'-Biphenyl
Concen: 2.29 ng
RT: 13.54 min Scan# 1745
Delta R.T. -0.01 min
Lab File: BG034963.D
Acq: 7 Jun 2018 21:58

Tgt Ion:154 Resp: 21856
Ion Ratio Lower Upper
154 100
153 44.7 19.8 59.8
76 8.6 0.0 31.9





#49

Dimethylphthalate

Concen: 2.90 ng

RT: 14.15 min Scan# 1850

Delta R.T. -0.01 min

Lab File: BG034963.D

Acq: 7 Jun 2018 21:58

Instrument :

BNA_G

ClientSampled :


Tot Ion:163 Resp: 29992

Ion Ratio Lower Upper

163 100

194 14.9 3.4 5.2#




164 13.1 8.2 12.4#



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#50

2,6-Dinitrotoluene

Concen: 8.15 ng

RT: 14.24 min Scan# 1864

Delta R.T. -0.04 min

Lab File: BG034963.D

Acq: 7 Jun 2018 21:58


Tgt Ion:165 Resp: 15358

Ion Ratio Lower Upper

165 100

63 4.5 52.7 79.1#



89 5.2 49.2 73.8#




Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BGC

Ion 89.00 (88.70 to 89.70): BGC









#52
3-Nitroaniline
Concen: 2.23 na
RT: 14.62 min Scan# 1929
Delta R.T. 0.01 min
Lab File: BG034963.D
Acq: 7 Jun 2018 21:58




Instrument :
BNA_G
ClientSampleId :


Tot Ion:138 Resp: 4127
Ion Ratio Lower Upper
138 100
108 73.9 17.5 26.3#
92 63.1 105.8 158.8#



#56
2,4-Dinitrotoluene
Concen: 2.76 ng
RT: 15.06 min Scan# 2004
Delta R.T. -0.01 min
Lab File: BG034963.D
Acq: 7 Jun 2018 21:58

Tgt Ion:165 Resp: 6909
Ion Ratio Lower Upper
165 100
63 22.7 42.0 63.0#
89 21.3 66.9 100.3#
182 90.3 2.6 3.8#









#61
4-Nitroaniline
Concen: 2.25 ng
RT: 15.59 min Scan# 2094
Delta R.T. -0.19 min
Lab File: BG034963.D
Acq: 7 Jun 2018 21:58




Instrument :
BNA_G
ClientSampleId :


Tot Ion:138 Resp: 4471
Ion Ratio Lower Upper
138 100
92 70.0 40.1 80.1
108 99.9 65.4 105.4



#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.46 min Scan# 2412
Delta R.T. 0.01 min
Lab File: BG034963.D
Acq: 7 Jun 2018 21:58

Tgt Ion:188 Resp: 257885
Ion Ratio Lower Upper
188 100
94 12.7 6.9 10.3#
80 14.3 7.7 11.5#





#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.72 min Scan# 3138

Delta R.T. -0.01 min

Lab File: BG034963.D

Acq: 7 Jun 2018 21:58

Instrument :

BNA_G

ClientSampled :


Tot Ion:240 Resp: 288842

Ion Ratio Lower Upper

240 100

120 6.6 6.8 10.2#




236 25.4 20.9 31.3



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 65.10 ng

RT: 20.06 min Scan# 2856

Delta R.T. -0.00 min

Lab File: BG034963.D

Acq: 7 Jun 2018 21:58


Tgt Ion:244 Resp: 897670

Ion Ratio Lower Upper

244 100

212 9.4 5.8 8.8#



122 7.1 7.0 10.4




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
 Pervlene-d12
 Concen: 20.00 ng
 RT: 24.96 min Scan# 3690
 Delta R.T. -0.02 min
 Lab File: BG034963.D
 Acq: 7 Jun 2018 21:58

Instrument :
 BNA_G
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.9	17.4	26.0
265	20.7	17.7	26.5



Abundance Ion 264.00 (263.70 to 264.70): E
 150000 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

