

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG061319\
 Data File : BG041234.D
 Acq On : 13 Jun 2019 23:58
 Operator : HP/JU
 Sample : K3159-02
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 OR-03-061119-A

Quant Time: Jun 14 09:13:47 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG052919.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sun Jun 09 23:08:34 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.10	152	37449	20.00	ng	0.00
21) Naphthalene-d8	10.92	136	152736	20.00	ng	0.00
39) Acenaphthene-d10	14.73	164	112044	20.00	ng	0.00
64) Phenanthrene-d10	17.48	188	271038	20.00	ng	0.00
76) Chrysene-d12	21.76	240	257551	20.00	ng	0.00
87) Perylene-d12	25.08	264	180805	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.64	112	283276	136.40	ng	0.00
7) Phenol-d6	7.26	99	380999	118.79	ng	0.00
23) Nitrobenzene-d5	9.28	82	334147	97.12	ng	0.00
42) 2,4,6-Tribromophenol	16.22	330	191036	114.85	ng	0.00
45) 2-Fluorobiphenyl	13.35	172	782525	100.58	ng	0.00
79) Terphenyl-d14	20.08	244	1323137	109.03	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG061319\
Data File : BG041234.D
Acq On : 13 Jun 2019 23:58
Operator : HP/JU
Sample : K3159-02
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
OR-03-061119-A

Quant Time: Jun 14 09:13:47 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG052919.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sun Jun 09 23:08:34 2019
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.10 min Scan# 853
Delta R.T. -0.00 min
Lab File: BG041234.D
Acq: 13 Jun 2019 23:58

Instrument :
BNA_G
ClientSampleId :
OR-03-061119-A

Tot Ion	Ratio	Lower	Upper
152	100		
150	169.3	120.6	180.8
115	62.9	45.1	67.7






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 136.401 ng
RT: 5.64 min Scan# 434
Delta R.T. 0.00 min
Lab File: BG041234.D
Acq: 13 Jun 2019 23:58

Tgt Ion	Ratio	Lower	Upper
112	100		
64	71.5	56.2	84.2
63	41.7	32.8	49.2






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BG

Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 118.788 ng

RT: 7.26 min Scan# 709

Delta R.T. 0.01 min

Lab File: BG041234.D

Acq: 13 Jun 2019 23:58

Instrument :

BNA_G

ClientSampleId :

OR-03-061119-A


Tot Ion: 99 Resp: 380999

Ion Ratio Lower Upper




99 100

42 23.5 17.9 26.9

71 47.5 35.4 53.0



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.92 min Scan# 1333

Delta R.T. -0.00 min

Lab File: BG041234.D

Acq: 13 Jun 2019 23:58

Tgt Ion: 136 Resp: 152736


Ion Ratio Lower Upper

136 100



137 10.5 9.5 14.3


54 8.6 7.6 11.4

68 5.2 3.9 5.9



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 97.122 ng
RT: 9.28 min Scan# 1054
Delta R.T. 0.00 min
Lab File: BG041234.D
Acq: 13 Jun 2019 23:58




Instrument :
BNA_G
ClientSampleId :
OR-03-061119-A


Tot Ion	82	Resp	334147
Ion Ratio	Lower	Upper	
82	100		
128	36.8	30.5	45.7
54	55.0	44.6	66.8



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.73 min Scan# 1982
Delta R.T. -0.00 min
Lab File: BG041234.D
Acq: 13 Jun 2019 23:58

Tgt Ion	164	Resp	112044
Ion Ratio	Lower	Upper	
164	100		
162	104.7	83.0	124.4
160	46.4	35.6	53.4






#42
 2,4,6-Tribromophenol
 Concen: 114.849 ng
 RT: 16.22 min Scan# 2235
 Delta R.T. -0.00 min
 Lab File: BG041234.D
 Acq: 13 Jun 2019 23:58

Instrument :
 BNA_G
 ClientSampleId :
 OR-03-061119-A

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.9	78.5	117.7
141	37.0	28.7	43.1






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45
 2-Fluorobiphenyl
 Concen: 100.578 ng
 RT: 13.35 min Scan# 1747
 Delta R.T. -0.00 min
 Lab File: BG041234.D
 Acq: 13 Jun 2019 23:58

Tgt Ion	Ratio	Lower	Upper
172	100		
171	38.5	31.1	46.7
170	25.2	20.5	30.7






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.48 min Scan# 2449

Delta R.T. -0.00 min

Lab File: BG041234.D

Acq: 13 Jun 2019 23:58

Instrument :

BNA_G

ClientSampleId :

OR-03-061119-A


Tot Ion:188 Resp: 271038

Ion Ratio Lower Upper

188 100

94 5.3 4.7 7.1




80 6.1 5.8 8.8



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BG

Ion 80.00 (79.70 to 80.70): BG



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.76 min Scan# 3177

Delta R.T. -0.00 min

Lab File: BG041234.D

Acq: 13 Jun 2019 23:58


Tgt Ion:240 Resp: 257551

Ion Ratio Lower Upper

240 100

120 4.8 4.5 6.7



236 27.6 21.3 31.9




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 109.033 ng

RT: 20.08 min Scan# 2891

Delta R.T. 0.00 min

Lab File: BG041234.D

Acq: 13 Jun 2019 23:58

Instrument :

BNA_G

ClientSampleId :

OR-03-061119-A


Tot Ion:244 Resp: 1323137

Ion Ratio Lower Upper

244 100

212 8.8 7.0 10.4




122 6.1 5.4 8.0



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.08 min Scan# 3743

Delta R.T. -0.00 min

Lab File: BG041234.D

Acq: 13 Jun 2019 23:58


Tgt Ion:264 Resp: 180805

Ion Ratio Lower Upper

264 100

260 23.7 19.0 28.4

265 20.8 17.0 25.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

