

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG061418\
 Data File : BG035166.D
 Acq On : 15 Jun 2018 10:02
 Operator : SJ/JU
 Sample : J3415-08
 Misc :
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SB-33COMP

Quant Time: Jun 15 11:09:19 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG060718.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 08 17:16:28 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.06	152	47019	20.00	ng	-0.01
21) Naphthalene-d8	10.87	136	183741	20.00	ng	-0.01
38) Acenaphthene-d10	14.68	164	135941	20.00	ng	-0.01
63) Phenanthrene-d10	17.43	188	377268	20.00	ng	-0.01
75) Chrysene-d12	21.70	240	429381	20.00	ng	-0.02
86) Perylene-d12	24.93	264	339312	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.64	112	372508	133.70	ng	0.00
7) Phenol-d6	7.22	99	508702	123.71	ng	0.00
23) Nitrobenzene-d5	9.23	82	410026	106.07	ng	-0.01
41) 2,4,6-Tribromophenol	16.17	330	272128	156.38	ng	-0.01
44) 2-Fluorobiphenyl	13.31	172	931991	89.13	ng	-0.02
78) Terphenyl-d14	20.04	244	1868327	91.14	ng	-0.01


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG061418\
Data File : BG035166.D
Acq On : 15 Jun 2018 10:02
Operator : SJ/JU
Sample : J3415-08
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SB-33COMP

Quant Time: Jun 15 11:09:19 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG060718.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 08 17:16:28 2018
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.06 min Scan# 813
Delta R.T. -0.01 min
Lab File: BG035166.D
Acq: 15 Jun 2018 10:02

Instrument :
BNA_G
ClientSampled :
SB-33COMP

Tot Ion	Ratio	Lower	Upper
152	100		
150	153.1	126.6	189.8
115	63.9	53.0	79.4





Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 133.701 ng
RT: 5.64 min Scan# 400
Delta R.T. -0.01 min
Lab File: BG035166.D
Acq: 15 Jun 2018 10:02

Tgt Ion	Ratio	Lower	Upper
112	100		
64	59.7	56.3	84.5
63	35.6	30.1	45.1





Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 123.707 ng

RT: 7.22 min Scan# 670

Delta R.T. -0.00 min

Lab File: BG035166.D

Acq: 15 Jun 2018 10:02

Instrument :

BNA_G

ClientSampleId :

SB-33COMP


Tot Ion: 99 Resp: 508702

Ion Ratio Lower Upper




99 100

42 14.5 14.1 21.1

71 41.8 26.1 39.1#



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.87 min Scan# 1291

Delta R.T. -0.01 min

Lab File: BG035166.D

Acq: 15 Jun 2018 10:02

Tgt Ion: 136 Resp: 183741


Ion Ratio Lower Upper

136 100



137 10.2 9.2 13.8


54 6.1 10.3 15.5#

68 5.4 4.5 6.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC





#23

Nitrobenzene-d5

Concen: 106.075 ng

RT: 9.23 min Scan# 1011

Delta R.T. -0.01 min

Lab File: BG035166.D

Acq: 15 Jun 2018 10:02

Instrument :

BNA_G

ClientSampleId :

SB-33COMP


Tot Ion: 82 Resp: 410026

Ion Ratio Lower Upper




82 100

128 35.4 29.7 44.5

54 40.6 43.1 64.7#



Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC



#38

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.68 min Scan# 1940

Delta R.T. -0.01 min

Lab File: BG035166.D

Acq: 15 Jun 2018 10:02


Tgt Ion: 164 Resp: 135941

Ion Ratio Lower Upper



164 100


162 103.9 78.8 118.2

160 43.7 35.4 53.0



Abundance Ion 164.00 (163.70 to 164.70): BGC
Ion 162.00 (161.70 to 162.70): BGC
Ion 160.00 (159.70 to 160.70): BGC






#41
 2,4,6-Tribromophenol
 Concen: 156.376 ng
 RT: 16.17 min Scan# 2193
 Delta R.T. -0.01 min
 Lab File: BG035166.D
 Acq: 15 Jun 2018 10:02

Instrument :
 BNA_G
 ClientSampleId :
 SB-33COMP

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.6	77.0	115.6
141	37.8	25.2	37.8






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#44
 2-Fluorobiphenyl
 Concen: 89.126 ng
 RT: 13.31 min Scan# 1706
 Delta R.T. -0.02 min
 Lab File: BG035166.D
 Acq: 15 Jun 2018 10:02

Tgt Ion	Ratio	Lower	Upper
172	100		
171	34.6	30.0	45.0
170	23.2	19.5	29.3





Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.43 min Scan# 2407

Delta R.T. -0.01 min

Lab File: BG035166.D

Acq: 15 Jun 2018 10:02

Instrument :

BNA_G

ClientSampleId :

SB-33COMP


Tot Ion:188 Resp: 377268

Ion Ratio Lower Upper

188 100

94 6.4 6.9 10.3#




80 6.8 7.7 11.5#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#75

Chrysene-d12

Concen: 20.000 ng

RT: 21.70 min Scan# 3134

Delta R.T. -0.02 min

Lab File: BG035166.D

Acq: 15 Jun 2018 10:02


Tgt Ion:240 Resp: 429381

Ion Ratio Lower Upper

240 100

120 5.6 6.8 10.2#



236 25.6 20.9 31.3




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 91.144 ng

RT: 20.04 min Scan# 2851

Delta R.T. -0.01 min

Lab File: BG035166.D

Acq: 15 Jun 2018 10:02

Instrument :

BNA_G

ClientSampleId :

SB-33COMP


Tot Ion:244 Resp: 1868327

Ion Ratio Lower Upper

244 100

212 9.6 5.8 8.8#




122 7.2 7.0 10.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 24.93 min Scan# 3684

Delta R.T. -0.02 min

Lab File: BG035166.D

Acq: 15 Jun 2018 10:02


Tgt Ion:264 Resp: 339312

Ion Ratio Lower Upper

264 100

260 21.4 17.4 26.0

265 20.4 17.7 26.5



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

