

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG061819\
 Data File : BG041304.D
 Acq On : 18 Jun 2019 19:22
 Operator : HP/JU
 Sample : K3409-01
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 T-1

Quant Time: Jun 19 06:42:38 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG061719.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 17 14:58:02 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.08	152	41319	20.00	ng	0.00
21) Naphthalene-d8	10.90	136	155756	20.00	ng	0.00
39) Acenaphthene-d10	14.72	164	114344	20.00	ng	0.00
64) Phenanthrene-d10	17.46	188	277718	20.00	ng	0.00
76) Chrysene-d12	21.74	240	272257	20.00	ng	0.00
87) Perylene-d12	25.04	264	290025	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.62	112	284625	126.57	ng	0.00
7) Phenol-d6	7.24	99	411160	126.14	ng	0.00
23) Nitrobenzene-d5	9.26	82	289361	78.13	ng	0.00
42) 2,4,6-Tribromophenol	16.20	330	190416	108.47	ng	0.00
45) 2-Fluorobiphenyl	13.33	172	540005	64.19	ng	0.00
79) Terphenyl-d14	20.06	244	793264	57.74	ng	0.00
Target Compounds						
50) Dimethylphthalate	14.16	163	86359	8.488	ng	Qvalue 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG061819\
Data File : BG041304.D
Acq On : 18 Jun 2019 19:22
Operator : HP/JU
Sample : K3409-01
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
T-1

Quant Time: Jun 19 06:42:38 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG061719.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 17 14:58:02 2019
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.000 ng

RT: 8.08 min Scan# 850

Delta R.T. 0.00 min

Lab File: BG041304.D

Acq: 18 Jun 2019 19:22

Instrument :

BNA_G

ClientSampled :

T-1


Tot Ion:152 Resp: 41319

Ion Ratio Lower Upper

152 100

150 154.2 120.6 181.0




115 67.6 47.9 71.9



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 126.570 ng

RT: 5.62 min Scan# 431

Delta R.T. 0.00 min

Lab File: BG041304.D

Acq: 18 Jun 2019 19:22


Tgt Ion:112 Resp: 284625

Ion Ratio Lower Upper

112 100

64 69.5 55.9 83.9



63 41.8 34.6 51.8




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BG

Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 126.138 ng

RT: 7.24 min Scan# 706

Delta R.T. 0.00 min

Lab File: BG041304.D

Acq: 18 Jun 2019 19:22

Instrument :

BNA_G

ClientSampleId :

T-1


Tot Ion: 99 Resp: 411160

Ion Ratio Lower Upper




99 100

42 24.4 19.9 29.9

71 45.7 36.4 54.6



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.90 min Scan# 1330

Delta R.T. -0.00 min

Lab File: BG041304.D

Acq: 18 Jun 2019 19:22

Tgt Ion: 136 Resp: 155756


Ion Ratio Lower Upper

136 100



137 10.7 8.8 13.2


54 9.2 6.4 9.6

68 5.1 4.8 7.2



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 78.131 ng
 RT: 9.26 min Scan# 1050
 Delta R.T. -0.00 min
 Lab File: BG041304.D
 Acq: 18 Jun 2019 19:22

Instrument :
 BNA_G
 ClientSampleId :
 T-1

Tot Ion	Ratio	Lower	Upper
82	100		
128	35.6	29.2	43.8
54	57.0	43.4	65.0




Abundance Ion 82.00 (81.70 to 82.70): BGC
 Ion 128.00 (127.70 to 128.70): BGC
 Ion 54.00 (53.70 to 54.70): BGC






#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.72 min Scan# 1979
 Delta R.T. -0.00 min
 Lab File: BG041304.D
 Acq: 18 Jun 2019 19:22

Tgt Ion	Ratio	Lower	Upper
164	100		
162	101.7	82.8	124.2
160	45.4	35.8	53.8



Abundance Ion 164.00 (163.70 to 164.70): BGC
 Ion 162.00 (161.70 to 162.70): BGC
 Ion 160.00 (159.70 to 160.70): BGC





#42

2,4,6-Tribromophenol

Concen: 108.472 ng

RT: 16.20 min Scan# 2232

Delta R.T. -0.00 min

Lab File: BG041304.D

Acq: 18 Jun 2019 19:22

Instrument :

BNA_G

ClientSampleId :

T-1


Tot Ion:330 Resp: 190416

Ion Ratio Lower Upper

330 100

332 95.1 75.5 113.3




141 37.2 29.0 43.4



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 64.188 ng

RT: 13.33 min Scan# 1744

Delta R.T. -0.00 min

Lab File: BG041304.D

Acq: 18 Jun 2019 19:22


Tgt Ion:172 Resp: 540005

Ion Ratio Lower Upper

172 100

171 37.9 30.0 45.0



170 24.2 19.8 29.6




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#50

Dimethylphthalate

Concen: 8.488 ng

RT: 14.16 min Scan# 1884

Delta R.T. -0.01 min

Lab File: BG041304.D

Acq: 18 Jun 2019 19:22

Instrument :

BNA_G

ClientSampleId :

T-1


Tot Ion:163 Resp: 86359

Ion Ratio Lower Upper

163 100

194 4.4 3.9 5.9




164 9.2 8.3 12.5



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.46 min Scan# 2446

Delta R.T. -0.00 min

Lab File: BG041304.D

Acq: 18 Jun 2019 19:22


Tgt Ion:188 Resp: 277718

Ion Ratio Lower Upper

188 100

94 5.1 3.6 5.4



80 6.4 4.8 7.2




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC









#76
 Chrvsene-d12
 Concen: 20.000 ng
 RT: 21.74 min Scan# 3174
 Delta R.T. -0.00 min
 Lab File: BG041304.D
 Acq: 18 Jun 2019 19:22




Instrument :
 BNA_G
 ClientSampleId :
 T-1


Tot Ion:240 Resp: 272257
 Ion Ratio Lower Upper
 240 100
 120 4.8 3.7 5.5
 236 27.1 21.1 31.7



#79
 Terphenyl-d14
 Concen: 57.743 ng
 RT: 20.06 min Scan# 2888
 Delta R.T. -0.00 min
 Lab File: BG041304.D
 Acq: 18 Jun 2019 19:22

Tgt Ion:244 Resp: 793264
 Ion Ratio Lower Upper
 244 100
 212 8.5 6.6 10.0
 122 6.7 5.0 7.4





#87
Pervlene-d12
Concen: 20.000 ng
RT: 25.04 min Scan# 3737
Delta R.T. 0.00 min
Lab File: BG041304.D
Acq: 18 Jun 2019 19:22

Instrument :
BNA_G
ClientSampleId :
T-1

Tot Ion	Ratio	Lower	Upper
264	100		
260	21.7	17.4	26.2
265	20.1	17.2	25.8

