

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG062118\
 Data File : BG035316.D
 Acq On : 22 Jun 2018 3:06
 Operator : JU/SJ
 Sample : J3603-04
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 26KV-TP-2

Quant Time: Jun 22 05:44:52 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG060718.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 08 17:16:28 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.05	152	50525	20.00	ng	-0.02
21) Naphthalene-d8	10.86	136	179819	20.00	ng	-0.03
38) Acenaphthene-d10	14.68	164	121330	20.00	ng	-0.02
63) Phenanthrene-d10	17.42	188	345471	20.00	ng	-0.02
75) Chrysene-d12	21.68	240	391465	20.00	ng	-0.03
86) Perylene-d12	24.90	264	366049	20.00	ng	-0.05
System Monitoring Compounds						
5) 2-Fluorophenol	5.63	112	453541	151.49	ng	0.00
7) Phenol-d6	7.21	99	589155	133.33	ng	0.00
23) Nitrobenzene-d5	9.22	82	455762	120.48	ng	-0.02
41) 2,4,6-Tribromophenol	16.17	330	324422	208.88	ng	-0.02
44) 2-Fluorobiphenyl	13.30	172	976298	104.61	ng	-0.03
78) Terphenyl-d14	20.03	244	1952667	104.48	ng	-0.02


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG062118\
Data File : BG035316.D
Acq On : 22 Jun 2018 3:06
Operator : JU/SJ
Sample : J3603-04
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
26KV-TP-2

Quant Time: Jun 22 05:44:52 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG060718.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 08 17:16:28 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.05 min Scan# 811
Delta R.T. -0.02 min
Lab File: BG035316.D
Acq: 22 Jun 2018 3:06

Instrument :
BNA_G
ClientSampleId :
26KV-TP-2

Tot Ion:152 Resp: 50525
Ion Ratio Lower Upper
152 100
150 157.1 126.6 189.8
115 61.2 53.0 79.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 151.489 ng
RT: 5.63 min Scan# 399
Delta R.T. -0.01 min
Lab File: BG035316.D
Acq: 22 Jun 2018 3:06

Tgt Ion:112 Resp: 453541
Ion Ratio Lower Upper
112 100
64 61.9 56.3 84.5
63 33.8 30.1 45.1



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 133.329 ng

RT: 7.21 min Scan# 668

Delta R.T. -0.01 min

Lab File: BG035316.D

Acq: 22 Jun 2018 3:06

Instrument :

BNA_G

ClientSampleId :

26KV-TP-2


Tot Ion: 99 Resp: 589155

Ion Ratio Lower Upper




99 100

42 14.9 14.1 21.1

71 41.8 26.1 39.1#



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.86 min Scan# 1288

Delta R.T. -0.03 min

Lab File: BG035316.D

Acq: 22 Jun 2018 3:06

Tgt Ion: 136 Resp: 179819


Ion Ratio Lower Upper

136 100



137 9.1 9.2 13.8#


54 6.7 10.3 15.5#

68 6.0 4.5 6.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 120.479 ng
 RT: 9.22 min Scan# 1009
 Delta R.T. -0.02 min
 Lab File: BG035316.D
 Acq: 22 Jun 2018 3:06




Instrument :
 BNA_G
 ClientSampleId :
 26KV-TP-2


Tot Ion	Ratio	Lower	Upper
82	100		
128	35.3	29.7	44.5
54	40.6	43.1	64.7#



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.68 min Scan# 1938
 Delta R.T. -0.02 min
 Lab File: BG035316.D
 Acq: 22 Jun 2018 3:06

Tgt Ion	Ratio	Lower	Upper
164	100		
162	101.1	78.8	118.2
160	46.7	35.4	53.0









#41
 2,4,6-Tribromophenol
 Concen: 208.876 ng
 RT: 16.17 min Scan# 2192
 Delta R.T. -0.02 min
 Lab File: BG035316.D
 Acq: 22 Jun 2018 3:06




Instrument :
 BNA_G
 ClientSampleId :
 26KV-TP-2


Tot Ion:330 Resp: 324422
 Ion Ratio Lower Upper
 330 100
 332 95.3 77.0 115.6
 141 36.4 25.2 37.8



#44
 2-Fluorobiphenyl
 Concen: 104.606 ng
 RT: 13.30 min Scan# 1704
 Delta R.T. -0.03 min
 Lab File: BG035316.D
 Acq: 22 Jun 2018 3:06

Tgt Ion:172 Resp: 976298
 Ion Ratio Lower Upper
 172 100
 171 35.7 30.0 45.0
 170 23.7 19.5 29.3





#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.42 min Scan# 2405

Delta R.T. -0.02 min

Lab File: BG035316.D

Acq: 22 Jun 2018 3:06

Instrument :

BNA_G

ClientSampleId :

26KV-TP-2


Tot Ion:188 Resp: 345471

Ion Ratio Lower Upper

188 100

94 5.4 6.9 10.3#




80 7.1 7.7 11.5#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#75

Chrysene-d12

Concen: 20.000 ng

RT: 21.68 min Scan# 3131

Delta R.T. -0.03 min

Lab File: BG035316.D

Acq: 22 Jun 2018 3:06


Tgt Ion:240 Resp: 391465

Ion Ratio Lower Upper

240 100

120 5.1 6.8 10.2#



236 26.7 20.9 31.3




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 104.484 ng

RT: 20.03 min Scan# 2849

Delta R.T. -0.02 min

Lab File: BG035316.D

Acq: 22 Jun 2018 3:06

Instrument :

BNA_G

ClientSampleId :

26KV-TP-2


Tot Ion:244 Resp: 1952667

Ion Ratio Lower Upper

244 100

212 10.0 5.8 8.8#




122 6.5 7.0 10.4#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 24.90 min Scan# 3679

Delta R.T. -0.05 min

Lab File: BG035316.D

Acq: 22 Jun 2018 3:06


Tgt Ion:264 Resp: 366049

Ion Ratio Lower Upper

264 100

260 24.2 17.4 26.0

265 22.9 17.7 26.5



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

