

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG062122\
 Data File : BG053984.D
 Acq On : 21 Jun 2022 18:42
 Operator : CG/JU
 Sample : PB145591BS
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SLCS591

Quant Time: Jun 21 23:07:53 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG062022.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Jun 20 15:29:13 2022
 Response via : Initial Calibration

Manual Integrations APPROVED

Reviewed By :Jagrut Upadhyay 06/22/2022
 Supervised By :mohammad ahmed 06/28/2022

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.077	152	21157	20.000	ng/u1	0.00
20) Naphthalene-d8	10.886	136	83674	20.000	ng/u1	# 0.00
38) Acenaphthene-d10	14.705	164	64109	20.000	ng/u1	0.00
64) Phenanthrene-d10	17.443	188	167494	20.000	ng/u1	# 0.00
79) Chrysene-d12	21.720	240	185635	20.000	ng/u1	# 0.00
88) Perylene-d12	24.981	264	194325	20.000	ng/u1	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.500	96	2571	5.782	ng/uL	0.00
4) Pyridine-d5	3.918	84	35804	29.604	ng/u1	0.00
7) Phenol-d5	7.231	99	47994	31.664	ng/u1	0.00
9) Bis-(2-Chloroethyl)eth...	7.402	67	27932	30.550	ng/u1	0.00
11) 2-Chlorophenol-d4	7.613	132	38199	31.604	ng/u1	0.00
15) 4-Methylphenol-d8	8.782	113	40191	31.099	ng/u1	0.00
21) Nitrobenzene-d5	9.241	128	19167	30.861	ng/u1	0.00
24) 2-Nitrophenol-d4	9.963	143	22080	33.460	ng/u1	0.00
28) 2,4-Dichlorophenol-d3	10.504	165	47511	32.542	ng/u1	0.00
31) 4-Chloroaniline-d4	11.015	131	53341	28.920	ng/u1	0.00
46) Dimethylphthalate-d6	14.106	166	159779	31.681	ng/u1	0.00
49) Acenaphthylene-d8	14.399	160	167997	30.633	ng/u1	0.00
54) 4-Nitrophenol-d4	14.887	143	22344	32.356	ng/u1	0.00
60) Fluorene-d10	15.692	176	142301	31.412	ng/u1	0.00
65) 4,6-Dinitro-2-methylph...	15.804	200	30995	33.923	ng/u1	0.00
73) Anthracene-d10	17.543	188	240135	31.746	ng/u1	0.00
81) Pyrene-d10	19.828	212	316879	32.739	ng/u1	0.00
92) Benzo(a)pyrene-d12	24.758	264	324735	33.106	ng/u1	0.00
Target Compounds						
					Qvalue	
2) 1,4-Dioxane	3.541	88	5870	12.097	ng/uL#	81
5) Pyridine	3.935	79	36896	29.416	ng/u1	97
6) Benzaldehyde	7.214	77	32027	41.494	ng/u1	96
8) Phenol	7.261	94	50268	31.784	ng/u1	92
10) Bis(2-Chloroethyl)ether	7.490	93	38063	31.773	ng/u1	91
12) 2-Chlorophenol	7.643	128	40084	32.481	ng/u1	92
13) 2-Methylphenol	8.518	108	38320	31.214	ng/u1	99
14) 2,2'-oxybis(1-Chloropr...	8.606	45	56222	31.595	ng/u1	99
16) Acetophenone	8.900	105	61360	30.700	ng/u1	93
17) N-Nitroso-di-n-propyla...	8.882	70	31825	31.236	ng/u1	99
18) 4-Methylphenol	8.847	108	41431	31.547	ng/u1	97
19) Hexachloroethane	9.170	117	16739	32.010	ng/u1	91
22) Nitrobenzene	9.282	77	47067	31.816	ng/u1	97
23) Isophorone	9.805	82	89700	31.274	ng/u1	99
25) 2-Nitrophenol	9.993	139	23242	33.589	ng/u1	94
26) 2,4-Dimethylphenol	10.052	107	44863	29.691	ng/u1	97
27) Bis(2-Chloroethoxy)met...	10.287	93	51460	31.870	ng/u1	99
29) 2,4-Dichlorophenol	10.533	162	47371	32.445	ng/u1	96
30) Naphthalene	10.939	128	129186	31.124	ng/u1	99
32) 4-Chloroaniline	11.039	127	53414	29.203	ng/u1	97
33) Hexachlorobutadiene	11.227	225	43510	30.510	ng/u1	99
34) Caprolactam	11.797	113	13379m	30.707	ng/u1	
35) 4-Chloro-3-methylphenol	12.155	107	46444	33.078	ng/u1	96
36) 2-Methylnaphthalene	12.537	142	94413	30.748	ng/u1	95

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG062122\
 Data File : BG053984.D
 Acq On : 21 Jun 2022 18:42
 Operator : CG/JU
 Sample : PB145591BS
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SLCS591


Quant Time: Jun 21 23:07:53 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG062022.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Jun 20 15:29:13 2022
 Response via : Initial Calibration

Manual Integrations APPROVED

Reviewed By :Jagrut Upadhyay 06/22/2022
 Supervised By :mohammad ahmed 06/28/2022


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
37) 1-Methylnaphthalene	12.754	142	94839	30.971	ng/ul	94
39) 1,2,4,5-Tetrachloroben...	12.907	216	80749	30.988	ng/ul	97
40) Hexachlorocyclopentadiene	12.889	237	36334	24.862	ng/ul#	92
41) 2,4,6-Trichlorophenol	13.142	196	46055	34.053	ng/ul	90
42) 2,4,5-Trichlorophenol	13.213	196	49923	32.651	ng/ul	99
43) 1,1'-Biphenyl	13.536	154	139496	31.394	ng/ul	99
44) 2-Chloronaphthalene	13.583	162	114156	30.937	ng/ul	98
45) 2-Nitroaniline	13.777	65	32377	34.877	ng/ul	98
47) Dimethylphthalate	14.153	163	154579	31.889	ng/ul	100
48) 2,6-Dinitrotoluene	14.270	165	33588	34.453	ng/ul	93
50) Acenaphthylene	14.423	152	177165	31.462	ng/ul	99
51) 3-Nitroaniline	14.599	138	28626	36.171	ng/ul#	90
52) Acenaphthene	14.770	153	117820	31.332	ng/ul	100
53) 2,4-Dinitrophenol	14.805	184	14223	31.492	ng/ul#	59
55) 4-Nitrophenol	14.899	109	22241	32.855	ng/ul	88
56) Dibenzofuran	15.099	168	181323	31.515	ng/ul	100
57) 2,4-Dinitrotoluene	15.057	165	48033	33.965	ng/ul	94
58) 2,3,4,6-Tetrachlorophenol	15.322	232	47979	36.113	ng/ul#	95
59) Diethylphthalate	15.516	149	152274	32.038	ng/ul	97
61) Fluorene	15.751	166	147421	31.460	ng/ul	100
62) 4-Chlorophenyl-phenyle...	15.739	204	92063	30.898	ng/ul	95
63) 4-Nitroaniline	15.757	138	29040	38.161	ng/ul	98
66) 4,6-Dinitro-2-methylph...	15.821	198	29981	34.183	ng/ul#	97
67) N-Nitrosodiphenylamine	15.950	169	135912	33.191	ng/ul	98
68) 4-Bromophenyl-phenylether	16.632	248	68813	33.075	ng/ul	93
69) Hexachlorobenzene	16.755	284	79825	32.736	ng/ul	93
70) Atrazine	16.896	200	64535	32.087	ng/ul	97
71) Pentachlorophenol	17.096	266	37468	36.252	ng/ul	89
72) Phenanthrene	17.490	178	271813	32.756	ng/ul	99
74) Anthracene	17.578	178	271203	32.429	ng/ul	100
75) 1,2,3,4-Tetrachloroben...	13.506	216	88503	31.023	ng/uL	97
76) Pentachlorobenzene	15.022	250	85583	32.618	ng/uL	94
77) Carbazole	17.842	167	228448	33.132	ng/ul	98
78) Di-n-butylphthalate	18.401	149	264737	33.724	ng/ul	99
80) Fluoranthene	19.493	202	357574	33.093	ng/ul#	93
82) Pyrene	19.858	202	355026	33.049	ng/ul#	94
83) Butylbenzylphthalate	20.739	149	115582	35.702	ng/ul	95
84) 3,3'-Dichlorobenzidine	21.614	252	139449	36.300	ng/ul#	96
85) Benzo(a)anthracene	21.703	228	380618	33.264	ng/ul	98
86) Bis(2-ethylhexyl)phtha...	21.609	149	167704	35.451	ng/ul	99
87) Chrysene	21.767	228	361566	32.938	ng/ul	99
89) Di-n-octyl phthalate	22.831	149	289110	34.642	ng/ul	100
90) Benzo(b)fluoranthene	23.947	252	401220	33.437	ng/ul#	98
91) Benzo(k)fluoranthene	24.012	252	385828	33.581	ng/ul#	98
93) Benzo(a)pyrene	24.828	252	388984	33.653	ng/ul#	97
94) Indeno(1,2,3-cd)pyrene	28.706	276	469638	33.771	ng/ul#	97
95) Dibenzo(a,h)anthracene	28.771	278	399885	34.169	ng/ul#	96
96) Benzo(g,h,i)perylene	29.869	276	398357	33.927	ng/ul#	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed



#2
1,4-Dioxane
Concen: 12.097 ng/uL
RT: 3.541 min Scan# 20
Delta R.T. 0.000 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42




Instrument :
BNA_G
ClientSampleId :
SLCS591



Tgt Ion: 88 Resp: 5870
Ion Ratio Lower Upper
88 100
43 36.4 48.1 72.1
58 67.3 59.8 89.6




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 06/22/2022
Supervised By :mohammad ahmed 06/28/2022



#5
Pyridine
Concen: 29.416 ng/uL
RT: 3.935 min Scan# 93
Delta R.T. 0.000 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42


Tgt Ion: 79 Resp: 36896
Ion Ratio Lower Upper
79 100
52 91.6 75.4 113.2
51 42.5 35.2 52.8





#6
Benzaldehyde
Concen: 41.494 ng/ul
RT: 7.214 min Scan# 61
Delta R.T. 0.000 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42




Instrument :
BNA_G
ClientSampleId :
SLCS591



Tgt Ion: 77 Resp: 3202
Ion Ratio Lower Upper
77 100
105 95.9 79.7 119.5
106 92.1 71.0 106.4




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 06/22/2022
Supervised By :mohammad ahmed 06/28/2022



#8
Phenol
Concen: 31.784 ng/ul
RT: 7.261 min Scan# 659
Delta R.T. 0.006 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42

Tgt Ion: 94 Resp: 50268
Ion Ratio Lower Upper
94 100
65 33.9 24.1 36.1
66 46.4 32.5 48.7






#10
Bis(2-Chloroethyl)ether
Concen: 31.773 ng/ul
RT: 7.490 min Scan# 698
Delta R.T. -0.006 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42

Instrument :

BNA_G

ClientSampleId :

SLCS591






Tgt Ion: 93 Resp: 3806
Ion Ratio Lower Upper
93 100
63 80.8 72.3 108.5
95 33.9 29.4 44.0


Manual Integrations

APPROVED



Reviewed By :Jagrut Upadhyay 06/22/2022
Supervised By :mohammad ahmed 06/28/2022




#12
2-Chlorophenol
Concen: 32.481 ng/ul
RT: 7.643 min Scan# 724
Delta R.T. 0.000 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42



Tgt Ion:128 Resp: 40084
Ion Ratio Lower Upper
128 100
64 45.3 41.4 62.2
130 29.8 27.0 40.6





#13

2-Methylphenol

Concen: 31.214 ng/ul

RT: 8.518 min Scan# 872

Delta R.T. 0.006 min

Lab File: BG053984.D

Acq: 21 Jun 2022 18:42

Instrument :

BNA_G

ClientSampleId :

SLCS591

Tgt Ion:108 Resp: 38320

Ion Ratio Lower Upper





108 100

107 95.5 75.8 113.8

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 06/22/2022
Supervised By :mohammad ahmed 06/28/2022



#14

2,2'-oxybis(1-Chloropropane)

Concen: 31.595 ng/ul

RT: 8.606 min Scan# 888

Delta R.T. 0.000 min

Lab File: BG053984.D

Acq: 21 Jun 2022 18:42




Tgt Ion: 45 Resp: 56222


Ion Ratio Lower Upper

45 100

77 13.4 10.2 15.4


79 9.6 8.1 12.1





#16
Acetophenone
Concen: 30.700 ng/ul
RT: 8.900 min Scan# 91
Delta R.T. 0.000 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42




Instrument :
BNA_G
ClientSampleId :
SLCS591




Tgt Ion:105 Resp: 61360
Ion Ratio Lower Upper
105 100
77 82.6 61.0 91.6
51 31.1 22.8 34.2

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 06/22/2022
Supervised By :mohammad ahmed 06/28/2022




#17
N-Nitroso-di-n-propylamine
Concen: 31.236 ng/ul
RT: 8.882 min Scan# 935
Delta R.T. 0.000 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42



Tgt Ion: 70 Resp: 31825
Ion Ratio Lower Upper
70 100
42 62.9 50.2 75.4
101 9.9 7.1 10.7
130 20.6 15.5 23.3









#18
4-Methylphenol
Concen: 31.547 ng/ul
RT: 8.847 min Scan# 91
Delta R.T. 0.006 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42

Instrument :
BNA_G
ClientSampleId :
SLCS591

Tgt Ion:108 Resp: 4143
Ion Ratio Lower Upper
108 100
107 110.5 90.7 136.1




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 06/22/2022
Supervised By :mohammad ahmed 06/28/2022



#19
Hexachloroethane
Concen: 32.010 ng/ul
RT: 9.170 min Scan# 984
Delta R.T. 0.000 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42


Tgt Ion:117 Resp: 16739
Ion Ratio Lower Upper
117 100
201 156.0 117.4 176.0
199 91.5 64.0 96.0





#22
Nitrobenzene
Concen: 31.816 ng/ul
RT: 9.282 min Scan# 1003
Delta R.T. 0.006 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42




Instrument :
BNA_G
ClientSampleId :
SLCS591




Tgt Ion: 77 Resp: 4706
Ion Ratio Lower Upper
77 100
123 41.5 31.2 46.8
65 13.2 10.5 15.7

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 06/22/2022
Supervised By :mohammad ahmed 06/28/2022




#23
Isophorone
Concen: 31.274 ng/ul
RT: 9.805 min Scan# 1092
Delta R.T. 0.000 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42




Tgt Ion: 82 Resp: 89700
Ion Ratio Lower Upper
82 100
95 7.7 6.1 9.1
138 17.4 13.6 20.4





#25
2-Nitrophenol
Concen: 33.589 ng/ul
RT: 9.993 min Scan# 1124
Delta R.T. -0.006 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42




Instrument :
BNA_G
ClientSampleId :
SLCS591




Tgt Ion:139 Resp: 2324
Ion Ratio Lower Upper
139 100
65 57.7 47.7 71.5
109 40.4 27.1 40.7

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 06/22/2022
Supervised By :mohammad ahmed 06/28/2022




#26
2,4-Dimethylphenol
Concen: 29.691 ng/ul
RT: 10.052 min Scan# 1134
Delta R.T. 0.000 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42




Tgt Ion:107 Resp: 44863
Ion Ratio Lower Upper
107 100
121 48.9 39.9 59.9
122 86.6 66.7 100.1





#27
 Bis(2-Chloroethoxy)methane
 Concen: 31.870 ng/ul
 RT: 10.287 min Scan# 1174
 Delta R.T. 0.000 min
 Lab File: BG053984.D
 Acq: 21 Jun 2022 18:42




Instrument :
 BNA_G
 ClientSampleId :
 SLCS591




Tgt Ion: 93 Resp: 51460
 Ion Ratio Lower Upper
 93 100
 95 32.5 26.5 39.7
 123 10.9 8.8 13.2

Manual Integrations
 APPROVED



Reviewed By :Jagrut Upadhyay 06/22/2022
 Supervised By :mohammad ahmed 06/28/2022




#29
 2,4-Dichlorophenol
 Concen: 32.445 ng/ul
 RT: 10.533 min Scan# 1216
 Delta R.T. 0.000 min
 Lab File: BG053984.D
 Acq: 21 Jun 2022 18:42




Tgt Ion:162 Resp: 47371
 Ion Ratio Lower Upper
 162 100
 164 66.2 50.9 76.3
 98 32.1 28.5 42.7





#30
Naphthalene
Concen: 31.124 ng/ul
RT: 10.939 min Scan# 1285
Delta R.T. 0.000 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42




Instrument :
BNA_G
ClientSampleId :
SLCS591



Tgt Ion:128 Resp: 129180
Ion Ratio Lower Upper
128 100
129 11.0 9.0 13.6
127 13.7 11.1 16.7




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 06/22/2022
Supervised By :mohammad ahmed 06/28/2022



#32
4-Chloroaniline
Concen: 29.203 ng/ul
RT: 11.039 min Scan# 1302
Delta R.T. 0.000 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42

Tgt Ion:127 Resp: 53414
Ion Ratio Lower Upper
127 100
129 33.3 25.4 38.2






#33
Hexachlorobutadiene
Concen: 30.510 ng/ul
RT: 11.227 min Scan# 11
Delta R.T. 0.000 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42

Instrument :

BNA_G

ClientSampleId :

SLCS591






Tgt Ion:225 Resp: 43510
Ion Ratio Lower Upper
225 100
223 64.0 50.2 75.2
227 63.9 51.8 77.6


Manual Integrations

APPROVED



Reviewed By :Jagrut Upadhyay 06/22/2022
Supervised By :mohammad ahmed 06/28/2022




#34
Caprolactam
Concen: 30.707 ng/ul m
RT: 11.797 min Scan# 1431
Delta R.T. 0.006 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42




Tgt Ion:113 Resp: 13379
Ion Ratio Lower Upper
113 100
55 172.8 167.8 251.6
56 145.0 127.6 191.4





#35
4-Chloro-3-methylphenol
Concen: 33.078 ng/ul
RT: 12.155 min Scan# 1492
Delta R.T. 0.000 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42




Instrument :
BNA_G
ClientSampleId :
SLCS591



Tgt Ion:107 Resp: 4644
Ion Ratio Lower Upper
107 100
144 26.2 21.3 31.9
142 76.9 65.0 97.4




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 06/22/2022
Supervised By :mohammad ahmed 06/28/2022



#36
2-Methylnaphthalene
Concen: 30.748 ng/ul
RT: 12.537 min Scan# 1557
Delta R.T. 0.000 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42


Tgt Ion:142 Resp: 94413
Ion Ratio Lower Upper
142 100
141 91.0 76.3 114.5





#37
1-Methylnaphthalene
Concen: 30.971 ng/ul
RT: 12.754 min Scan# 11
Delta R.T. 0.000 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42




Instrument :
BNA_G
ClientSampleId :
SLCS591




Tgt Ion:142 Resp: 94839
Ion Ratio Lower Upper
142 100
141 97.5 73.4 110.2
116 4.7 3.2 4.8

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 06/22/2022
Supervised By :mohammad ahmed 06/28/2022




#39
1,2,4,5-Tetrachlorobenzene
Concen: 30.988 ng/ul
RT: 12.907 min Scan# 1620
Delta R.T. 0.000 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42




Tgt Ion:216 Resp: 80749
Ion Ratio Lower Upper
216 100
214 74.7 58.1 87.1
179 17.4 14.8 22.2
108 10.7 10.4 15.6





#40
Hexachlorocyclopentadiene
Concen: 24.862 ng/ul
RT: 12.889 min Scan# 1616
Delta R.T. 0.000 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42




Instrument :
BNA_G
ClientSampleId :
SLCS591




Tgt Ion:237 Resp: 36334
Ion Ratio Lower Upper
237 100
235 64.1 47.0 70.6
272 14.4 8.6 12.8

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 06/22/2022
Supervised By :mohammad ahmed 06/28/2022




#41
2,4,6-Trichlorophenol
Concen: 34.053 ng/ul
RT: 13.142 min Scan# 1660
Delta R.T. 0.006 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42




Tgt Ion:196 Resp: 46055
Ion Ratio Lower Upper
196 100
198 90.5 81.9 122.9
200 30.3 25.7 38.5





#42
2,4,5-Trichlorophenol
Concen: 32.651 ng/ul
RT: 13.213 min Scan# 1672
Delta R.T. 0.006 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42




Instrument :
BNA_G
ClientSampleId :
SLCS591




Tgt Ion:196 Resp: 4992
Ion Ratio Lower Upper
196 100
198 94.6 76.3 114.5
200 31.3 25.5 38.3

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 06/22/2022
Supervised By :mohammad ahmed 06/28/2022




#43
1,1'-Biphenyl
Concen: 31.394 ng/ul
RT: 13.536 min Scan# 1727
Delta R.T. -0.006 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42




Tgt Ion:154 Resp: 139496
Ion Ratio Lower Upper
154 100
153 41.2 32.7 49.1
76 10.3 9.0 13.6





#44
2-Chloronaphthalene
Concen: 30.937 ng/ul
RT: 13.583 min Scan# 1735
Delta R.T. 0.000 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42




Instrument :
BNA_G
ClientSampleId :
SLCS591



Tgt Ion:162 Resp: 114150
Ion Ratio Lower Upper
162 100
164 32.7 25.7 38.5
127 34.0 28.3 42.5




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 06/22/2022
Supervised By :mohammad ahmed 06/28/2022



#45
2-Nitroaniline
Concen: 34.877 ng/ul
RT: 13.777 min Scan# 1768
Delta R.T. 0.000 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42

Tgt Ion: 65 Resp: 32377
Ion Ratio Lower Upper
65 100
92 66.6 52.2 78.4
138 101.7 79.0 118.4





#47

Dimethylphthalate

Concen: 31.889 ng/ul

RT: 14.153 min Scan# 1832

Delta R.T. 0.006 min

Lab File: BG053984.D


Acq: 21 Jun 2022 18:42

Instrument :

BNA_G

ClientSampleId :

SLCS591





Tgt Ion:163 Resp: 154579

Ion	Ratio	Lower	Upper
163	100		
194	4.9	3.7	5.5
164	9.9	7.9	11.9

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 06/22/2022
Supervised By :mohammad ahmed 06/28/2022



#48

2,6-Dinitrotoluene

Concen: 34.453 ng/ul

RT: 14.270 min Scan# 1852




Delta R.T. 0.006 min


Lab File: BG053984.D

Acq: 21 Jun 2022 18:42

Tgt Ion:165 Resp: 33588


Ion	Ratio	Lower	Upper
165	100		
89	49.8	44.7	67.1
121	19.0	16.9	25.3





#50
Acenaphthylene
Concen: 31.462 ng/ul
RT: 14.423 min Scan# 11
Delta R.T. 0.000 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42




Instrument :
BNA_G
ClientSampleId :
SLCS591




Tgt Ion:152 Resp: 17716
Ion Ratio Lower Upper
152 100
151 19.9 16.2 24.2
153 13.2 10.5 15.7

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 06/22/2022
Supervised By :mohammad ahmed 06/28/2022




#51
3-Nitroaniline
Concen: 36.171 ng/ul
RT: 14.599 min Scan# 1908
Delta R.T. 0.006 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42




Tgt Ion:138 Resp: 28626
Ion Ratio Lower Upper
138 100
108 10.3 17.8 26.6#
92 109.5 94.2 141.4





#52
Acenaphthene
Concen: 31.332 ng/ul
RT: 14.770 min Scan# 1937
Delta R.T. 0.000 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42




Instrument :
BNA_G
ClientSampleId :
SLCS591




Tgt Ion:153 Resp: 117820
Ion Ratio Lower Upper
153 100
152 47.1 37.5 56.3
154 85.4 68.8 103.2

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 06/22/2022
Supervised By :mohammad ahmed 06/28/2022




#53
2,4-Dinitrophenol
Concen: 31.492 ng/ul
RT: 14.805 min Scan# 1943
Delta R.T. 0.006 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42




Tgt Ion:184 Resp: 14223
Ion Ratio Lower Upper
184 100
63 52.9 34.7 52.1#
154 54.6 87.3 130.9#





#55
4-Nitrophenol
Concen: 32.855 ng/ul
RT: 14.899 min Scan# 1958
Delta R.T. 0.006 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42




Instrument :
BNA_G
ClientSampleId :
SLCS591



Tgt Ion:109 Resp: 2224
Ion Ratio Lower Upper
109 100
139 103.9 92.9 139.3
65 106.8 97.8 146.6




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 06/22/2022
Supervised By :mohammad ahmed 06/28/2022



#56
Dibenzofuran
Concen: 31.515 ng/ul
RT: 15.099 min Scan# 1993
Delta R.T. 0.000 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42


Tgt Ion:168 Resp: 181323
Ion Ratio Lower Upper
168 100
139 35.1 28.2 42.2





#57
2,4-Dinitrotoluene
Concen: 33.965 ng/ul
RT: 15.057 min Scan# 1985
Delta R.T. 0.006 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42




Instrument :
BNA_G
ClientSampleId :
SLCS591



Tgt Ion:165 Resp: 4803
Ion Ratio Lower Upper
165 100
63 37.1 33.0 49.4
182 3.0 2.8 4.2




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 06/22/2022
Supervised By :mohammad ahmed 06/28/2022



#58
2,3,4,6-Tetrachlorophenol
Concen: 36.113 ng/ul
RT: 15.322 min Scan# 2031
Delta R.T. 0.000 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42


Tgt Ion:232 Resp: 47979
Ion Ratio Lower Upper
232 100
131 31.6 27.5 41.3
130 1.6 1.8 2.8#
166 23.4 20.7 31.1





#59
Diethylphthalate
Concen: 32.038 ng/ul
RT: 15.516 min Scan# 2064
Delta R.T. 0.006 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42




Instrument :
BNA_G
ClientSampleId :
SLCS591



Tgt Ion:149 Resp: 152274
Ion Ratio Lower Upper
149 100
177 25.8 18.9 28.3
150 12.6 10.6 15.8




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 06/22/2022
Supervised By :mohammad ahmed 06/28/2022



#61
Fluorene
Concen: 31.460 ng/ul
RT: 15.751 min Scan# 2104
Delta R.T. 0.000 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42

Tgt Ion:166 Resp: 147421
Ion Ratio Lower Upper
166 100
165 102.0 81.7 122.5
167 13.8 11.0 16.4









#62
4-Chlorophenyl-phenylether
Concen: 30.898 ng/ul
RT: 15.739 min Scan# 2106
Delta R.T. 0.000 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42

Instrument :
BNA_G
ClientSampleId :
SLCS591

Tgt Ion:204 Resp: 9206
Ion Ratio Lower Upper
204 100
206 34.6 27.1 40.7
141 45.2 40.7 61.1




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 06/22/2022
Supervised By :mohammad ahmed 06/28/2022



#63
4-Nitroaniline
Concen: 38.161 ng/ul
RT: 15.757 min Scan# 2105
Delta R.T. 0.006 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42


Tgt Ion:138 Resp: 29040
Ion Ratio Lower Upper
138 100
92 54.9 42.0 63.0
108 100.5 79.0 118.6





#66
4,6-Dinitro-2-methylphenol
Concen: 34.183 ng/ul
RT: 15.821 min Scan# 2116
Delta R.T. 0.000 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42




Instrument :
BNA_G
ClientSampleId :
SLCS591




Tgt Ion:198 Resp: 2998
Ion Ratio Lower Upper
198 100
182 2.6 3.4 5.0
77 17.4 14.7 22.1

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 06/22/2022
Supervised By :mohammad ahmed 06/28/2022




#67
N-Nitrosodiphenylamine
Concen: 33.191 ng/ul
RT: 15.950 min Scan# 2138
Delta R.T. 0.000 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42




Tgt Ion:169 Resp: 135912
Ion Ratio Lower Upper
169 100
168 65.6 51.0 76.4
167 36.3 28.7 43.1





#68
4-Bromophenyl-phenylether
Concen: 33.075 ng/ul
RT: 16.632 min Scan# 21
Delta R.T. 0.000 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42




Instrument :
BNA_G
ClientSampleId :
SLCS591




Tgt Ion:248 Resp: 6881
Ion Ratio Lower Upper
248 100
250 95.3 78.2 117.2
141 48.4 46.7 70.1

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 06/22/2022
Supervised By :mohammad ahmed 06/28/2022




#69
Hexachlorobenzene
Concen: 32.736 ng/ul
RT: 16.755 min Scan# 2275
Delta R.T. 0.000 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42




Tgt Ion:284 Resp: 79825
Ion Ratio Lower Upper
284 100
142 21.1 20.8 31.2
249 31.8 27.4 41.0





#70
Atrazine
Concen: 32.087 ng/ul
RT: 16.896 min Scan# 21
Delta R.T. 0.006 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42




Instrument :
BNA_G
ClientSampleId :
SLCS591




Tgt Ion:200 Resp: 6453
Ion Ratio Lower Upper
200 100
173 23.1 19.8 29.6
215 50.0 38.8 58.2

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 06/22/2022
Supervised By :mohammad ahmed 06/28/2022




#71
Pentachlorophenol
Concen: 36.252 ng/ul
RT: 17.096 min Scan# 2333
Delta R.T. 0.000 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42




Tgt Ion:266 Resp: 37468
Ion Ratio Lower Upper
266 100
264 59.3 56.8 85.2
268 65.9 48.0 72.0





#72
Phenanthrene
Concen: 32.756 ng/u1
RT: 17.490 min Scan# 2400
Delta R.T. 0.000 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42




Instrument :
BNA_G
ClientSampleId :
SLCS591




Tgt Ion:178 Resp: 271811
Ion Ratio Lower Upper
178 100
179 15.9 12.6 19.0
176 18.9 15.7 23.5

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 06/22/2022
Supervised By :mohammad ahmed 06/28/2022




#74
Anthracene
Concen: 32.429 ng/u1
RT: 17.578 min Scan# 2415
Delta R.T. 0.000 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42




Tgt Ion:178 Resp: 271203
Ion Ratio Lower Upper
178 100
179 15.3 12.4 18.6
176 18.2 14.6 22.0





#75
1,2,3,4-Tetrachlorobenzene
Concen: 31.023 ng/uL
RT: 13.506 min Scan# 1722
Delta R.T. 0.000 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42




Instrument :
BNA_G
ClientSampleId :
SLCS591




Tgt Ion:216 Resp: 88500
Ion Ratio Lower Upper
216 100
214 76.5 64.2 96.4
218 48.0 39.0 58.4

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 06/22/2022
Supervised By :mohammad ahmed 06/28/2022




#76
Pentachlorobenzene
Concen: 32.618 ng/uL
RT: 15.022 min Scan# 1980
Delta R.T. 0.000 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42




Tgt Ion:250 Resp: 85583
Ion Ratio Lower Upper
250 100
248 63.0 47.7 71.5
252 68.5 50.0 75.0





#77
 Carbazole
 Concen: 33.132 ng/ul
 RT: 17.842 min Scan# 2460
 Delta R.T. 0.000 min
 Lab File: BG053984.D
 Acq: 21 Jun 2022 18:42




Instrument :
 BNA_G
 ClientSampleId :
 SLCS591




Tgt Ion:167 Resp: 228448
 Ion Ratio Lower Upper
 167 100
 166 23.7 18.2 27.2
 139 11.0 9.0 13.6

Manual Integrations
 APPROVED



Reviewed By :Jagrut Upadhyay 06/22/2022
 Supervised By :mohammad ahmed 06/28/2022




#78
 Di-n-butylphthalate
 Concen: 33.724 ng/ul
 RT: 18.401 min Scan# 2555
 Delta R.T. -0.006 min
 Lab File: BG053984.D
 Acq: 21 Jun 2022 18:42




Tgt Ion:149 Resp: 264737
 Ion Ratio Lower Upper
 149 100
 150 9.5 7.1 10.7
 104 5.3 4.2 6.2





#80
Fluoranthene
Concen: 33.093 ng/u1
RT: 19.493 min Scan# 21
Delta R.T. 0.000 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42




Instrument :
BNA_G
ClientSampleId :
SLCS591




Tgt Ion:202 Resp: 357574
Ion Ratio Lower Upper
202 100
101 5.7 6.6 9.8#
100 4.8 5.8 8.8#

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 06/22/2022
Supervised By :mohammad ahmed 06/28/2022




#82
Pyrene
Concen: 33.049 ng/u1
RT: 19.858 min Scan# 2803
Delta R.T. 0.000 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42



Tgt Ion:202 Resp: 355026
Ion Ratio Lower Upper
202 100
101 7.0 7.3 10.9#
100 5.9 6.2 9.4#





#83

Butylbenzylphthalate

Concen: 35.702 ng/ul

RT: 20.739 min Scan# 2953

Delta R.T. 0.000 min

Lab File: BG053984.D

Acq: 21 Jun 2022 18:42

Instrument :

BNA_G

ClientSampleId :





SLCS591

Tgt Ion:	149	Resp:	11558
Ion Ratio	Lower	Upper	
149	100		
91	63.7	54.0	81.0
206	27.5	19.5	29.3

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 06/22/2022
Supervised By :mohammad ahmed 06/28/2022



#84

3,3'-Dichlorobenzidine

Concen: 36.300 ng/ul




RT: 21.614 min Scan# 3102


Delta R.T. 0.000 min

Lab File: BG053984.D

Acq: 21 Jun 2022 18:42


Tgt Ion:	252	Resp:	139449
Ion Ratio	Lower	Upper	
252	100		
254	65.3	49.6	74.4
126	5.7	6.0	9.0





#85
Benzo(a)anthracene
Concen: 33.264 ng/ul
RT: 21.703 min Scan# 3117
Delta R.T. 0.000 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42




Instrument :
BNA_G
ClientSampleId :
SLCS591



Tgt Ion:228 Resp: 380618
Ion Ratio Lower Upper
228 100
229 19.1 16.5 24.7
226 27.7 22.1 33.1




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 06/22/2022
Supervised By :mohammad ahmed 06/28/2022



#86
Bis(2-ethylhexyl)phthalate
Concen: 35.451 ng/ul
RT: 21.609 min Scan# 3101
Delta R.T. 0.000 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42


Tgt Ion:149 Resp: 167704
Ion Ratio Lower Upper
149 100
167 27.8 21.7 32.5
279 5.3 3.9 5.9





#87
Chrysene
Concen: 32.938 ng/ul
RT: 21.767 min Scan# 3128
Delta R.T. 0.000 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42




Instrument :
BNA_G
ClientSampleId :
SLCS591



Tgt Ion:228 Resp: 361560
Ion Ratio Lower Upper
228 100
226 29.8 24.2 36.4
229 19.6 16.3 24.5




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 06/22/2022
Supervised By :mohammad ahmed 06/28/2022



#89
Di-n-octyl phthalate
Concen: 34.642 ng/ul
RT: 22.831 min Scan# 3309
Delta R.T. -0.006 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42


Tgt Ion:149 Resp: 289110





#90
Benzo(b)fluoranthene
Concen: 33.437 ng/ul
RT: 23.947 min Scan# 3498
Delta R.T. 0.006 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42




Instrument :
BNA_G
ClientSampleId :
SLCS591




Tgt Ion:252 Resp: 401220
Ion Ratio Lower Upper
252 100
253 22.5 18.2 27.4
125 5.1 6.1 9.1

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 06/22/2022
Supervised By :mohammad ahmed 06/28/2022




#91
Benzo(k)fluoranthene
Concen: 33.581 ng/ul
RT: 24.012 min Scan# 3510
Delta R.T. -0.006 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42




Tgt Ion:252 Resp: 385828
Ion Ratio Lower Upper
252 100
253 21.3 17.4 26.2
125 5.0 5.4 8.0





#93
Benzo(a)pyrene
Concen: 33.653 ng/ul
RT: 24.828 min Scan# 3648
Delta R.T. 0.000 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42




Instrument :
BNA_G
ClientSampleId :
SLCS591




Tgt Ion:252 Resp: 388984
Ion Ratio Lower Upper
252 100
253 22.4 17.6 26.4
125 5.3 6.8 10.2

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 06/22/2022
Supervised By :mohammad ahmed 06/28/2022




#94
Indeno(1,2,3-cd)pyrene
Concen: 33.771 ng/ul
RT: 28.706 min Scan# 4309
Delta R.T. 0.006 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42




Tgt Ion:276 Resp: 469638
Ion Ratio Lower Upper
276 100
138 9.9 10.1 15.1#
277 24.0 19.9 29.9





#95
Dibenzo(a,h)anthracene
Concen: 34.169 ng/ul
RT: 28.771 min Scan# 41
Delta R.T. 0.006 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42




Instrument :
BNA_G
ClientSampleId :
SLCS591




Tgt Ion:278 Resp: 399885
Ion Ratio Lower Upper
278 100
139 8.1 8.6 13.0#
279 25.2 19.4 29.0

Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 06/22/2022
Supervised By :mohammad ahmed 06/28/2022



#96
Benzo(g,h,i)perylene
Concen: 33.927 ng/ul
RT: 29.869 min Scan# 4507
Delta R.T. 0.012 min
Lab File: BG053984.D
Acq: 21 Jun 2022 18:42



Tgt Ion:276 Resp: 398357
Ion Ratio Lower Upper
276 100
138 9.8 11.3 16.9#
277 24.2 18.6 27.8

