

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG062218\
 Data File : BG035340.D
 Acq On : 22 Jun 2018 19:23
 Operator : JU/SJ
 Sample : J3594-02
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 HC-SOIL-1

Quant Time: Jun 22 22:30:58 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG060718.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 08 17:16:28 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.06	152	47054	20.00	ng	-0.02
21) Naphthalene-d8	10.86	136	157709	20.00	ng	-0.03
38) Acenaphthene-d10	14.67	164	105872	20.00	ng	-0.02
63) Phenanthrene-d10	17.42	188	302130	20.00	ng	-0.02
75) Chrysene-d12	21.68	240	357000	20.00	ng	-0.03
86) Perylene-d12	24.90	264	334253	20.00	ng	-0.05
System Monitoring Compounds						
5) 2-Fluorophenol	5.63	112	387466	138.97	ng	-0.01
7) Phenol-d6	7.21	99	484320	117.69	ng	-0.01
23) Nitrobenzene-d5	9.22	82	410962	123.87	ng	-0.02
41) 2,4,6-Tribromophenol	16.16	330	282553	208.48	ng	-0.02
44) 2-Fluorobiphenyl	13.30	172	896567	110.09	ng	-0.03
78) Terphenyl-d14	20.03	244	1776143	104.21	ng	-0.02


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG062218\
Data File : BG035340.D
Acq On : 22 Jun 2018 19:23
Operator : JU/SJ
Sample : J3594-02
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
HC-SOIL-1

Quant Time: Jun 22 22:30:58 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG060718.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 08 17:16:28 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.06 min Scan# 812
Delta R.T. -0.02 min
Lab File: BG035340.D
Acq: 22 Jun 2018 19:23

Instrument :
BNA_G
ClientSampleId :
HC-SOIL-1

Tot Ion:152 Resp: 47054
Ion Ratio Lower Upper
152 100
150 145.8 126.6 189.8
115 60.8 53.0 79.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 138.966 ng
RT: 5.63 min Scan# 399
Delta R.T. -0.01 min
Lab File: BG035340.D
Acq: 22 Jun 2018 19:23

Tgt Ion:112 Resp: 387466
Ion Ratio Lower Upper
112 100
64 62.7 56.3 84.5
63 35.7 30.1 45.1



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 117.690 ng

RT: 7.21 min Scan# 668

Delta R.T. -0.01 min

Lab File: BG035340.D

Acq: 22 Jun 2018 19:23

Instrument :

BNA_G

ClientSampleId :

HC-SOIL-1


Tot Ion: 99 Resp: 484320

Ion Ratio Lower Upper




99 100

42 16.2 14.1 21.1

71 41.4 26.1 39.1#



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.86 min Scan# 1288

Delta R.T. -0.03 min

Lab File: BG035340.D

Acq: 22 Jun 2018 19:23

Tgt Ion: 136 Resp: 157709


Ion Ratio Lower Upper

136 100



137 12.8 9.2 13.8


54 5.5 10.3 15.5#

68 5.0 4.5 6.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 123.866 ng
RT: 9.22 min Scan# 1009
Delta R.T. -0.02 min
Lab File: BG035340.D
Acq: 22 Jun 2018 19:23




Instrument :
BNA_G
ClientSampleId :
HC-SOIL-1


Tot Ion	Ratio	Lower	Upper
82	100		
128	34.1	29.7	44.5
54	41.9	43.1	64.7#



#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.67 min Scan# 1938
Delta R.T. -0.02 min
Lab File: BG035340.D
Acq: 22 Jun 2018 19:23

Tgt Ion	Ratio	Lower	Upper
164	100		
162	102.8	78.8	118.2
160	44.5	35.4	53.0









#41
 2,4,6-Tribromophenol
 Concen: 208.481 ng
 RT: 16.16 min Scan# 2191
 Delta R.T. -0.02 min
 Lab File: BG035340.D
 Acq: 22 Jun 2018 19:23

Instrument :
 BNA_G
 ClientSampleId :
 HC-SOIL-1

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.0	77.0	115.6
141	37.0	25.2	37.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 110.089 ng
 RT: 13.30 min Scan# 1704
 Delta R.T. -0.03 min
 Lab File: BG035340.D
 Acq: 22 Jun 2018 19:23

Tgt Ion	Ratio	Lower	Upper
172	100		
171	34.7	30.0	45.0
170	23.7	19.5	29.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.42 min Scan# 2405
Delta R.T. -0.02 min
Lab File: BG035340.D
Acq: 22 Jun 2018 19:23




Instrument :
BNA_G
ClientSampled :
HC-SOIL-1


Tot Ion:188 Resp: 302130
Ion Ratio Lower Upper
188 100
94 5.9 6.9 10.3#
80 7.4 7.7 11.5#



#75
Chrysene-d12
Concen: 20.000 ng
RT: 21.68 min Scan# 3131
Delta R.T. -0.03 min
Lab File: BG035340.D
Acq: 22 Jun 2018 19:23

Tgt Ion:240 Resp: 357000
Ion Ratio Lower Upper
240 100
120 5.1 6.8 10.2#
236 24.7 20.9 31.3





#78

Terphenyl-d14

Concen: 104.214 ng

RT: 20.03 min Scan# 2849

Delta R.T. -0.02 min

Lab File: BG035340.D

Acq: 22 Jun 2018 19:23

Instrument :

BNA_G

ClientSampleId :

HC-SOIL-1


Tot Ion:244 Resp: 1776143

Ion Ratio Lower Upper

244 100

212 9.1 5.8 8.8#




122 6.7 7.0 10.4#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 24.90 min Scan# 3679

Delta R.T. -0.05 min

Lab File: BG035340.D

Acq: 22 Jun 2018 19:23


Tgt Ion:264 Resp: 334253

Ion Ratio Lower Upper

264 100

260 22.8 17.4 26.0

265 19.9 17.7 26.5



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

