

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG062223\
 Data File : BG057811.D
 Acq On : 22 Jun 2023 15:50
 Operator : CG/JU
 Sample : 03238-02
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 MW-7

Quant Time: Jun 22 16:50:19 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG061923.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jun 20 03:40:38 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.923	152	31673	20.000	ng	0.00
21) Naphthalene-d8	10.726	136	146757	20.000	ng	0.00
39) Acenaphthene-d10	14.557	164	112084	20.000	ng	0.00
64) Phenanthrene-d10	17.295	188	283218	20.000	ng	-0.01
76) Chrysene-d12	21.549	240	250537	20.000	ng	-0.01
86) Perylene-d12	24.698	264	305749	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.491	112	119340	58.097	ng	0.00
7) Phenol-d6	7.077	99	106751	34.059	ng	-0.01
23) Nitrobenzene-d5	9.081	82	260072	90.952	ng	-0.01
42) 2,4,6-Tribromophenol	16.043	330	220820	141.432	ng	0.00
45) 2-Fluorobiphenyl	13.182	172	611686	82.775	ng	0.00
79) Terphenyl-d14	19.915	244	1117199	83.150	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG062223\
Data File : BG057811.D
Acq On : 22 Jun 2023 15:50
Operator : CG/JU
Sample : 03238-02
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
MW-7

Quant Time: Jun 22 16:50:19 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG061923.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jun 20 03:40:38 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.923 min Scan# 81
Delta R.T. -0.006 min
Lab File: BG057811.D
Acq: 22 Jun 2023 15:50




Instrument :
BNA_G
ClientSampleId :
MW-7


Tgt Ion:152 Resp: 31673
Ion Ratio Lower Upper
152 100
150 158.3 126.6 189.8
115 58.3 48.9 73.3



#5
2-Fluorophenol
Concen: 58.097 ng
RT: 5.491 min Scan# 409
Delta R.T. -0.006 min
Lab File: BG057811.D
Acq: 22 Jun 2023 15:50

Tgt Ion:112 Resp: 119340
Ion Ratio Lower Upper
112 100
64 70.4 62.1 93.1
63 34.5 31.5 47.3









#7
Phenol-d6
Concen: 34.059 ng
RT: 7.077 min Scan# 61
Delta R.T. -0.012 min
Lab File: BG057811.D
Acq: 22 Jun 2023 15:50




Instrument :
BNA_G
ClientSampleId :
MW-7


Tgt Ion: 99 Resp: 106751
Ion Ratio Lower Upper
99 100
42 17.2 16.4 24.6
71 29.7 25.8 38.6



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.726 min Scan# 1300
Delta R.T. -0.006 min
Lab File: BG057811.D
Acq: 22 Jun 2023 15:50

Tgt Ion: 136 Resp: 146757
Ion Ratio Lower Upper
136 100
137 9.8 8.5 12.7
54 10.4 9.5 14.3
68 6.6 5.7 8.5









#23
Nitrobenzene-d5
Concen: 90.952 ng
RT: 9.081 min Scan# 1020
Delta R.T. -0.012 min
Lab File: BG057811.D
Acq: 22 Jun 2023 15:50




Instrument :
BNA_G
ClientSampleId :
MW-7


Tgt Ion: 82 Resp: 260072
Ion Ratio Lower Upper
82 100
128 41.4 30.7 46.1
54 56.8 49.6 74.4



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.557 min Scan# 1952
Delta R.T. -0.006 min
Lab File: BG057811.D
Acq: 22 Jun 2023 15:50

Tgt Ion:164 Resp: 112084
Ion Ratio Lower Upper
164 100
162 97.0 78.3 117.5
160 42.9 35.4 53.0





#42

2,4,6-Tribromophenol

Concen: 141.432 ng

RT: 16.043 min Scan# 21

Delta R.T. -0.006 min

Lab File: BG057811.D

Acq: 22 Jun 2023 15:50

Instrument :

BNA_G

ClientSampleId :

MW-7





Tgt Ion:330 Resp: 220820

Ion Ratio Lower Upper

330 100

332 96.2 76.6 115.0

141 27.7 24.7 37.1



#45

2-Fluorobiphenyl

Concen: 82.775 ng

RT: 13.182 min Scan# 1718

Delta R.T. -0.006 min

Lab File: BG057811.D

Acq: 22 Jun 2023 15:50




Tgt Ion:172 Resp: 611686


Ion Ratio Lower Upper

172 100

171 34.7 28.1 42.1

170 23.2 18.6 27.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.295 min Scan# 2418
Delta R.T. -0.012 min
Lab File: BG057811.D
Acq: 22 Jun 2023 15:50




Instrument :
BNA_G
ClientSampleId :
MW-7


Tgt Ion:188 Resp: 283218
Ion Ratio Lower Upper
188 100
94 9.1 6.6 9.8
80 10.7 7.6 11.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.549 min Scan# 3142
Delta R.T. -0.012 min
Lab File: BG057811.D
Acq: 22 Jun 2023 15:50

Tgt Ion:240 Resp: 250537
Ion Ratio Lower Upper
240 100
120 9.7 8.1 12.1
236 26.0 20.6 30.8









#79
 Terphenyl-d14
 Concen: 83.150 ng
 RT: 19.915 min Scan# 21
 Delta R.T. -0.006 min
 Lab File: BG057811.D
 Acq: 22 Jun 2023 15:50

Instrument :
 BNA_G
 ClientSampleId :
 MW-7

Tgt Ion:244 Resp: 1117199
 Ion Ratio Lower Upper
 244 100
 212 7.4 6.1 9.1
 122 8.8 7.6 11.4



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 24.698 min Scan# 3678
 Delta R.T. -0.006 min
 Lab File: BG057811.D
 Acq: 22 Jun 2023 15:50

Tgt Ion:264 Resp: 305749
 Ion Ratio Lower Upper
 264 100
 260 23.2 18.5 27.7
 265 21.8 17.4 26.2

