

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG062818\
 Data File : BG035484.D
 Acq On : 28 Jun 2018 18:58
 Operator : JU/SJ
 Sample : PB110650TB
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB110650TB

Quant Time: Jun 29 04:13:15 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG060718.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 08 17:16:28 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.05	152	66023	20.00	ng	-0.03
21) Naphthalene-d8	10.85	136	245923	20.00	ng	-0.03
38) Acenaphthene-d10	14.67	164	178972	20.00	ng	-0.03
63) Phenanthrene-d10	17.41	188	488860	20.00	ng	-0.03
75) Chrysene-d12	21.68	240	557173	20.00	ng	-0.04
86) Perylene-d12	24.90	264	507383	20.00	ng	-0.05
System Monitoring Compounds						
5) 2-Fluorophenol	5.63	112	270272	69.08	ng	-0.01
7) Phenol-d6	7.21	99	388986	67.37	ng	-0.01
23) Nitrobenzene-d5	9.21	82	247553	47.85	ng	-0.03
41) 2,4,6-Tribromophenol	16.16	330	143316	62.55	ng	-0.03
44) 2-Fluorobiphenyl	13.30	172	593999	43.15	ng	-0.03
78) Terphenyl-d14	20.02	244	1143166	42.98	ng	-0.03


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG062818\
Data File : BG035484.D
Acq On : 28 Jun 2018 18:58
Operator : JU/SJ
Sample : PB110650TB
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB110650TB

Quant Time: Jun 29 04:13:15 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG060718.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 08 17:16:28 2018
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.000 ng

RT: 8.05 min Scan# 811

Delta R.T. -0.03 min

Lab File: BG035484.D

Acq: 28 Jun 2018 18:58

Instrument :

BNA_G

ClientSampleId :

PB110650TB


Tot Ion:152 Resp: 66023

Ion Ratio Lower Upper

152 100

150 137.1 126.6 189.8




115 63.3 53.0 79.4



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 69.084 ng

RT: 5.63 min Scan# 399

Delta R.T. -0.01 min

Lab File: BG035484.D

Acq: 28 Jun 2018 18:58


Tgt Ion:112 Resp: 270272

Ion Ratio Lower Upper

112 100

64 61.0 56.3 84.5



63 35.2 30.1 45.1




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 67.366 ng

RT: 7.21 min Scan# 668

Delta R.T. -0.01 min

Lab File: BG035484.D

Acq: 28 Jun 2018 18:58

Instrument :

BNA_G

ClientSampleId :

PB110650TB


Tot Ion: 99 Resp: 388986

Ion Ratio Lower Upper




99 100

42 16.4 14.1 21.1

71 41.6 26.1 39.1#



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.85 min Scan# 1288

Delta R.T. -0.03 min

Lab File: BG035484.D

Acq: 28 Jun 2018 18:58

Tgt Ion: 136 Resp: 245923


Ion Ratio Lower Upper

136 100



137 10.9 9.2 13.8


54 6.9 10.3 15.5#

68 6.1 4.5 6.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 47.849 ng
 RT: 9.21 min Scan# 1008
 Delta R.T. -0.03 min
 Lab File: BG035484.D
 Acq: 28 Jun 2018 18:58




Instrument :
 BNA_G
 ClientSampleId :
 PB110650TB


Tot Ion	82	Resp	247553
Ion Ratio	Lower	Upper	
82	100		
128	34.3	29.7	44.5
54	40.5	43.1	64.7#



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.67 min Scan# 1938
 Delta R.T. -0.03 min
 Lab File: BG035484.D
 Acq: 28 Jun 2018 18:58

Tgt Ion	164	Resp	178972
Ion Ratio	Lower	Upper	
164	100		
162	106.2	78.8	118.2
160	47.1	35.4	53.0









#41
 2,4,6-Tribromophenol
 Concen: 62.554 ng
 RT: 16.16 min Scan# 2191
 Delta R.T. -0.03 min
 Lab File: BG035484.D
 Acq: 28 Jun 2018 18:58

Instrument :
 BNA_G
 ClientSampleId :
 PB110650TB

Tot Ion	Ratio	Lower	Upper
330	100		
332	98.9	77.0	115.6
141	35.8	25.2	37.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 43.146 ng
 RT: 13.30 min Scan# 1704
 Delta R.T. -0.03 min
 Lab File: BG035484.D
 Acq: 28 Jun 2018 18:58

Tgt Ion	Ratio	Lower	Upper
172	100		
171	33.0	30.0	45.0
170	21.8	19.5	29.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.41 min Scan# 2405

Delta R.T. -0.03 min

Lab File: BG035484.D

Acq: 28 Jun 2018 18:58

Instrument :

BNA_G

ClientSampleId :

PB110650TB


Tot Ion:188 Resp: 488860

Ion Ratio Lower Upper

188 100

94 5.8 6.9 10.3#




80 7.7 7.7 11.5



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#75

Chrysene-d12

Concen: 20.000 ng

RT: 21.68 min Scan# 3131

Delta R.T. -0.04 min

Lab File: BG035484.D

Acq: 28 Jun 2018 18:58


Tgt Ion:240 Resp: 557173

Ion Ratio Lower Upper

240 100

120 5.4 6.8 10.2#



236 25.9 20.9 31.3




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 42.977 ng

RT: 20.02 min Scan# 2849

Delta R.T. -0.03 min

Lab File: BG035484.D

Acq: 28 Jun 2018 18:58

Instrument :

BNA_G

ClientSampleId :

PB110650TB


Tot Ion:244 Resp: 1143166

Ion Ratio Lower Upper

244 100

212 8.4 5.8 8.8




122 6.5 7.0 10.4#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 24.90 min Scan# 3680

Delta R.T. -0.05 min

Lab File: BG035484.D

Acq: 28 Jun 2018 18:58


Tgt Ion:264 Resp: 507383

Ion Ratio Lower Upper

264 100

260 22.5 17.4 26.0

265 21.5 17.7 26.5



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

