

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG062819\
 Data File : BG041510.D
 Acq On : 28 Jun 2019 13:06
 Operator : HP/JU
 Sample : K3526-06
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SB-03-COMP

Quant Time: Jun 29 02:01:35 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG062619.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jun 27 13:25:55 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.03	152	22213	20.00	ng	0.00
21) Naphthalene-d8	10.85	136	76774	20.00	ng	0.00
39) Acenaphthene-d10	14.67	164	62518	20.00	ng	0.00
64) Phenanthrene-d10	17.42	188	197879	20.00	ng	0.00
76) Chrysene-d12	21.70	240	226948	20.00	ng	0.00
87) Perylene-d12	24.98	264	243362	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.57	112	161345	129.50	ng	0.00
7) Phenol-d6	7.19	99	235356	134.19	ng	0.00
23) Nitrobenzene-d5	9.21	82	161375	87.67	ng	0.00
42) 2,4,6-Tribromophenol	16.17	330	166912	156.36	ng	0.00
45) 2-Fluorobiphenyl	13.29	172	389576	79.97	ng	0.00
79) Terphenyl-d14	20.03	244	977333	91.51	ng	0.00
Target Compounds						
50) Dimethylphthalate	14.12	163	76632	13.470	ng	Qvalue 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG062819\
Data File : BG041510.D
Acq On : 28 Jun 2019 13:06
Operator : HP/JU
Sample : K3526-06
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SB-03-COMP

Quant Time: Jun 29 02:01:35 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG062619.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jun 27 13:25:55 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.03 min Scan# 841
Delta R.T. -0.00 min
Lab File: BG041510.D
Acq: 28 Jun 2019 13:06

Instrument :
BNA_G
ClientSampleId :
SB-03-COMP

Tgt Ion:152 Resp: 22213
Ion Ratio Lower Upper
152 100
150 156.2 112.4 168.6
115 57.4 44.6 66.8




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 129.498 ng
RT: 5.57 min Scan# 422
Delta R.T. 0.00 min
Lab File: BG041510.D
Acq: 28 Jun 2019 13:06

Tgt Ion:112 Resp: 161345
Ion Ratio Lower Upper
112 100
64 64.3 55.1 82.7
63 39.7 32.4 48.6



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 134.187 ng

RT: 7.19 min Scan# 698

Delta R.T. 0.00 min

Lab File: BG041510.D

Acq: 28 Jun 2019 13:06

Instrument :

BNA_G

ClientSampleId :

SB-03-COMP


Tgt Ion: 99 Resp: 235356

Ion Ratio Lower Upper



99 100

42 22.2 19.0 28.6

71 45.4 37.4 56.2



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.85 min Scan# 1322

Delta R.T. -0.00 min

Lab File: BG041510.D

Acq: 28 Jun 2019 13:06

Tgt Ion: 136 Resp: 76774


Ion Ratio Lower Upper

136 100



137 10.8 9.3 13.9


54 7.3 7.1 10.7

68 3.5 3.3 4.9



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 87.666 ng
 RT: 9.21 min Scan# 1042
 Delta R.T. -0.00 min
 Lab File: BG041510.D
 Acq: 28 Jun 2019 13:06




Instrument :
 BNA_G
 ClientSampleId :
 SB-03-COMP


Tgt Ion	Ratio	Lower	Upper
82	100		
128	36.5	30.9	46.3
54	54.9	42.2	63.2



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.67 min Scan# 1972
 Delta R.T. -0.00 min
 Lab File: BG041510.D
 Acq: 28 Jun 2019 13:06

Tgt Ion	Ratio	Lower	Upper
164	100		
162	105.0	84.4	126.6
160	45.7	38.8	58.2






#42
 2,4,6-Tribromophenol
 Concen: 156.365 ng
 RT: 16.17 min Scan# 2226
 Delta R.T. -0.00 min
 Lab File: BG041510.D
 Acq: 28 Jun 2019 13:06

Instrument :
 BNA_G
 ClientSampleId :
 SB-03-COMP

Tgt Ion	Ratio	Lower	Upper
330	100		
332	95.9	75.5	113.3
141	35.6	27.8	41.6






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45
 2-Fluorobiphenyl
 Concen: 79.965 ng
 RT: 13.29 min Scan# 1737
 Delta R.T. -0.00 min
 Lab File: BG041510.D
 Acq: 28 Jun 2019 13:06

Tgt Ion	Ratio	Lower	Upper
172	100		
171	37.7	29.6	44.4
170	25.1	20.0	30.0






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#50

Dimethylphthalate

Concen: 13.470 ng

RT: 14.12 min Scan# 1878

Delta R.T. -0.01 min

Lab File: BG041510.D

Acq: 28 Jun 2019 13:06

Instrument :

BNA_G

ClientSampleId :

SB-03-COMP


Tgt Ion:163 Resp: 76632

Ion Ratio Lower Upper

163 100

194 5.4 3.7 5.5




164 10.7 7.8 11.6



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.42 min Scan# 2440

Delta R.T. -0.00 min

Lab File: BG041510.D

Acq: 28 Jun 2019 13:06


Tgt Ion:188 Resp: 197879

Ion Ratio Lower Upper

188 100

94 4.4 3.8 5.8



80 5.7 4.8 7.2




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BG

Ion 80.00 (79.70 to 80.70): BG





#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.70 min Scan# 3167

Delta R.T. -0.00 min

Lab File: BG041510.D

Acq: 28 Jun 2019 13:06

Instrument :

BNA_G

ClientSampleId :

SB-03-COMP


Tgt Ion:240 Resp: 226948

Ion Ratio Lower Upper

240 100

120 4.4 3.7 5.5




236 25.7 20.8 31.2



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#79

Terphenyl-d14

Concen: 91.515 ng

RT: 20.03 min Scan# 2883

Delta R.T. 0.00 min

Lab File: BG041510.D

Acq: 28 Jun 2019 13:06


Tgt Ion:244 Resp: 977333

Ion Ratio Lower Upper

244 100

212 8.2 6.2 9.4



122 5.8 4.8 7.2




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#87
Perylene-d12
Concen: 20.000 ng
RT: 24.98 min Scan# 3726
Delta R.T. -0.00 min
Lab File: BG041510.D
Acq: 28 Jun 2019 13:06

Instrument :
BNA_G
ClientSampleId :
SB-03-COMP

Tgt Ion	Ratio	Lower	Upper
264	100		
260	22.2	19.7	29.5
265	22.6	17.4	26.2

