

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG062819\
 Data File : BG041518.D
 Acq On : 28 Jun 2019 18:32
 Operator : HP/JU
 Sample : K3157-18
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 CL-02-062619-D

Quant Time: Jun 29 03:06:47 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG062619.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jun 27 13:25:55 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.03	152	26179	20.00	ng	0.00
21) Naphthalene-d8	10.85	136	90218	20.00	ng	0.00
39) Acenaphthene-d10	14.67	164	66321	20.00	ng	0.00
64) Phenanthrene-d10	17.42	188	197077	20.00	ng	0.00
76) Chrysene-d12	21.69	240	215713	20.00	ng	0.00
87) Perylene-d12	24.99	264	226415	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.57	112	174412	118.78	ng	0.00
7) Phenol-d6	7.19	99	219434	106.16	ng	0.00
23) Nitrobenzene-d5	9.21	82	198007	91.54	ng	0.00
42) 2,4,6-Tribromophenol	16.17	330	160853	142.05	ng	0.00
45) 2-Fluorobiphenyl	13.29	172	470447	91.03	ng	0.00
79) Terphenyl-d14	20.03	244	1069768	105.39	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG062819\
Data File : BG041518.D
Acq On : 28 Jun 2019 18:32
Operator : HP/JU
Sample : K3157-18
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
CL-02-062619-D

Quant Time: Jun 29 03:06:47 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG062619.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jun 27 13:25:55 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.03 min Scan# 841
Delta R.T. -0.00 min
Lab File: BG041518.D
Acq: 28 Jun 2019 18:32

Instrument :
BNA_G
ClientSampleId :
CL-02-062619-D

Tgt Ion:152 Resp: 26179
Ion Ratio Lower Upper
152 100
150 151.6 112.4 168.6
115 57.5 44.6 66.8




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 118.779 ng
RT: 5.57 min Scan# 422
Delta R.T. 0.00 min
Lab File: BG041518.D
Acq: 28 Jun 2019 18:32

Tgt Ion:112 Resp: 174412
Ion Ratio Lower Upper
112 100
64 66.7 55.1 82.7
63 42.0 32.4 48.6



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 106.156 ng

RT: 7.19 min Scan# 698

Delta R.T. 0.00 min

Lab File: BG041518.D

Acq: 28 Jun 2019 18:32

Instrument :

BNA_G

ClientSampleId :

CL-02-062619-D


Tgt Ion: 99 Resp: 219434

Ion Ratio Lower Upper



99 100

42 23.2 19.0 28.6

71 46.8 37.4 56.2



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.85 min Scan# 1322

Delta R.T. -0.00 min

Lab File: BG041518.D

Acq: 28 Jun 2019 18:32

Tgt Ion: 136 Resp: 90218


Ion Ratio Lower Upper

136 100



137 11.2 9.3 13.9


54 8.0 7.1 10.7

68 3.2 3.3 4.9#



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 91.537 ng
RT: 9.21 min Scan# 1042
Delta R.T. -0.00 min
Lab File: BG041518.D
Acq: 28 Jun 2019 18:32




Instrument :
BNA_G
ClientSampleId :
CL-02-062619-D


Tgt Ion	Ratio	Lower	Upper
82	100		
128	38.6	30.9	46.3
54	54.5	42.2	63.2



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.67 min Scan# 1972
Delta R.T. -0.00 min
Lab File: BG041518.D
Acq: 28 Jun 2019 18:32

Tgt Ion	Ratio	Lower	Upper
164	100		
162	109.0	84.4	126.6
160	46.9	38.8	58.2





#42

2,4,6-Tribromophenol

Concen: 142.048 ng

RT: 16.17 min Scan# 2226

Delta R.T. -0.00 min

Lab File: BG041518.D

Acq: 28 Jun 2019 18:32

Instrument :

BNA_G

ClientSampleId :

CL-02-062619-D


Tgt Ion:330 Resp: 160853

Ion Ratio Lower Upper

330 100

332 93.9 75.5 113.3




141 35.8 27.8 41.6



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 91.028 ng

RT: 13.29 min Scan# 1737

Delta R.T. -0.00 min

Lab File: BG041518.D

Acq: 28 Jun 2019 18:32


Tgt Ion:172 Resp: 470447

Ion Ratio Lower Upper

172 100

171 37.4 29.6 44.4



170 25.6 20.0 30.0




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.42 min Scan# 2440

Delta R.T. -0.00 min

Lab File: BG041518.D

Acq: 28 Jun 2019 18:32

Instrument :

BNA_G

ClientSampleId :

CL-02-062619-D


Tgt Ion:188 Resp: 197077

Ion Ratio Lower Upper

188 100

94 4.6 3.8 5.8




80 5.8 4.8 7.2



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BG

Ion 80.00 (79.70 to 80.70): BG



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.69 min Scan# 3167

Delta R.T. -0.00 min

Lab File: BG041518.D

Acq: 28 Jun 2019 18:32


Tgt Ion:240 Resp: 215713

Ion Ratio Lower Upper

240 100

120 4.3 3.7 5.5



236 26.1 20.8 31.2




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 105.387 ng

RT: 20.03 min Scan# 2883

Delta R.T. 0.00 min

Lab File: BG041518.D

Acq: 28 Jun 2019 18:32

Instrument :

BNA_G

ClientSampleId :

CL-02-062619-D


Tgt Ion:244 Resp: 1069768

Ion Ratio Lower Upper

244 100

212 8.1 6.2 9.4




122 5.9 4.8 7.2



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 24.99 min Scan# 3727

Delta R.T. 0.00 min

Lab File: BG041518.D

Acq: 28 Jun 2019 18:32


Tgt Ion:264 Resp: 226415

Ion Ratio Lower Upper

264 100

260 20.5 19.7 29.5

265 21.3 17.4 26.2



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

