

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG062823\
 Data File : BG057891.D
 Acq On : 28 Jun 2023 13:51
 Operator : CG/JU
 Sample : 03366-03 2X
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SB38

Quant Time: Jun 28 14:44:21 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG062723.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jun 28 01:12:33 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.923	152	63835	20.000	ng	0.00
21) Naphthalene-d8	10.720	136	272388	20.000	ng	0.00
39) Acenaphthene-d10	14.556	164	169879	20.000	ng	0.00
64) Phenanthrene-d10	17.300	188	358001	20.000	ng	0.00
76) Chrysene-d12	21.554	240	295862	20.000	ng	0.00
86) Perylene-d12	24.709	264	364253	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.496	112	180756	43.324	ng	0.00
7) Phenol-d6	7.083	99	255068	40.883	ng	0.00
23) Nitrobenzene-d5	9.080	82	150579	27.092	ng	0.00
42) 2,4,6-Tribromophenol	16.043	330	98128	34.391	ng	0.00
45) 2-Fluorobiphenyl	13.176	172	329986	29.643	ng	0.00
79) Terphenyl-d14	19.915	244	443730	27.342	ng	0.00
Target Compounds						
75) Fluoranthene	19.351	202	45114	2.084	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG062823\
Data File : BG057891.D
Acq On : 28 Jun 2023 13:51
Operator : CG/JU
Sample : 03366-03 2X
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SB38

Quant Time: Jun 28 14:44:21 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG062723.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jun 28 01:12:33 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.923 min Scan# 81
Delta R.T. -0.003 min
Lab File: BG057891.D
Acq: 28 Jun 2023 13:51




Instrument :
BNA_G
ClientSampleId :
SB38


Tgt Ion:152 Resp: 63835
Ion Ratio Lower Upper
152 100
150 152.2 122.0 183.0
115 62.4 50.7 76.1



#5
2-Fluorophenol
Concen: 43.324 ng
RT: 5.496 min Scan# 410
Delta R.T. 0.003 min
Lab File: BG057891.D
Acq: 28 Jun 2023 13:51

Tgt Ion:112 Resp: 180756
Ion Ratio Lower Upper
112 100
64 66.1 55.8 83.6
63 33.2 27.9 41.9









#7
Phenol-d6
Concen: 40.883 ng
RT: 7.083 min Scan# 61
Delta R.T. -0.003 min
Lab File: BG057891.D
Acq: 28 Jun 2023 13:51




Instrument :
BNA_G
ClientSampleId :
SB38


Tgt Ion: 99 Resp: 255068
Ion Ratio Lower Upper
99 100
42 17.9 14.2 21.4
71 29.1 23.9 35.9



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.720 min Scan# 1299
Delta R.T. -0.009 min
Lab File: BG057891.D
Acq: 28 Jun 2023 13:51

Tgt Ion:136 Resp: 272388
Ion Ratio Lower Upper
136 100
137 11.1 8.6 12.8
54 10.3 9.3 13.9
68 6.2 5.9 8.9









#23
Nitrobenzene-d5
Concen: 27.092 ng
RT: 9.080 min Scan# 1021
Delta R.T. -0.009 min
Lab File: BG057891.D
Acq: 28 Jun 2023 13:51




Instrument :
BNA_G
ClientSampleId :
SB38


Tgt Ion: 82 Resp: 150579
Ion Ratio Lower Upper
82 100
128 38.8 32.2 48.4
54 54.6 46.1 69.1



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.556 min Scan# 1952
Delta R.T. -0.003 min
Lab File: BG057891.D
Acq: 28 Jun 2023 13:51

Tgt Ion:164 Resp: 169879
Ion Ratio Lower Upper
164 100
162 99.7 76.4 114.6
160 44.8 34.2 51.2









#42
2,4,6-Tribromophenol
Concen: 34.391 ng
RT: 16.043 min Scan# 21
Delta R.T. -0.003 min
Lab File: BG057891.D
Acq: 28 Jun 2023 13:51




Instrument :
BNA_G
ClientSampleId :
SB38


Tgt Ion:330 Resp: 98128
Ion Ratio Lower Upper
330 100
332 97.5 77.1 115.7
141 26.6 22.2 33.4



#45
2-Fluorobiphenyl
Concen: 29.643 ng
RT: 13.176 min Scan# 1717
Delta R.T. -0.009 min
Lab File: BG057891.D
Acq: 28 Jun 2023 13:51

Tgt Ion:172 Resp: 329986
Ion Ratio Lower Upper
172 100
171 34.9 27.8 41.8
170 22.3 18.6 27.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.300 min Scan# 2419
Delta R.T. -0.003 min
Lab File: BG057891.D
Acq: 28 Jun 2023 13:51




Instrument :
BNA_G
ClientSampleId :
SB38


Tgt Ion:188 Resp: 358001
Ion Ratio Lower Upper
188 100
94 9.0 7.2 10.8
80 10.8 8.4 12.6



#75
Fluoranthene
Concen: 2.084 ng
RT: 19.351 min Scan# 2768
Delta R.T. -0.009 min
Lab File: BG057891.D
Acq: 28 Jun 2023 13:51

Tgt Ion:202 Resp: 45114
Ion Ratio Lower Upper
202 100
101 11.6 0.0 31.3
203 19.6 0.0 38.2









#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.554 min Scan# 3143
Delta R.T. -0.003 min
Lab File: BG057891.D
Acq: 28 Jun 2023 13:51




Instrument :
BNA_G
ClientSampleId :
SB38


Tgt Ion:240 Resp: 295862
Ion Ratio Lower Upper
240 100
120 10.2 8.1 12.1
236 26.2 21.9 32.9



#79
Terphenyl-d14
Concen: 27.342 ng
RT: 19.915 min Scan# 2864
Delta R.T. -0.003 min
Lab File: BG057891.D
Acq: 28 Jun 2023 13:51

Tgt Ion:244 Resp: 443730
Ion Ratio Lower Upper
244 100
212 6.8 5.9 8.9
122 8.6 7.4 11.0





#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 24.709 min Scan# 30
 Delta R.T. 0.003 min
 Lab File: BG057891.D
 Acq: 28 Jun 2023 13:51

Instrument :
 BNA_G
 ClientSampleId :
 SB38

Tgt Ion:264 Resp: 364253
 Ion Ratio Lower Upper
 264 100
 260 23.4 17.8 26.8
 265 21.8 17.3 25.9

