

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG062922\
 Data File : BG054148.D
 Acq On : 29 Jun 2022 16:55
 Operator : CG/JU
 Sample : PB145861BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB145861BL

Quant Time: Jun 29 17:34:30 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG061322.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 27 00:27:54 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.065	152	19681	20.000	ng	0.00
21) Naphthalene-d8	10.880	136	88442	20.000	ng	# 0.00
39) Acenaphthene-d10	14.693	164	75491	20.000	ng	0.00
64) Phenanthrene-d10	17.437	188	201105	20.000	ng	0.00
76) Chrysene-d12	21.714	240	201820	20.000	ng	0.00
86) Perylene-d12	24.975	264	202478	20.000	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.639	112	158184	153.668	ng	0.00
7) Phenol-d6	7.231	99	223118	159.776	ng	0.00
23) Nitrobenzene-d5	9.229	82	143472	91.162	ng	0.00
42) 2,4,6-Tribromophenol	16.179	330	163511	134.810	ng	0.00
45) 2-Fluorobiphenyl	13.318	172	447978	86.291	ng	0.00
79) Terphenyl-d14	20.045	244	954854	95.291	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG062922\
Data File : BG054148.D
Acq On : 29 Jun 2022 16:55
Operator : CG/JU
Sample : PB145861BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB145861BL

Quant Time: Jun 29 17:34:30 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG061322.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 27 00:27:54 2022
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.065 min Scan# 79
Delta R.T. -0.005 min
Lab File: BG054148.D
Acq: 29 Jun 2022 16:55




Instrument :
BNA_G
ClientSampleId :
PB145861BL

Tgt Ion:152 Resp: 19681
Ion Ratio Lower Upper
152 100
150 147.6 131.6 197.4
115 59.4 50.9 76.3



#5
2-Fluorophenol
Concen: 153.668 ng
RT: 5.639 min Scan# 383
Delta R.T. 0.001 min
Lab File: BG054148.D
Acq: 29 Jun 2022 16:55

Tgt Ion:112 Resp: 158184
Ion Ratio Lower Upper
112 100
64 60.1 55.1 82.7
63 32.4 30.4 45.6









#7
Phenol-d6
Concen: 159.776 ng
RT: 7.231 min Scan# 61
Delta R.T. 0.001 min
Lab File: BG054148.D
Acq: 29 Jun 2022 16:55




Instrument :
BNA_G
ClientSampleId :
PB145861BL

Tgt Ion: 99 Resp: 223118
Ion Ratio Lower Upper
99 100
42 20.0 17.0 25.6
71 37.6 33.8 50.8



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.880 min Scan# 1275
Delta R.T. 0.001 min
Lab File: BG054148.D
Acq: 29 Jun 2022 16:55

Tgt Ion: 136 Resp: 88442
Ion Ratio Lower Upper
136 100
137 10.6 8.5 12.7
54 7.1 7.4 11.2#
68 5.8 4.9 7.3









#23
 Nitrobenzene-d5
 Concen: 91.162 ng
 RT: 9.229 min Scan# 91
 Delta R.T. -0.005 min
 Lab File: BG054148.D
 Acq: 29 Jun 2022 16:55




Instrument :
 BNA_G
 ClientSampleId :
 PB145861BL


Tgt Ion: 82 Resp: 143472
 Ion Ratio Lower Upper
 82 100
 128 42.2 27.9 41.9#
 54 51.9 41.2 61.8



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.693 min Scan# 1924
 Delta R.T. -0.005 min
 Lab File: BG054148.D
 Acq: 29 Jun 2022 16:55

Tgt Ion: 164 Resp: 75491
 Ion Ratio Lower Upper
 164 100
 162 99.6 82.3 123.5
 160 42.0 34.2 51.2









#42
2,4,6-Tribromophenol
Concen: 134.810 ng
RT: 16.179 min Scan# 2179
Delta R.T. -0.005 min
Lab File: BG054148.D
Acq: 29 Jun 2022 16:55




Instrument :
BNA_G
ClientSampleId :
PB145861BL


Tgt Ion:330 Resp: 163511
Ion Ratio Lower Upper
330 100
332 96.1 76.0 114.0
141 25.5 27.1 40.7#



#45
2-Fluorobiphenyl
Concen: 86.291 ng
RT: 13.318 min Scan# 1690
Delta R.T. -0.005 min
Lab File: BG054148.D
Acq: 29 Jun 2022 16:55

Tgt Ion:172 Resp: 447978
Ion Ratio Lower Upper
172 100
171 37.0 28.5 42.7
170 24.6 18.9 28.3









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.437 min Scan# 21105
Delta R.T. -0.005 min
Lab File: BG054148.D
Acq: 29 Jun 2022 16:55




Instrument :
BNA_G
ClientSampleId :
PB145861BL


Tgt Ion:188 Resp: 201105
Ion Ratio Lower Upper
188 100
94 5.7 5.4 8.0
80 7.2 6.8 10.2



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.714 min Scan# 3119
Delta R.T. -0.005 min
Lab File: BG054148.D
Acq: 29 Jun 2022 16:55

Tgt Ion:240 Resp: 201820
Ion Ratio Lower Upper
240 100
120 5.9 4.6 7.0
236 23.7 20.2 30.4





#79

Terphenyl-d14

Concen: 95.291 ng

RT: 20.045 min Scan# 21

Delta R.T. 0.001 min

Lab File: BG054148.D


Acq: 29 Jun 2022 16:55

Instrument :

BNA_G

ClientSampleId :

PB145861BL






Tgt Ion:244 Resp: 954854

Ion Ratio Lower Upper

244 100

212 7.4 6.5 9.7

122 6.9 5.0 7.4



#86

Perylene-d12

Concen: 20.000 ng

RT: 24.975 min Scan# 3674

Delta R.T. 0.012 min

Lab File: BG054148.D

Acq: 29 Jun 2022 16:55

Tgt Ion:264 Resp: 202478

Ion Ratio Lower Upper

264 100

260 25.2 19.0 28.6

265 21.8 17.4 26.2

