

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG070119\
 Data File : BG041552.D
 Acq On : 1 Jul 2019 10:35
 Operator : HP/JU
 Sample : K3601-03
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 RBR-200027

Quant Time: Jul 02 01:07:12 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG062619.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jun 27 13:25:55 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.03	152	26007	20.00	ng	0.00
21) Naphthalene-d8	10.85	136	91182	20.00	ng	0.00
39) Acenaphthene-d10	14.68	164	64031	20.00	ng	0.00
64) Phenanthrene-d10	17.43	188	188008	20.00	ng	0.00
76) Chrysene-d12	21.70	240	242665	20.00	ng	0.00
87) Perylene-d12	24.99	264	263998	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.57	112	188791	129.42	ng	0.00
7) Phenol-d6	7.19	99	256911	125.11	ng	0.00
23) Nitrobenzene-d5	9.21	82	181805	83.16	ng	0.00
42) 2,4,6-Tribromophenol	16.17	330	146072	133.61	ng	0.00
45) 2-Fluorobiphenyl	13.30	172	377434	75.64	ng	0.00
79) Terphenyl-d14	20.02	244	880328	77.09	ng	0.00
Target Compounds						
50) Dimethylphthalate	14.13	163	67077	11.512	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG070119\
Data File : BG041552.D
Acq On : 1 Jul 2019 10:35
Operator : HP/JU
Sample : K3601-03
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
RBR-200027

Quant Time: Jul 02 01:07:12 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG062619.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jun 27 13:25:55 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.03 min Scan# 841
Delta R.T. 0.00 min
Lab File: BG041552.D
Acq: 1 Jul 2019 10:35

Instrument :
BNA_G
ClientSampleId :
RBR-200027

Tot Ion:152 Resp: 26007
Ion Ratio Lower Upper
152 100
150 144.0 112.4 168.6
115 57.9 44.6 66.8




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 129.421 ng
RT: 5.57 min Scan# 422
Delta R.T. 0.01 min
Lab File: BG041552.D
Acq: 1 Jul 2019 10:35

Tgt Ion:112 Resp: 188791
Ion Ratio Lower Upper
112 100
64 65.6 55.1 82.7
63 40.0 32.4 48.6



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 125.108 ng

RT: 7.19 min Scan# 698

Delta R.T. 0.01 min

Lab File: BG041552.D

Acq: 1 Jul 2019 10:35

Instrument :

BNA_G

ClientSampleId :

RBR-200027



Tot Ion: 99 Resp: 256911

Ion Ratio Lower Upper

99 100

42 22.2 19.0 28.6



71 48.0 37.4 56.2



Abundance Ion 99.00 (98.70 to 99.70): BGC

Ion 42.00 (41.70 to 42.70): BGC

Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.85 min Scan# 1321

Delta R.T. -0.00 min

Lab File: BG041552.D

Acq: 1 Jul 2019 10:35

Tgt Ion: 136 Resp: 91182



Ion Ratio Lower Upper

136 100

137 11.1 9.3 13.9

54 7.6 7.1 10.7

68 3.8 3.3 4.9





Abundance Ion 136.00 (135.70 to 136.70): BGC

Ion 137.00 (136.70 to 137.70): BGC

Ion 54.00 (53.70 to 54.70): BGC

Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 83.158 ng
 RT: 9.21 min Scan# 1042
 Delta R.T. 0.00 min
 Lab File: BG041552.D
 Acq: 1 Jul 2019 10:35




Instrument :
 BNA_G
 ClientSampleId :
 RBR-200027


Tot Ion	82.00	Resp	181805
Ion Ratio	Lower	Upper	
82	100		
128	39.2	30.9	46.3
54	52.5	42.2	63.2



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.68 min Scan# 1972
 Delta R.T. 0.00 min
 Lab File: BG041552.D
 Acq: 1 Jul 2019 10:35

Tgt Ion	164.00	Resp	64031
Ion Ratio	Lower	Upper	
164	100		
162	103.7	84.4	126.6
160	45.9	38.8	58.2









#42
 2,4,6-Tribromophenol
 Concen: 133.608 ng
 RT: 16.17 min Scan# 2226
 Delta R.T. 0.00 min
 Lab File: BG041552.D
 Acq: 1 Jul 2019 10:35

Instrument :
 BNA_G
 ClientSampleId :
 RBR-200027

Tot Ion:330 Resp: 146072
 Ion Ratio Lower Upper
 330 100
 332 96.4 75.5 113.3
 141 35.3 27.8 41.6




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 75.642 ng
 RT: 13.30 min Scan# 1737
 Delta R.T. 0.00 min
 Lab File: BG041552.D
 Acq: 1 Jul 2019 10:35

Tgt Ion:172 Resp: 377434
 Ion Ratio Lower Upper
 172 100
 171 35.7 29.6 44.4
 170 24.8 20.0 30.0



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#50

Dimethylphthalate

Concen: 11.512 ng

RT: 14.13 min Scan# 1878

Delta R.T. -0.00 min

Lab File: BG041552.D

Acq: 1 Jul 2019 10:35

Instrument :

BNA_G

ClientSampled :

RBR-200027


Tot Ion:163 Resp: 67077

Ion Ratio Lower Upper

163 100

194 5.4 3.7 5.5




164 10.0 7.8 11.6



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.43 min Scan# 2440

Delta R.T. 0.00 min

Lab File: BG041552.D

Acq: 1 Jul 2019 10:35


Tgt Ion:188 Resp: 188008

Ion Ratio Lower Upper

188 100

94 4.2 3.8 5.8



80 5.8 4.8 7.2




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC









#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.70 min Scan# 3167
Delta R.T. 0.00 min
Lab File: BG041552.D
Acq: 1 Jul 2019 10:35




Instrument :
BNA_G
ClientSampleId :
RBR-200027


Tot Ion:240 Resp: 242665
Ion Ratio Lower Upper
240 100
120 4.0 3.7 5.5
236 25.5 20.8 31.2



#79
Terphenyl-d14
Concen: 77.093 ng
RT: 20.02 min Scan# 2882
Delta R.T. 0.00 min
Lab File: BG041552.D
Acq: 1 Jul 2019 10:35

Tgt Ion:244 Resp: 880328
Ion Ratio Lower Upper
244 100
212 8.6 6.2 9.4
122 5.5 4.8 7.2





#87
Pervlene-d12
Concen: 20.000 ng
RT: 24.99 min Scan# 3727
Delta R.T. 0.01 min
Lab File: BG041552.D
Acq: 1 Jul 2019 10:35

Instrument :
BNA_G
ClientSampleId :
RBR-200027

Tot Ion	Ratio	Lower	Upper
264	100		
260	22.7	19.7	29.5
265	22.1	17.4	26.2

