

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG070122\
 Data File : BG054187.D
 Acq On : 1 Jul 2022 12:16
 Operator : CG/JU
 Sample : PB145925BS
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :

BNA_G

ClientSampleId :

PB145925BS

Manual Integrations

APPROVED

Reviewed By : Christian Giraldo 07/05/2022
 Supervised By : Jagrut Upadhyay 07/05/2022

Quant Time: Jul 01 23:33:35 2022

Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG061322.M

Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

QLast Update : Mon Jun 27 00:27:54 2022

Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.064	152	17024	20.000	ng	# 0.00
21) Naphthalene-d8	10.878	136	73042	20.000	ng	# 0.00
39) Acenaphthene-d10	14.691	164	62500	20.000	ng	0.00
64) Phenanthrene-d10	17.441	188	171472	20.000	ng	# 0.00
76) Chrysene-d12	21.718	240	177481	20.000	ng	0.00
86) Perylene-d12	24.973	264	181180	20.000	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.637	112	114411	128.491	ng	0.00
7) Phenol-d6	7.230	99	156290	129.388	ng	0.00
23) Nitrobenzene-d5	9.227	82	101178	77.843	ng	0.00
42) 2,4,6-Tribromophenol	16.184	330	137715	137.143	ng	0.00
45) 2-Fluorobiphenyl	13.317	172	313655	72.975	ng	0.00
79) Terphenyl-d14	20.044	244	737064	83.643	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	3.510	88	10301	26.464	ng	# 81
3) Pyridine	3.910	79	28191	27.141	ng	86
4) n-Nitrosodimethylamine	3.828	42	19723	43.168	ng	# 89
6) Aniline	7.388	93	55645	38.855	ng	96
8) 2-Chlorophenol	7.629	128	45763	48.134	ng	93
9) Benzaldehyde	7.194	77	29061m	40.765	ng	
10) Phenol	7.259	94	55939	45.696	ng	96
11) bis(2-Chloroethyl)ether	7.476	93	36965	39.341	ng	97
12) 1,3-Dichlorobenzene	7.958	146	47405	39.792	ng	91
13) 1,4-Dichlorobenzene	8.099	146	49134	41.058	ng	98
14) 1,2-Dichlorobenzene	8.422	146	47041	40.948	ng	99
15) Benzyl Alcohol	8.299	79	43900m	48.627	ng	
16) 2,2'-oxybis(1-Chloropr...	8.593	45	56538	40.252	ng	98
17) 2-Methylphenol	8.510	107	39425	46.361	ng	96
18) Hexachloroethane	9.151	117	16977	42.764	ng	# 82
19) n-Nitroso-di-n-propyla...	8.869	70	34846	42.940	ng	# 89
20) 3+4-Methylphenols	8.834	107	54483	45.684	ng	97
22) Acetophenone	8.886	105	67739	38.153	ng	# 95
24) Nitrobenzene	9.268	77	50800	39.690	ng	# 83
25) Isophorone	9.791	82	99008	40.786	ng	95
26) 2-Nitrophenol	9.985	139	26181	46.311	ng	# 86
27) 2,4-Dimethylphenol	10.044	122	45652	49.892	ng	90
28) bis(2-Chloroethoxy)met...	10.273	93	55118	42.148	ng	95
29) 2,4-Dichlorophenol	10.526	162	56683	46.203	ng	90
30) 1,2,4-Trichlorobenzene	10.737	180	58323	38.393	ng	96
31) Naphthalene	10.925	128	137326	37.243	ng	98
32) Benzoic acid	10.197	122	21800	53.114	ng	# 74
33) 4-Chloroaniline	11.031	127	53276	34.827	ng	# 94
34) Hexachlorobutadiene	11.213	225	46221	39.576	ng	97
35) Caprolactam	11.801	113	17695m	52.393	ng	
36) 4-Chloro-3-methylphenol	12.153	107	57542	48.249	ng	86
37) 2-Methylnaphthalene	12.529	142	109855	40.267	ng	98
38) 1-Methylnaphthalene	12.747	142	104561	39.362	ng	97
40) 1,2,4,5-Tetrachloroben...	12.899	216	90570	37.608	ng	96
41) Hexachlorocyclopentadiene	12.876	237	79828	71.186	ng	99
43) 2,4,6-Trichlorophenol	13.134	196	58258	43.065	ng	98

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG070122\
 Data File : BG054187.D
 Acq On : 1 Jul 2022 12:16
 Operator : CG/JU
 Sample : PB145925BS
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB145925BS


Manual Integrations
 APPROVED

Reviewed By : Christian Giraldo 07/05/2022
 Supervised By : Jagrut Upadhyay 07/05/2022

Quant Time: Jul 01 23:33:35 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG061322.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 27 00:27:54 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	13.211	196	64388	42.628	ng	# 93
46) 1,1'-Biphenyl	13.528	154	161432	37.081	ng	98
47) 2-Chloronaphthalene	13.575	162	130945	37.166	ng	97
48) 2-Nitroaniline	13.769	65	41037	43.786	ng	87
49) Acenaphthylene	14.415	152	207318	37.841	ng	99
50) Dimethylphthalate	14.145	163	190832	40.091	ng	99
51) 2,6-Dinitrotoluene	14.262	165	42654	44.353	ng	# 78
52) Acenaphthene	14.762	154	154542m	44.253	ng	
53) 3-Nitroaniline	14.597	138	32518	34.901	ng	85
54) 2,4-Dinitrophenol	14.809	184	50702	94.177	ng	# 77
55) Dibenzofuran	15.091	168	221202	39.314	ng	95
56) 4-Nitrophenol	14.915	139	60103	90.861	ng	89
57) 2,4-Dinitrotoluene	15.056	165	63498	46.752	ng	# 84
58) Fluorene	15.743	166	183112	39.637	ng	93
59) 2,3,4,6-Tetrachlorophenol	15.320	232	63665	43.100	ng	# 90
60) Diethylphthalate	15.502	149	189409	41.090	ng	97
61) 4-Chlorophenyl-phenyle...	15.726	204	115524	41.770	ng	# 88
62) 4-Nitroaniline	15.755	138	39748	40.908	ng	# 82
63) Azobenzene	16.019	77	147085	39.640	ng	91
65) 4,6-Dinitro-2-methylph...	15.825	198	39767	46.485	ng	77
66) n-Nitrosodiphenylamine	15.943	169	170434	38.138	ng	96
67) 4-Bromophenyl-phenylether	16.624	248	86105	40.206	ng	# 93
68) Hexachlorobenzene	16.754	284	96504	39.393	ng	# 92
69) Atrazine	16.889	200	82456	44.541	ng	93
70) Pentachlorophenol	17.094	266	99462	87.404	ng	95
71) Phenanthrene	17.482	178	326872	37.103	ng	98
72) Anthracene	17.576	178	334539	38.887	ng	99
73) Carbazole	17.841	167	288451	39.063	ng	99
74) Di-n-butylphthalate	18.393	149	332152	38.904	ng	# 97
75) Fluoranthene	19.492	202	421859	36.478	ng	96
77) Benzidine	19.662	184	176847	48.116	ng	97
78) Pyrene	19.850	202	422226	39.389	ng	98
80) Butylbenzylphthalate	20.731	149	136201	39.641	ng	# 87
81) Benzo(a)anthracene	21.695	228	438449	38.154	ng	99
82) 3,3'-Dichlorobenzidine	21.607	252	134307	39.119	ng	# 98
83) Chrysene	21.765	228	406461	37.107	ng	97
84) Bis(2-ethylhexyl)phtha...	21.595	149	194936	39.669	ng	# 95
85) Di-n-octyl phthalate	22.817	149	331609	39.262	ng	95
87) Indeno(1,2,3-cd)pyrene	28.716	276	526669	38.520	ng	# 98
88) Benzo(b)fluoranthene	23.939	252	462286	41.964	ng	99
89) Benzo(k)fluoranthene	24.010	252	430550	39.474	ng	99
90) Benzo(a)pyrene	24.821	252	402218	43.274	ng	98
91) Dibenzo(a,h)anthracene	28.763	278	463201	40.969	ng	# 96
92) Benzo(g,h,i)perylene	29.880	276	454372	40.723	ng	# 94

(#) = qualifier out of range (m) = manual integration (+) = signals summed




#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.064 min Scan# 79
Delta R.T. -0.006 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16

Instrument :

BNA_G

ClientSampleId :

PB145925BS






Tgt Ion:152 Resp: 17024
Ion Ratio Lower Upper
152 100
150 141.7 131.6 197.4
115 49.2 50.9 76.3


Manual Integrations

APPROVED



Reviewed By :Christian Giraldo 07/05/2022
Supervised By :Jagrut Upadhyay 07/05/2022




#2
1,4-Dioxane
Concen: 26.464 ng
RT: 3.510 min Scan# 21
Delta R.T. -0.018 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16




Tgt Ion: 88 Resp: 10301
Ion Ratio Lower Upper
88 100
58 89.7 59.2 88.8#
43 40.6 24.3 36.5#





#3
Pyridine
Concen: 27.141 ng
RT: 3.910 min Scan# 89
Delta R.T. -0.018 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16




Instrument :
BNA_G
ClientSampleId :
PB145925BS




Tgt Ion: 79 Resp: 2819
Ion Ratio Lower Upper
79 100
52 81.8 54.6 81.8
51 46.5 32.5 48.7

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 07/05/2022
Supervised By :Jagrut Upadhyay 07/05/2022




#4
n-Nitrosodimethylamine
Concen: 43.168 ng
RT: 3.828 min Scan# 75
Delta R.T. -0.012 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16



Tgt Ion: 42 Resp: 19723
Ion Ratio Lower Upper
42 100
74 109.0 97.0 145.4
44 5.0 7.0 10.4





#5
2-Fluorophenol
Concen: 128.491 ng
RT: 5.637 min Scan# 381
Delta R.T. -0.001 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16

Instrument :

BNA_G





ClientSampleId :

PB145925BS

Tgt Ion:112 Resp: 11441
Ion Ratio Lower Upper
112 100
64 61.6 55.1 82.7
63 34.1 30.4 45.6




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 07/05/2022
Supervised By :Jagrut Upadhyay 07/05/2022



#6
Aniline
Concen: 38.855 ng
RT: 7.388 min Scan# 681
Delta R.T. -0.001 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16

Tgt Ion: 93 Resp: 55645
Ion Ratio Lower Upper
93 100
66 38.1 32.9 49.3
65 20.5 17.8 26.8





#7
Phenol-d6
Concen: 129.388 ng
RT: 7.230 min Scan# 61
Delta R.T. -0.001 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16

Instrument :

BNA_G





ClientSampleId :

PB145925BS

Tgt Ion: 99 Resp: 156290
Ion Ratio Lower Upper
99 100
42 21.8 17.0 25.6
71 40.7 33.8 50.8




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 07/05/2022
Supervised By :Jagrut Upadhyay 07/05/2022



#8
2-Chlorophenol
Concen: 48.134 ng
RT: 7.629 min Scan# 722
Delta R.T. -0.006 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16

Tgt Ion:128 Resp: 45763
Ion Ratio Lower Upper
128 100
130 30.7 10.5 50.5
64 47.1 35.1 75.1





#9
Benzaldehyde
Concen: 40.765 ng m
RT: 7.194 min Scan# 64
Delta R.T. -0.012 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16

Instrument :

BNA_G

ClientSampleId :





PB145925BS

Tgt Ion: 77 Resp: 2906
Ion Ratio Lower Upper
77 100
105 92.7 59.6 99.6
106 88.8 56.8 96.8

Manual Integrations




APPROVED


Reviewed By :Christian Giraldo 07/05/2022
Supervised By :Jagrut Upadhyay 07/05/2022



#10
Phenol
Concen: 45.696 ng
RT: 7.259 min Scan# 659
Delta R.T. -0.001 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16

Tgt Ion: 94 Resp: 55939
Ion Ratio Lower Upper
94 100
65 32.1 14.8 54.8
66 47.7 25.2 65.2





#11
bis(2-Chloroethyl)ether
Concen: 39.341 ng
RT: 7.476 min Scan# 696
Delta R.T. -0.012 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16

Instrument :

BNA_G





ClientSampleId :

PB145925BS

Tgt Ion: 93 Resp: 3696
Ion Ratio Lower Upper
93 100
63 82.8 63.6 103.6
95 34.6 10.1 50.1




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 07/05/2022
Supervised By :Jagrut Upadhyay 07/05/2022



#12
1,3-Dichlorobenzene
Concen: 39.792 ng
RT: 7.958 min Scan# 778
Delta R.T. -0.006 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16


Tgt Ion:146 Resp: 47405
Ion Ratio Lower Upper
146 100
148 65.0 46.1 69.1
75 29.9 27.6 41.4





#13
1,4-Dichlorobenzene
Concen: 41.058 ng
RT: 8.099 min Scan# 80
Delta R.T. -0.006 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16




Instrument :
BNA_G
ClientSampleId :
PB145925BS




Tgt Ion:146 Resp: 49134
Ion Ratio Lower Upper
146 100
148 63.4 51.5 77.3
111 40.2 33.9 50.9

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 07/05/2022
Supervised By :Jagrut Upadhyay 07/05/2022




#14
1,2-Dichlorobenzene
Concen: 40.948 ng
RT: 8.422 min Scan# 857
Delta R.T. -0.006 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16



Tgt Ion:146 Resp: 47041
Ion Ratio Lower Upper
146 100
148 64.9 52.6 78.8
111 42.5 34.5 51.7





#15
Benzyl Alcohol
Concen: 48.627 ng m
RT: 8.299 min Scan# 81
Delta R.T. -0.006 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16

Instrument :

BNA_G

ClientSampleId :





PB145925BS

Tgt Ion: 79 Resp: 43900
Ion Ratio Lower Upper
79 100
108 71.9 53.7 80.5
77 63.6 52.2 78.4

Manual Integrations




APPROVED


Reviewed By :Christian Giraldo 07/05/2022
Supervised By :Jagrut Upadhyay 07/05/2022



#16
2,2'-oxybis(1-Chloropropane)
Concen: 40.252 ng
RT: 8.593 min Scan# 886
Delta R.T. -0.001 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16

Tgt Ion: 45 Resp: 56538
Ion Ratio Lower Upper
45 100
77 13.4 0.0 32.7
79 10.9 0.0 29.7






#17
2-Methylphenol
Concen: 46.361 ng
RT: 8.510 min Scan# 81
Delta R.T. -0.001 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16

Instrument :

BNA_G

ClientSampleId :

PB145925BS






Tgt Ion:107 Resp: 3942
Ion Ratio Lower Upper
107 100
108 107.6 85.4 128.0
77 50.5 46.2 69.2
79 54.2 46.1 69.1


Manual Integrations

APPROVED



Reviewed By :Christian Giraldo 07/05/2022
Supervised By :Jagrut Upadhyay 07/05/2022




#18
Hexachloroethane
Concen: 42.764 ng
RT: 9.151 min Scan# 981
Delta R.T. -0.012 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16




Tgt Ion:117 Resp: 16977
Ion Ratio Lower Upper
117 100
119 92.0 75.0 112.6
201 145.5 89.0 133.6#





#19
n-Nitroso-di-n-propylamine
Concen: 42.940 ng
RT: 8.869 min Scan# 911
Delta R.T. -0.006 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16




Instrument :
BNA_G
ClientSampleId :
PB145925BS



Tgt Ion: 70 Resp: 34840
Ion Ratio Lower Upper
70 100
42 67.8 47.3 70.9
101 9.6 7.0 10.4
130 24.5 14.6 22.0#




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 07/05/2022
Supervised By :Jagrut Upadhyay 07/05/2022



#20
3+4-Methylphenols
Concen: 45.684 ng
RT: 8.834 min Scan# 927
Delta R.T. -0.001 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16

Tgt Ion:107 Resp: 54483
Ion Ratio Lower Upper
107 100
108 87.8 67.5 107.5
77 36.4 20.3 60.3
79 32.1 16.7 56.7





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.878 min Scan# 11
Delta R.T. -0.001 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16

Instrument :

BNA_G





ClientSampleId :

PB145925BS

Tgt Ion:136 Resp: 7304
Ion Ratio Lower Upper
136 100
137 10.4 8.5 12.7
54 7.8 7.4 11.2
68 3.9 4.9 7.3#




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 07/05/2022
Supervised By :Jagrut Upadhyay 07/05/2022



#22
Acetophenone
Concen: 38.153 ng
RT: 8.886 min Scan# 936
Delta R.T. -0.006 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16

Tgt Ion:105 Resp: 67739
Ion Ratio Lower Upper
105 100
71 2.4 1.1 1.7#
51 27.8 25.4 38.0
120 20.1 17.3 25.9





#23
Nitrobenzene-d5
Concen: 77.843 ng
RT: 9.227 min Scan# 997
Delta R.T. -0.006 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16

Instrument :

BNA_G

ClientSampleId :





PB145925BS

Tgt Ion: 82 Resp: 101178
Ion Ratio Lower Upper
82 100
128 41.8 27.9 41.9
54 55.0 41.2 61.8

Manual Integrations




APPROVED


Reviewed By :Christian Giraldo 07/05/2022
Supervised By :Jagrut Upadhyay 07/05/2022



#24
Nitrobenzene
Concen: 39.690 ng
RT: 9.268 min Scan# 1001
Delta R.T. -0.006 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16

Tgt Ion: 77 Resp: 50800
Ion Ratio Lower Upper
77 100
123 46.7 27.4 41.0#
65 16.6 11.4 17.0





#25
Isophorone
Concen: 40.786 ng
RT: 9.791 min Scan# 1100
Delta R.T. -0.006 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16

Instrument :

BNA_G

ClientSampleId :





PB145925BS

Tgt Ion: 82 Resp: 99008
Ion Ratio Lower Upper
82 100
95 7.8 6.2 9.4
138 17.3 11.6 17.4

Manual Integrations




APPROVED


Reviewed By :Christian Giraldo 07/05/2022
Supervised By :Jagrut Upadhyay 07/05/2022



#26
2-Nitrophenol
Concen: 46.311 ng
RT: 9.985 min Scan# 1123
Delta R.T. -0.006 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16

Tgt Ion:139 Resp: 26181
Ion Ratio Lower Upper
139 100
109 40.1 36.1 54.1
65 55.0 55.8 83.6#






#27
2,4-Dimethylphenol
Concen: 49.892 ng
RT: 10.044 min Scan# 1133
Delta R.T. -0.001 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16

Instrument :

BNA_G

ClientSampleId :

PB145925BS






Tgt Ion:122 Resp: 45652
Ion Ratio Lower Upper
122 100
107 119.5 109.4 164.0
121 61.9 48.7 73.1


Manual Integrations

APPROVED



Reviewed By :Christian Giraldo 07/05/2022
Supervised By :Jagrut Upadhyay 07/05/2022




#28
bis(2-Chloroethoxy)methane
Concen: 42.148 ng
RT: 10.273 min Scan# 1172
Delta R.T. -0.007 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16



Tgt Ion: 93 Resp: 55118
Ion Ratio Lower Upper
93 100
95 31.1 26.9 40.3
123 11.4 7.7 11.5






#29
2,4-Dichlorophenol
Concen: 46.203 ng
RT: 10.526 min Scan# 11
Delta R.T. -0.001 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16

Instrument :

BNA_G

ClientSampleId :

PB145925BS






Tgt Ion:162 Resp: 5668
Ion Ratio Lower Upper
162 100
164 64.2 46.6 86.6
98 28.8 22.8 62.8


Manual Integrations

APPROVED



Reviewed By :Christian Giraldo 07/05/2022
Supervised By :Jagrut Upadhyay 07/05/2022




#30
1,2,4-Trichlorobenzene
Concen: 38.393 ng
RT: 10.737 min Scan# 1251
Delta R.T. -0.006 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16




Tgt Ion:180 Resp: 58323
Ion Ratio Lower Upper
180 100
182 97.9 76.6 115.0
145 26.4 25.0 37.4





#31
Naphthalene
Concen: 37.243 ng
RT: 10.925 min Scan# 1159
Delta R.T. -0.006 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16




Instrument :
BNA_G
ClientSampleId :
PB145925BS




Tgt Ion:128 Resp: 137320
Ion Ratio Lower Upper
128 100
129 10.7 9.0 13.6
127 13.3 11.1 16.7

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 07/05/2022
Supervised By :Jagrut Upadhyay 07/05/2022




#32
Benzoic acid
Concen: 53.114 ng
RT: 10.197 min Scan# 1159
Delta R.T. -0.001 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16



Tgt Ion:122 Resp: 21800
Ion Ratio Lower Upper
122 100
105 116.1 111.8 151.8
77 84.9 109.4 149.4#






#33
4-Chloroaniline
Concen: 34.827 ng
RT: 11.031 min Scan# 11031
Delta R.T. -0.001 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16

Instrument :

BNA_G

ClientSampleId :

PB145925BS






Tgt Ion:127 Resp: 53270
Ion Ratio Lower Upper
127 100
129 33.8 26.3 39.5
65 34.5 31.1 46.7
92 18.7 19.1 28.7#


Manual Integrations

APPROVED



Reviewed By :Christian Giraldo 07/05/2022
Supervised By :Jagrut Upadhyay 07/05/2022




#34
Hexachlorobutadiene
Concen: 39.576 ng
RT: 11.213 min Scan# 1332
Delta R.T. -0.006 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16




Tgt Ion:225 Resp: 46221
Ion Ratio Lower Upper
225 100
223 60.3 48.9 73.3
227 62.8 52.8 79.2





#35
Caprolactam
Concen: 52.393 ng m
RT: 11.801 min Scan# 1432
Delta R.T. 0.011 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16




Instrument :
BNA_G
ClientSampleId :
PB145925BS




Tgt Ion:113 Resp: 1769
Ion Ratio Lower Upper
113 100
55 180.8 169.8 209.8
56 137.7 141.2 181.2

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 07/05/2022
Supervised By :Jagrut Upadhyay 07/05/2022




#36
4-Chloro-3-methylphenol
Concen: 48.249 ng
RT: 12.153 min Scan# 1492
Delta R.T. -0.001 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16



Tgt Ion:107 Resp: 57542
Ion Ratio Lower Upper
107 100
144 26.7 18.5 27.7
142 82.1 55.0 82.4





#37
2-Methylnaphthalene
Concen: 40.267 ng
RT: 12.529 min Scan# 1556
Delta R.T. -0.001 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16

Instrument :

BNA_G





ClientSampleId :

PB145925BS

Tgt Ion:142 Resp: 10985
Ion Ratio Lower Upper
142 100
141 90.6 72.3 108.5
115 37.7 33.7 50.5




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 07/05/2022
Supervised By :Jagrut Upadhyay 07/05/2022



#38
1-Methylnaphthalene
Concen: 39.362 ng
RT: 12.747 min Scan# 1593
Delta R.T. -0.001 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16

Tgt Ion:142 Resp: 104561
Ion Ratio Lower Upper
142 100
141 92.0 76.4 114.6
116 4.0 3.3 4.9






#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.691 min Scan# 1619
Delta R.T. -0.006 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16

Instrument :

BNA_G

ClientSampleId :

PB145925BS






Tgt Ion:164 Resp: 62500
Ion Ratio Lower Upper
164 100
162 99.9 82.3 123.5
160 45.0 34.2 51.2


Manual Integrations

APPROVED



Reviewed By :Christian Giraldo 07/05/2022
Supervised By :Jagrut Upadhyay 07/05/2022




#40
1,2,4,5-Tetrachlorobenzene
Concen: 37.608 ng
RT: 12.899 min Scan# 1619
Delta R.T. -0.001 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16




Tgt Ion:216 Resp: 90570
Ion Ratio Lower Upper
216 100
214 75.8 62.9 94.3
179 16.8 16.1 24.1
108 12.2 12.2 18.2





#41
Hexachlorocyclopentadiene
Concen: 71.186 ng
RT: 12.876 min Scan# 11
Delta R.T. -0.006 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16




Instrument :
BNA_G
ClientSampleId :
PB145925BS




Tgt Ion:237 Resp: 79828
Ion Ratio Lower Upper
237 100
235 63.7 43.5 83.5
272 12.8 0.0 30.1

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 07/05/2022
Supervised By :Jagrut Upadhyay 07/05/2022




#42
2,4,6-Tribromophenol
Concen: 137.143 ng
RT: 16.184 min Scan# 2178
Delta R.T. -0.001 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16



Tgt Ion:330 Resp: 137715
Ion Ratio Lower Upper
330 100
332 96.1 76.0 114.0
141 23.1 27.1 40.7#





#43
2,4,6-Trichlorophenol
Concen: 43.065 ng
RT: 13.134 min Scan# 1659
Delta R.T. -0.001 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16

Instrument :

BNA_G





ClientSampleId :

PB145925BS

Tgt Ion:196 Resp: 58258
Ion Ratio Lower Upper
196 100
198 94.3 74.1 111.1
200 31.9 24.7 37.1




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 07/05/2022
Supervised By :Jagrut Upadhyay 07/05/2022



#44
2,4,5-Trichlorophenol
Concen: 42.628 ng
RT: 13.211 min Scan# 1672
Delta R.T. 0.005 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16

Tgt Ion:196 Resp: 64388
Ion Ratio Lower Upper
196 100
198 94.7 76.8 115.2
97 37.0 39.8 59.6#
132 19.1 18.4 27.6






#45
2-Fluorobiphenyl
Concen: 72.975 ng
RT: 13.317 min Scan# 1690
Delta R.T. -0.006 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16

Instrument :

BNA_G

ClientSampleId :

PB145925BS






Tgt Ion:172 Resp: 31365
Ion Ratio Lower Upper
172 100
171 36.1 28.5 42.7
170 24.0 18.9 28.3


Manual Integrations

APPROVED



Reviewed By :Christian Giraldo 07/05/2022
Supervised By :Jagrut Upadhyay 07/05/2022




#46
1,1'-Biphenyl
Concen: 37.081 ng
RT: 13.528 min Scan# 1726
Delta R.T. -0.006 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16



Tgt Ion:154 Resp: 161432
Ion Ratio Lower Upper
154 100
153 41.0 21.6 61.6
76 10.1 0.0 32.6






#47
2-Chloronaphthalene
Concen: 37.166 ng
RT: 13.575 min Scan# 1734
Delta R.T. -0.001 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16

Instrument :

BNA_G

ClientSampleId :

PB145925BS






Tgt Ion:162 Resp: 13094
Ion Ratio Lower Upper
162 100
127 35.5 30.6 45.8
164 32.5 26.5 39.7


Manual Integrations

APPROVED



Reviewed By :Christian Giraldo 07/05/2022
Supervised By :Jagrut Upadhyay 07/05/2022




#48
2-Nitroaniline
Concen: 43.786 ng
RT: 13.769 min Scan# 1767
Delta R.T. -0.001 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16



Tgt Ion: 65 Resp: 41037
Ion Ratio Lower Upper
65 100
92 68.6 51.5 77.3
138 106.1 71.3 106.9






#49
Acenaphthylene
Concen: 37.841 ng
RT: 14.415 min Scan# 1880
Delta R.T. -0.006 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16

Instrument :

BNA_G

ClientSampleId :

PB145925BS






Tgt Ion:152 Resp: 207318
Ion Ratio Lower Upper
152 100
151 20.2 16.4 24.6
153 12.8 10.8 16.2


Manual Integrations

APPROVED



Reviewed By :Christian Giraldo 07/05/2022
Supervised By :Jagrut Upadhyay 07/05/2022




#50
Dimethylphthalate
Concen: 40.091 ng
RT: 14.145 min Scan# 1831
Delta R.T. -0.001 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16




Tgt Ion:163 Resp: 190832
Ion Ratio Lower Upper
163 100
194 4.4 3.0 4.6
164 10.0 8.0 12.0





#51
2,6-Dinitrotoluene
Concen: 44.353 ng
RT: 14.262 min Scan# 1851
Delta R.T. -0.001 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16




Instrument :
BNA_G
ClientSampleId :
PB145925BS




Tgt Ion:165 Resp: 42654
Ion Ratio Lower Upper
165 100
63 50.2 54.1 81.1
89 50.3 54.8 82.2

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 07/05/2022
Supervised By :Jagrut Upadhyay 07/05/2022




#52
Acenaphthene
Concen: 44.253 ng m
RT: 14.762 min Scan# 1936
Delta R.T. -0.001 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16



Tgt Ion:154 Resp: 154542
Ion Ratio Lower Upper
154 100
153 113.8 92.7 139.1
152 53.4 42.6 64.0






#53
3-Nitroaniline
Concen: 34.901 ng
RT: 14.597 min Scan# 1908
Delta R.T. 0.005 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16

Instrument :

BNA_G

ClientSampleId :

PB145925BS






Tgt Ion:138 Resp: 32518
Ion Ratio Lower Upper
138 100
108 10.0 9.2 13.8
92 108.5 101.9 152.9


Manual Integrations

APPROVED



Reviewed By :Christian Giraldo 07/05/2022
Supervised By :Jagrut Upadhyay 07/05/2022




#54
2,4-Dinitrophenol
Concen: 94.177 ng
RT: 14.809 min Scan# 1944
Delta R.T. 0.005 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16



Tgt Ion:184 Resp: 50702
Ion Ratio Lower Upper
184 100
63 50.6 61.1 91.7#
154 61.7 60.6 91.0






#55
Dibenzenofuran
Concen: 39.314 ng
RT: 15.091 min Scan# 1995
Delta R.T. -0.001 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16

Instrument :

BNA_G

ClientSampleId :




PB145925BS



Tgt Ion:168 Resp: 22120
Ion Ratio Lower Upper
168 100
139 35.2 30.5 45.7
169 14.5 10.3 15.5




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 07/05/2022
Supervised By :Jagrut Upadhyay 07/05/2022



#56
4-Nitrophenol
Concen: 90.861 ng
RT: 14.915 min Scan# 1962
Delta R.T. 0.017 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16

Tgt Ion:139 Resp: 60103
Ion Ratio Lower Upper
139 100
109 95.9 88.5 128.5
65 102.9 93.9 133.9






#57
2,4-Dinitrotoluene
Concen: 46.752 ng
RT: 15.056 min Scan# 1986
Delta R.T. 0.005 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16

Instrument :

BNA_G

ClientSampleId :

PB145925BS






Tgt Ion:165 Resp: 63498
Ion Ratio Lower Upper
165 100
63 37.4 34.6 52.0
89 57.7 60.3 90.5
182 3.0 2.2 3.4


Manual Integrations

APPROVED



Reviewed By :Christian Giraldo 07/05/2022
Supervised By :Jagrut Upadhyay 07/05/2022




#58
Fluorene
Concen: 39.637 ng
RT: 15.743 min Scan# 2103
Delta R.T. -0.001 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16



Tgt Ion:166 Resp: 183112
Ion Ratio Lower Upper
166 100
165 102.0 75.0 112.6
167 13.7 10.8 16.2






#59
2,3,4,6-Tetrachlorophenol
Concen: 43.100 ng
RT: 15.320 min Scan# 2032
Delta R.T. -0.001 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16

Instrument :

BNA_G

ClientSampleId :

PB145925BS






Tgt Ion:232 Resp: 6366
Ion Ratio Lower Upper
232 100
131 29.8 30.6 46.0
130 1.8 1.8 2.8
166 24.2 21.1 31.7


Manual Integrations

APPROVED



Reviewed By :Christian Giraldo 07/05/2022
Supervised By :Jagrut Upadhyay 07/05/2022




#60
Diethylphthalate
Concen: 41.090 ng
RT: 15.502 min Scan# 2062
Delta R.T. -0.006 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16




Tgt Ion:149 Resp: 189409
Ion Ratio Lower Upper
149 100
177 24.4 18.4 27.6
150 12.8 11.2 16.8





#61
4-Chlorophenyl-phenylether
Concen: 41.770 ng
RT: 15.726 min Scan# 2100
Delta R.T. -0.006 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16




Instrument :
BNA_G
ClientSampleId :
PB145925BS




Tgt Ion:204 Resp: 115524
Ion Ratio Lower Upper
204 100
206 31.6 27.5 41.3
141 45.1 45.3 67.9

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 07/05/2022
Supervised By :Jagrut Upadhyay 07/05/2022




#62
4-Nitroaniline
Concen: 40.908 ng
RT: 15.755 min Scan# 2105
Delta R.T. -0.001 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16



Tgt Ion:138 Resp: 39748
Ion Ratio Lower Upper
138 100
92 54.1 40.5 80.5
108 98.9 103.7 143.7






#63
Azobenzene
Concen: 39.640 ng
RT: 16.019 min Scan# 2153
Delta R.T. -0.006 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16

Instrument :

BNA_G

ClientSampleId :

PB145925BS






Tgt Ion: 77 Resp: 147085
Ion Ratio Lower Upper
77 100
182 32.9 3.8 43.8
105 20.4 0.0 37.8
51 33.0 10.7 50.7


Manual Integrations

APPROVED



Reviewed By :Christian Giraldo 07/05/2022
Supervised By :Jagrut Upadhyay 07/05/2022




#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.441 min Scan# 2392
Delta R.T. -0.001 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16




Tgt Ion:188 Resp: 171472
Ion Ratio Lower Upper
188 100
94 5.0 5.4 8.0#
80 5.8 6.8 10.2#





#65
4,6-Dinitro-2-methylphenol
Concen: 46.485 ng
RT: 15.825 min Scan# 2117
Delta R.T. 0.011 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16




Instrument :
BNA_G
ClientSampleId :
PB145925BS




Tgt Ion:198 Resp: 3976
Ion Ratio Lower Upper
198 100
51 30.1 28.1 68.1
105 28.5 20.3 60.3

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 07/05/2022
Supervised By :Jagrut Upadhyay 07/05/2022




#66
n-Nitrosodiphenylamine
Concen: 38.138 ng
RT: 15.943 min Scan# 2137
Delta R.T. -0.001 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16




Tgt Ion:169 Resp: 170434
Ion Ratio Lower Upper
169 100
168 66.1 55.9 83.9
167 37.0 30.6 46.0





#67
4-Bromophenyl-phenylether
Concen: 40.206 ng
RT: 16.624 min Scan# 21
Delta R.T. -0.001 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16




Instrument :
BNA_G
ClientSampleId :
PB145925BS




Tgt Ion:248 Resp: 8610
Ion Ratio Lower Upper
248 100
250 93.8 75.2 112.8
141 49.3 50.0 75.0

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 07/05/2022
Supervised By :Jagrut Upadhyay 07/05/2022




#68
Hexachlorobenzene
Concen: 39.393 ng
RT: 16.754 min Scan# 2275
Delta R.T. -0.001 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16



Tgt Ion:284 Resp: 96504
Ion Ratio Lower Upper
284 100
142 20.8 23.6 35.4#
249 32.7 25.8 38.6






#69
 Atrazine
 Concen: 44.541 ng
 RT: 16.889 min Scan# 21
 Delta R.T. -0.001 min
 Lab File: BG054187.D
 Acq: 1 Jul 2022 12:16

Instrument :

BNA_G

ClientSampleId :

PB145925BS






Tgt Ion:200 Resp: 82450
 Ion Ratio Lower Upper
 200 100
 173 21.4 3.7 43.7
 215 50.1 25.2 65.2


Manual Integrations

APPROVED



Reviewed By :Christian Giraldo 07/05/2022
 Supervised By :Jagrut Upadhyay 07/05/2022




#70
 Pentachlorophenol
 Concen: 87.404 ng
 RT: 17.094 min Scan# 2333
 Delta R.T. -0.001 min
 Lab File: BG054187.D
 Acq: 1 Jul 2022 12:16




Tgt Ion:266 Resp: 99462
 Ion Ratio Lower Upper
 266 100
 268 65.0 56.2 84.2
 264 63.2 53.0 79.4





#71
Phenanthrene
Concen: 37.103 ng
RT: 17.482 min Scan# 2401
Delta R.T. -0.001 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16




Instrument :
BNA_G
ClientSampleId :
PB145925BS



Tgt Ion:178 Resp: 326872
Ion Ratio Lower Upper
178 100
176 18.8 14.1 21.1
179 15.6 12.1 18.1




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 07/05/2022
Supervised By :Jagrut Upadhyay 07/05/2022



#72
Anthracene
Concen: 38.887 ng
RT: 17.576 min Scan# 2415
Delta R.T. -0.001 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16

Tgt Ion:178 Resp: 334539
Ion Ratio Lower Upper
178 100
176 19.1 15.2 22.8
179 15.6 13.0 19.4





#73
 Carbazole
 Concen: 39.063 ng
 RT: 17.841 min Scan# 2461
 Delta R.T. -0.001 min
 Lab File: BG054187.D
 Acq: 1 Jul 2022 12:16

Instrument :

BNA_G





ClientSampleId :

PB145925BS

Tgt Ion:167 Resp: 28845
 Ion Ratio Lower Upper
 167 100
 166 23.0 18.2 27.2
 139 11.6 10.1 15.1




Manual Integrations
 APPROVED


Reviewed By :Christian Giraldo 07/05/2022
 Supervised By :Jagrut Upadhyay 07/05/2022



#74
 Di-n-butylphthalate
 Concen: 38.904 ng
 RT: 18.393 min Scan# 2554
 Delta R.T. -0.006 min
 Lab File: BG054187.D
 Acq: 1 Jul 2022 12:16

Tgt Ion:149 Resp: 332152
 Ion Ratio Lower Upper
 149 100
 150 9.0 7.7 11.5
 104 5.3 5.4 8.0#






#75
Fluoranthene
Concen: 36.478 ng
RT: 19.492 min Scan# 21
Delta R.T. -0.001 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16

Instrument :

BNA_G

ClientSampleId :

PB145925BS






Tgt Ion:202 Resp: 421859
Ion Ratio Lower Upper
202 100
101 5.9 0.0 26.9
203 19.0 0.0 37.2

Manual Integrations




APPROVED


Reviewed By :Christian Giraldo 07/05/2022
Supervised By :Jagrut Upadhyay 07/05/2022



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.718 min Scan# 3120
Delta R.T. -0.001 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16

Tgt Ion:240 Resp: 177481
Ion Ratio Lower Upper
240 100
120 4.9 4.6 7.0
236 24.1 20.2 30.4






#77
Benzidine
Concen: 48.116 ng
RT: 19.662 min Scan# 21
Delta R.T. -0.001 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16

Instrument :

BNA_G

ClientSampleId :

PB145925BS






Tgt Ion:184 Resp: 17684
Ion Ratio Lower Upper
184 100
185 13.5 11.8 17.6
183 12.0 8.9 13.3


Manual Integrations

APPROVED



Reviewed By :Christian Giraldo 07/05/2022
Supervised By :Jagrut Upadhyay 07/05/2022




#78
Pyrene
Concen: 39.389 ng
RT: 19.850 min Scan# 2802
Delta R.T. -0.001 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16



Tgt Ion:202 Resp: 422226
Ion Ratio Lower Upper
202 100
200 21.6 16.6 24.8
203 19.0 14.6 21.8






#79
 Terphenyl-d14
 Concen: 83.643 ng
 RT: 20.044 min Scan# 21
 Delta R.T. -0.001 min
 Lab File: BG054187.D
 Acq: 1 Jul 2022 12:16

Instrument :

BNA_G

ClientSampleId :

PB145925BS






Tgt Ion:244 Resp: 737064
 Ion Ratio Lower Upper
 244 100
 212 7.0 6.5 9.7
 122 5.4 5.0 7.4


Manual Integrations

APPROVED



Reviewed By :Christian Giraldo 07/05/2022
 Supervised By :Jagrut Upadhyay 07/05/2022




#80
 Butylbenzylphthalate
 Concen: 39.641 ng
 RT: 20.731 min Scan# 2952
 Delta R.T. -0.001 min
 Lab File: BG054187.D
 Acq: 1 Jul 2022 12:16




Tgt Ion:149 Resp: 136201
 Ion Ratio Lower Upper
 149 100
 91 62.2 59.6 89.4
 206 28.2 18.6 28.0#





#81
Benzo(a)anthracene
Concen: 38.154 ng
RT: 21.695 min Scan# 3118
Delta R.T. -0.001 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16




Instrument :
BNA_G
ClientSampleId :
PB145925BS




Tgt Ion:228 Resp: 438449
Ion Ratio Lower Upper
228 100
226 27.8 21.6 32.4
229 20.4 16.2 24.2

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 07/05/2022
Supervised By :Jagrut Upadhyay 07/05/2022




#82
3,3'-Dichlorobenzidine
Concen: 39.119 ng
RT: 21.607 min Scan# 3101
Delta R.T. -0.001 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16



Tgt Ion:252 Resp: 134307
Ion Ratio Lower Upper
252 100
254 63.7 49.8 74.8
126 6.0 6.0 9.0





#83

Chrysene

Concen: 37.107 ng

RT: 21.765 min Scan# 31

Delta R.T. 0.005 min

Lab File: BG054187.D

Acq: 1 Jul 2022 12:16

Instrument :

BNA_G

ClientSampleId :

PB145925BS

Tgt Ion:228 Resp: 40646

Ion Ratio Lower Upper

228 100

226 31.0 23.4 35.2





229 20.4 15.5 23.3

Manual Integrations

APPROVED

Reviewed By :Christian Giraldo 07/05/2022

Supervised By :Jagrut Upadhyay 07/05/2022



#84

Bis(2-ethylhexyl)phthalate

Concen: 39.669 ng

RT: 21.595 min Scan# 3099

Delta R.T. -0.006 min

Lab File: BG054187.D

Acq: 1 Jul 2022 12:16




Tgt Ion:149 Resp: 194936


Ion Ratio Lower Upper

149 100

167 27.9 20.2 30.4

279 6.2 3.6 5.4#






#85
Di-n-octyl phthalate
Concen: 39.262 ng
RT: 22.817 min Scan# 3312
Delta R.T. -0.006 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16

Instrument :

BNA_G

ClientSampleId :

PB145925BS






Tgt Ion:149 Resp: 331609
Ion Ratio Lower Upper
149 100
167 1.8 1.3 1.9
43 9.0 9.0 13.4

Manual Integrations




APPROVED


Reviewed By :Christian Giraldo 07/05/2022
Supervised By :Jagrut Upadhyay 07/05/2022



#86
Perylene-d12
Concen: 20.000 ng
RT: 24.973 min Scan# 3674
Delta R.T. 0.011 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16

Tgt Ion:264 Resp: 181180
Ion Ratio Lower Upper
264 100
260 23.2 19.0 28.6
265 21.7 17.4 26.2






#87
Indeno(1,2,3-cd)pyrene
Concen: 38.520 ng
RT: 28.716 min Scan# 41
Delta R.T. 0.029 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16

Instrument :

BNA_G

ClientSampleId :

PB145925BS






Tgt Ion:276 Resp: 526669
Ion Ratio Lower Upper
276 100
138 7.6 5.0 7.4
277 26.1 20.3 30.5

Manual Integrations




APPROVED


Reviewed By :Christian Giraldo 07/05/2022
Supervised By :Jagrut Upadhyay 07/05/2022



#88
Benzo(b)fluoranthene
Concen: 41.964 ng
RT: 23.939 min Scan# 3498
Delta R.T. 0.005 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16


Tgt Ion:252 Resp: 462286
Ion Ratio Lower Upper
252 100
253 22.0 18.0 27.0
125 4.7 4.6 6.8





#89
Benzo(k)fluoranthene
Concen: 39.474 ng
RT: 24.010 min Scan# 30
Delta R.T. 0.005 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16




Instrument :
BNA_G
ClientSampleId :
PB145925BS




Tgt Ion:252 Resp: 430550
Ion Ratio Lower Upper
252 100
253 22.7 18.4 27.6
125 5.1 4.8 7.2

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 07/05/2022
Supervised By :Jagrut Upadhyay 07/05/2022




#90
Benzo(a)pyrene
Concen: 43.274 ng
RT: 24.821 min Scan# 3648
Delta R.T. 0.005 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16




Tgt Ion:252 Resp: 402218
Ion Ratio Lower Upper
252 100
253 23.6 17.8 26.8
125 5.7 4.3 6.5





#91
Dibenzo(a,h)anthracene
Concen: 40.969 ng
RT: 28.763 min Scan# 41
Delta R.T. 0.017 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16




Instrument :
BNA_G
ClientSampleId :
PB145925BS




Tgt Ion:278 Resp: 46320
Ion Ratio Lower Upper
278 100
139 6.8 7.2 10.8
279 24.6 18.6 27.8

Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 07/05/2022
Supervised By :Jagrut Upadhyay 07/05/2022



#92
Benzo(g,h,i)perylene
Concen: 40.723 ng
RT: 29.880 min Scan# 4509
Delta R.T. 0.017 min
Lab File: BG054187.D
Acq: 1 Jul 2022 12:16



Tgt Ion:276 Resp: 454372
Ion Ratio Lower Upper
276 100
277 23.6 17.3 25.9
138 9.0 9.6 14.4

