

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG070323\
 Data File : BG057993.D
 Acq On : 4 Jul 2023 18:58
 Operator : CG/JU
 Sample : 03247-08
 Misc :
 ALS Vial : 51 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 DCGL4

Quant Time: Jul 05 01:40:13 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG070123.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Jul 04 05:09:13 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.941	152	50499	20.000	ng/ul	0.00
20) Naphthalene-d8	10.744	136	233697	20.000	ng/ul	0.00
38) Acenaphthene-d10	14.575	164	155008	20.000	ng/ul	0.00
64) Phenanthrene-d10	17.319	188	334366	20.000	ng/ul	0.00
79) Chrysene-d12	21.572	240	275972	20.000	ng/ul	0.00
88) Perylene-d12	24.739	264	329641	20.000	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.376	96	3960	2.746	ng/uL	0.00
4) Pyridine-d5	0.000	84	0d	0.000	ng/ul	
7) Phenol-d5	7.107	99	77143	14.958	ng/ul	0.00
9) Bis-(2-Chloroethyl)eth...	7.266	67	51307	16.509	ng/ul	0.00
11) 2-Chlorophenol-d4	7.471	132	60747	17.079	ng/ul	0.00
15) 4-Methylphenol-d8	8.646	113	32445	8.338	ng/ul	0.00
21) Nitrobenzene-d5	9.105	128	32663	17.148	ng/ul	0.00
24) 2-Nitrophenol-d4	9.827	143	34356	17.162	ng/ul	0.00
28) 2,4-Dichlorophenol-d3	10.368	165	62870	16.371	ng/ul	0.00
31) 4-Chloroaniline-d4	10.879	131	23246	3.993	ng/ul	0.00
46) Dimethylphthalate-d6	13.975	166	209929	17.165	ng/ul	0.00
49) Acenaphthylene-d8	14.269	160	238119	17.842	ng/ul	0.00
54) 4-Nitrophenol-d4	14.774	143	23050	10.667	ng/ul	0.00
60) Fluorene-d10	15.562	176	183489	17.666	ng/ul	0.00
65) 4,6-Dinitro-2-methylph...	15.679	200	21225	11.690	ng/ul	0.00
73) Anthracene-d10	17.413	188	230694	14.869	ng/ul	0.00
81) Pyrene-d10	19.704	212	337491	19.417	ng/ul	0.00
92) Benzo(a)pyrene-d12	24.516	264	321127	19.121	ng/ul	0.00
Target Compounds						
					Qvalue	
80) Fluoranthene	19.369	202	29582	1.469	ng/ul	97
82) Pyrene	19.733	202	25360	1.251	ng/ul	98
87) Chrysene	21.613	228	18583	1.000	ng/ul	91
90) Benzo(b)fluoranthene	23.729	252	31638	1.550	ng/ul#	92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG070323\
Data File : BG057993.D
Acq On : 4 Jul 2023 18:58
Operator : CG/JU
Sample : 03247-08
Misc :
ALS Vial : 51 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
DCGL4

Quant Time: Jul 05 01:40:13 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG070123.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Jul 04 05:09:13 2023
Response via : Initial Calibration

