

Data Path : Z:\svoasrv\HPCHEM1\BNA\_G\Data\BG070523\  
 Data File : BG058024.D  
 Acq On : 5 Jul 2023 19:57  
 Operator : CG/JU  
 Sample : 03494-10  
 Misc :  
 ALS Vial : 7 Sample Multiplier: 1

Instrument :  
 BNA\_G  
 ClientSampleId :  
 SVOC-GPC2-BLANK

Quant Time: Jul 05 23:23:35 2023  
 Quant Method : Z:\svoasrv\HPCHEM1\BNA\_G\Methods\SFAM-EPA-BG070123.MA.M  
 Quant Title : SVOA CALIBRATION  
 QLast Update : Wed Jul 05 23:20:13 2023  
 Response via : Initial Calibration

| Compound                      | R.T.   | QIon | Response | Conc   | Units | Dev(Min) |
|-------------------------------|--------|------|----------|--------|-------|----------|
| -----                         |        |      |          |        |       |          |
| Internal Standards            |        |      |          |        |       |          |
| 1) 1,4-Dichlorobenzene-d4     | 7.924  | 152  | 40322    | 20.000 | ng/ul | 0.00     |
| 20) Naphthalene-d8            | 10.727 | 136  | 168321   | 20.000 | ng/ul | 0.00     |
| 38) Acenaphthene-d10          | 14.557 | 164  | 120595   | 20.000 | ng/ul | 0.00     |
| 64) Phenanthrene-d10          | 17.301 | 188  | 301572   | 20.000 | ng/ul | 0.00     |
| 79) Chrysene-d12              | 21.555 | 240  | 285415   | 20.000 | ng/ul | 0.00     |
| 88) Perylene-d12              | 24.716 | 264  | 347882   | 20.000 | ng/ul | 0.00     |
| System Monitoring Compounds   |        |      |          |        |       |          |
| 3) 1,4-Dioxane-d8             | 0.000  | 96   | 0        | 0.000  | ng/uL |          |
| 4) Pyridine-d5                | 3.776  | 84   | 122      | 0.035  | ng/ul | 0.00     |
| 7) Phenol-d5                  | 0.000  | 99   | 0        | 0.000  | ng/ul |          |
| 9) Bis-(2-Chloroethyl)eth...  | 0.000  | 67   | 0        | 0.000  | ng/ul |          |
| 11) 2-Chlorophenol-d4         | 0.000  | 132  | 0        | 0.000  | ng/ul |          |
| 15) 4-Methylphenol-d8         | 0.000  | 113  | 0        | 0.000  | ng/ul |          |
| 21) Nitrobenzene-d5           | 0.000  | 128  | 0        | 0.000  | ng/ul |          |
| 24) 2-Nitrophenol-d4          | 0.000  | 143  | 0        | 0.000  | ng/ul |          |
| 28) 2,4-Dichlorophenol-d3     | 0.000  | 165  | 0        | 0.000  | ng/ul |          |
| 31) 4-Chloroaniline-d4        | 10.727 | 131  | 126      | 0.030  | ng/ul | -0.13    |
| 46) Dimethylphthalate-d6      | 0.000  | 166  | 0        | 0.000  | ng/ul |          |
| 49) Acenaphthylene-d8         | 0.000  | 160  | 0        | 0.000  | ng/ul |          |
| 54) 4-Nitrophenol-d4          | 0.000  | 143  | 0        | 0.000  | ng/ul |          |
| 60) Fluorene-d10              | 0.000  | 176  | 0        | 0.000  | ng/ul |          |
| 65) 4,6-Dinitro-2-methylph... | 0.000  | 200  | 0        | 0.000  | ng/ul |          |
| 73) Anthracene-d10            | 17.395 | 188  | 1016     | 0.073  | ng/ul | -0.01    |
| 81) Pyrene-d10                | 0.000  | 212  | 0        | 0.000  | ng/ul |          |
| 92) Benzo(a)pyrene-d12        | 24.493 | 264  | 487      | 0.027  | ng/ul | 0.00     |

| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA\_G\Data\BG070523\  
Data File : BG058024.D  
Acq On : 5 Jul 2023 19:57  
Operator : CG/JU  
Sample : 03494-10  
Misc :  
ALS Vial : 7 Sample Multiplier: 1

Instrument :  
BNA\_G  
ClientSampleId :  
SVOC-GPC2-BLANK

Quant Time: Jul 05 23:23:35 2023  
Quant Method : Z:\svoasrv\HPCHEM1\BNA\_G\Methods\SFAM-EPA-BG070123.MA.M  
Quant Title : SVOA CALIBRATION  
QLast Update : Wed Jul 05 23:20:13 2023  
Response via : Initial Calibration

