

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG070921\
 Data File : BG049241.D
 Acq On : 9 Jul 2021 17:19
 Operator : CG/JU
 Sample : SSTDCCC020
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SSTD020202

Manual Integrations
 APPROVED

mohammad
 7/12/2021 12:33:16 PM

Quant Time: Jul 09 18:03:13 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\SFAM-EPA-BG070921.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Jul 09 03:15:38 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.076	152	29999	20.000	ng/u1	0.00
20) Naphthalene-d8	10.896	136	126219	20.000	ng/u1	0.00
38) Acenaphthene-d10	14.721	164	94009	20.000	ng/u1	0.00
64) Phenanthrene-d10	17.471	188	222595	20.000	ng/u1	0.00
79) Chrysene-d12	21.754	240	223648	20.000	ng/u1	0.00
88) Perylene-d12	25.050	264	234863	20.000	ng/u1	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.470	96	4959m	7.776	ng/uL	0.00
4) Pyridine-d5	3.887	84	34831	18.574	ng/u1	0.00
7) Phenol-d5	7.224	99	48031	18.406	ng/u1	0.00
9) Bis-(2-Chloroethyl)eth...	7.394	67	29492	19.486	ng/u1	0.00
11) 2-Chlorophenol-d4	7.606	132	38680	20.056	ng/u1	0.00
15) 4-Methylphenol-d8	8.781	113	39038	18.672	ng/u1	0.00
21) Nitrobenzene-d5	9.245	128	19891	20.537	ng/u1	0.00
24) 2-Nitrophenol-d4	9.974	143	22678	20.397	ng/u1	0.00
28) 2,4-Dichlorophenol-d3	10.514	165	44275	20.408	ng/u1	0.00
31) 4-Chloroaniline-d4	11.025	131	55003	19.455	ng/u1	0.00
46) Dimethylphthalate-d6	14.116	166	144120	19.934	ng/u1	0.00
49) Acenaphthylene-d8	14.416	160	169852	20.023	ng/u1	0.00
54) 4-Nitrophenol-d4	14.909	143	22376	18.699	ng/u1	0.00
60) Fluorene-d10	15.714	176	119545	19.530	ng/u1	0.00
65) 4,6-Dinitro-2-methylph...	15.826	200	26504	18.733	ng/u1	0.00
73) Anthracene-d10	17.571	188	202078	19.940	ng/u1	0.00
81) Pyrene-d10	19.856	212	244446	21.325	ng/u1	0.00
92) Benzo(a)pyrene-d12	24.827	264	244451	20.022	ng/u1	0.00
Target Compounds						
					Qvalue	
2) 1,4-Dioxane	3.505	88	5798	7.465	ng/uL	85
5) Pyridine	3.910	79	38312	18.417	ng/u1	94
6) Benzaldehyde	7.206	77	37104	23.636	ng/u1	99
8) Phenol	7.253	94	51195	19.617	ng/u1	95
10) Bis(2-Chloroethyl)ether	7.488	93	36182	18.647	ng/u1#	79
12) 2-Chlorophenol	7.635	128	37862	19.449	ng/u1	92
13) 2-Methylphenol	8.511	108	38294	19.264	ng/u1	97
14) 2,2'-oxybis(1-Chloropr...	8.605	45	60680	19.442	ng/u1	95
16) Acetophenone	8.899	105	67716	19.744	ng/u1	99
17) N-Nitroso-di-n-propyla...	8.881	70	35101	20.142	ng/u1	99
18) 4-Methylphenol	8.846	108	40642	19.653	ng/u1	93
19) Hexachloroethane	9.163	117	17091	19.390	ng/u1#	80
22) Nitrobenzene	9.286	77	53830	19.708	ng/u1#	92
23) Isophorone	9.809	82	95433	20.226	ng/u1	97
25) 2-Nitrophenol	9.997	139	22374	19.725	ng/u1	95
26) 2,4-Dimethylphenol	10.056	107	50179	19.978	ng/u1	94
27) Bis(2-Chloroethoxy)met...	10.291	93	52312	20.795	ng/u1	95
29) 2,4-Dichlorophenol	10.538	162	40204	20.281	ng/u1	93
30) Naphthalene	10.949	128	125955	20.015	ng/u1	96
32) 4-Chloroaniline	11.049	127	53511	19.197	ng/u1	94
33) Hexachlorobutadiene	11.231	225	33716	20.057	ng/u1	94
34) Caprolactam	11.813	113	12307	17.847	ng/u1	94
35) 4-Chloro-3-methylphenol	12.165	107	46625	21.056	ng/u1	89
36) 2-Methylnaphthalene	12.553	142	94503	19.765	ng/u1	98

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG070921\
 Data File : BG049241.D
 Acq On : 9 Jul 2021 17:19
 Operator : CG/JU
 Sample : SSTDCCC020
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SSTD020202

Manual Integrations
 APPROVED

mohammad
 7/12/2021 12:33:16 PM

Quant Time: Jul 09 18:03:13 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\SFAM-EPA-BG070921.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Jul 09 03:15:38 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
37) 1-Methylnaphthalene	12.771	142	96656	20.328	ng/ul#	94
39) 1,2,4,5-Tetrachloroben...	12.917	216	57661	19.528	ng/ul#	95
40) Hexachlorocyclopentadiene	12.894	237	32426	16.536	ng/ul	98
41) 2,4,6-Trichlorophenol	13.152	196	37681	19.728	ng/ul#	87
42) 2,4,5-Trichlorophenol	13.229	196	39042	19.218	ng/ul	90
43) 1,1'-Biphenyl	13.552	154	127111	20.013	ng/ul	98
44) 2-Chloronaphthalene	13.599	162	97860	19.666	ng/ul	97
45) 2-Nitroaniline	13.799	65	35544	19.483	ng/ul	89
47) Dimethylphthalate	14.163	163	135236	20.152	ng/ul	97
48) 2,6-Dinitrotoluene	14.286	165	29211	20.212	ng/ul#	85
50) Acenaphthylene	14.445	152	150766	19.984	ng/ul	98
51) 3-Nitroaniline	14.621	138	26270	19.962	ng/ul	97
52) Acenaphthene	14.786	153	108693	19.838	ng/ul	98
53) 2,4-Dinitrophenol	14.827	184	15521	16.946	ng/ul	95
55) 4-Nitrophenol	14.927	109	28400	18.800	ng/ul	97
56) Dibenzofuran	15.121	168	155993	20.089	ng/ul	98
57) 2,4-Dinitrotoluene	15.080	165	42605	20.429	ng/ul	98
58) 2,3,4,6-Tetrachlorophenol	15.344	232	36620	19.223	ng/ul#	96
59) Diethylphthalate	15.526	149	143444	19.886	ng/ul	98
61) Fluorene	15.767	166	134541	20.473	ng/ul	95
62) 4-Chlorophenyl-phenyle...	15.761	204	73889	20.452	ng/ul	95
63) 4-Nitroaniline	15.779	138	29585	22.900	ng/ul	98
66) 4,6-Dinitro-2-methylph...	15.838	198	25954	19.277	ng/ul#	96
67) N-Nitrosodiphenylamine	15.967	169	114278	20.164	ng/ul	96
68) 4-Bromophenyl-phenylether	16.654	248	49907	20.102	ng/ul	96
69) Hexachlorobenzene	16.778	284	56541	20.109	ng/ul	97
70) Atrazine	16.919	200	51273	19.768	ng/ul	92
71) Pentachlorophenol	17.118	266	31452	18.742	ng/ul	91
72) Phenanthrene	17.512	178	217673	20.049	ng/ul	98
74) Anthracene	17.606	178	223312	20.135	ng/ul	99
75) 1,2,3,4-Tetrachloroben...	13.523	216	58898	19.396	ng/uL	99
76) Pentachlorobenzene	15.038	250	65941	20.469	ng/uL	100
77) Carbazole	17.870	167	199809	20.195	ng/ul	98
78) Di-n-butylphthalate	18.423	149	249222	20.133	ng/ul	99
80) Fluoranthene	19.521	202	286006	21.454	ng/ul	100
82) Pyrene	19.886	202	284994	21.455	ng/ul	99
83) Butylbenzylphthalate	20.761	149	109943	21.082	ng/ul	100
84) 3,3'-Dichlorobenzidine	21.648	252	106337	20.350	ng/ul	98
85) Benzo(a)anthracene	21.736	228	278906	20.293	ng/ul	98
86) Bis(2-ethylhexyl)phtha...	21.637	149	154274	20.283	ng/ul	97
87) Chrysene	21.801	228	268869	20.681	ng/ul	99
89) Di-n-octyl phthalate	22.870	149	255390	19.318	ng/ul	100
90) Benzo(b)fluoranthene	24.004	252	285945	19.735	ng/ul	97
91) Benzo(k)fluoranthene	24.069	252	282382	19.989	ng/ul	93
93) Benzo(a)pyrene	24.897	252	251439	19.719	ng/ul	93
94) Indeno(1,2,3-cd)pyrene	28.816	276	323641	19.672	ng/ul	97
95) Dibenzo(a,h)anthracene	28.887	278	266585	19.564	ng/ul#	99
96) Benzo(g,h,i)perylene	30.003	276	268405	19.733	ng/ul#	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed



```
Data Path : Z:\svoasrv\HPCHEM1\BNA G\Data\BG070921\  
Data File : BG049241.D  
Acq On    : 9 Jul 2021 17:19  
Operator  : CG/JU  
Sample    : SSTDCCC020  
Misc      :  
ALS Vial  : 2      Sample Multiplier: 1
```

Instrument :
BNA_G
ClientSampleId :
SSTD020202

Manual Integrations

mohammad
7/12/2021 12:33:16 PM

Quant Time: Jul 09 18:06:40 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\SFAM-EPA-BG070921.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Jul 09 03:15:38 2021
Response via : Initial Calibration



Quantitation Report (Qedit)




Data Path : Z:\svoasrv\HPCHEM1\BNA G\Data\BG070921\
 Data File : BG049241.D
 Acq On : 9 Jul 2021 17:19
 Operator : CG/JU
 Sample : SSTDCCC020
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SSTD020202

Manual Integrations
 APPROVED

mohammad
 7/12/2021 12:33:16 PM

Quant Time: Jul 09 18:02:56 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\SFAM-EPA-BG070921.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Jul 09 03:15:38 2021
 Response via : Initial Calibration



TIC: BG049241.D

(3) 1,4-Dioxane-d8 (S)

3.505min (+0.035) 0.20ng/uL

response 129

Ion	Exp%	Act%
96.00	100	100
64.00	62.20	53.13
34.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\svoasrv\HPCHEM1\BNA G\Data\BG070921\
 Data File : BG049241.D
 Acq On : 9 Jul 2021 17:19
 Operator : CG/JU
 Sample : SSTDC020
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SSTD020202

Manual Integrations
 APPROVED

mohammad
 7/12/2021 12:33:16 PM

Quant Time: Jul 09 18:02:56 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\SFAM-EPA-BG070921.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Jul 09 03:15:38 2021
 Response via : Initial Calibration



TIC: BG049241.D

(3) 1,4-Dioxane-d8 (S)

3.470min (-0.000) 7.78ng/uL m 07/12/21 JU

response 4959

Ion	Exp%	Act%
96.00	100	100
64.00	62.20	83.49#
34.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\svoasrv\HPCHEM1\BNA G\Data\BG070921\
 Data File : BG049241.D
 Acq On : 9 Jul 2021 17:19
 Operator : CG/JU
 Sample : SSTDCCC020
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleID :
 SSTD020202

Manual Integrations
 APPROVED

mohammad
 7/12/2021 12:33:16 PM

Quant Time: Jul 09 18:06:40 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\SFAM-EPA-BG070921.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Jul 09 03:15:38 2021
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.08	152	29999	20.00	ng/ul	0.00
20) Naphthalene-d8	10.90	136	126219	20.00	ng/ul	0.00
38) Acenaphthene-d10	14.72	164	94009	20.00	ng/ul	0.00
64) Phenanthrene-d10	17.47	188	222595	20.00	ng/ul	0.00
79) Chrysene-d12	21.75	240	223648	20.00	ng/ul	0.00
88) Perylene-d12	25.05	264	234863	20.00	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.47	96	4959m >	7.78	ng/uL >	0.00 07/13/21
4) Pyridine-d5	3.89	84	34831	18.57	ng/ul	0.00
7) Phenol-d5	7.22	99	48031	18.41	ng/ul	0.00
9) Bis-(2-Chloroethyl)ether-d	7.39	67	29492	19.49	ng/ul	0.00
11) 2-Chlorophenol-d4	7.61	132	38680	20.06	ng/ul	0.00
15) 4-Methylphenol-d8	8.78	113	39038	18.67	ng/ul	0.00
21) Nitrobenzene-d5	9.25	128	19891	20.54	ng/ul	0.00
24) 2-Nitrophenol-d4	9.97	143	22678	20.40	ng/ul	0.00
28) 2,4-Dichlorophenol-d3	10.51	165	44275	20.41	ng/ul	0.00
31) 4-Chloroaniline-d4	11.03	131	55003	19.45	ng/ul	0.00
46) Dimethylphthalate-d6	14.12	166	144120	19.93	ng/ul	0.00
49) Acenaphthylene-d8	14.42	160	169852	20.02	ng/ul	0.00
54) 4-Nitrophenol-d4	14.91	143	22376	18.70	ng/ul	0.00
60) Fluorene-d10	15.71	176	119545	19.53	ng/ul	0.00
65) 4,6-Dinitro-2-methylphenol	15.83	200	26504	18.73	ng/ul	0.00
73) Anthracene-d10	17.57	188	202078	19.94	ng/ul	0.00
81) Pyrene-d10	19.86	212	244446	21.33	ng/ul	0.00
92) Benzo(a)pyrene-d12	24.83	264	244451	20.02	ng/ul	0.00
Target Compounds						
2) 1,4-Dioxane	3.50	88	5798	7.465	ng/uL	85
5) Pyridine	3.91	79	38312	18.417	ng/ul	94
6) Benzaldehyde	7.21	77	37104	23.636	ng/ul	99
8) Phenol	7.25	94	51195	19.617	ng/ul	95
10) Bis(2-Chloroethyl)ether	7.49	93	36182	18.647	ng/ul#	79
12) 2-Chlorophenol	7.64	128	37862	19.449	ng/ul	92
13) 2-Methylphenol	8.51	108	38294	19.264	ng/ul	97
14) 2,2'-oxybis(1-Chloropropan	8.60	45	60680	19.442	ng/ul	95
16) Acetophenone	8.90	105	67716	19.744	ng/ul	99
17) N-Nitroso-di-n-propylamine	8.88	70	35101	20.142	ng/ul	99
18) 4-Methylphenol	8.85	108	40642	19.653	ng/ul	93
19) Hexachloroethane	9.16	117	17091	19.390	ng/ul#	80
22) Nitrobenzene	9.29	77	53830	19.708	ng/ul#	92
23) Isophorone	9.81	82	95433	20.226	ng/ul	97
25) 2-Nitrophenol	10.00	139	22374	19.725	ng/ul	95
26) 2,4-Dimethylphenol	10.06	107	50179	19.978	ng/ul	94
27) Bis(2-Chloroethoxy)methane	10.29	93	52312	20.795	ng/ul	95
29) 2,4-Dichlorophenol	10.54	162	40204	20.281	ng/ul	93
30) Naphthalene	10.95	128	125955	20.015	ng/ul	96
32) 4-Chloroaniline	11.05	127	53511	19.197	ng/ul	94
33) Hexachlorobutadiene	11.23	225	33716	20.057	ng/ul	94
34) Caprolactam	11.81	113	12307	17.847	ng/ul	94

Data Path : Z:\svoasrv\HPCHEM1\BNA G\Data\BG070921\
 Data File : BG049241.D
 Acq On : 9 Jul 2021 17:19
 Operator : CG/JU
 Sample : SSTDCCC020
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SSTD020202

Manual Integrations
 APPROVED

mohammad
 7/12/2021 12:33:16 PM

Quant Time: Jul 09 18:06:40 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\SFAM-EPA-BG070921.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Jul 09 03:15:38 2021
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
35) 4-Chloro-3-methylphenol	12.17	107	46625	21.056	ng/ul	89
36) 2-Methylnaphthalene	12.55	142	94503	19.765	ng/ul	98
37) 1-Methylnaphthalene	12.77	142	96656	20.328	ng/ul#	94
39) 1,2,4,5-Tetrachlorobenzene	12.92	216	57661	19.528	ng/ul#	95
40) Hexachlorocyclopentadiene	12.89	237	32426	16.536	ng/ul	98
41) 2,4,6-Trichlorophenol	13.15	196	37681	19.728	ng/ul#	87
42) 2,4,5-Trichlorophenol	13.23	196	39042	19.218	ng/ul	90
43) 1,1'-Biphenyl	13.55	154	127111	20.013	ng/ul	98
44) 2-Chloronaphthalene	13.60	162	97860	19.666	ng/ul	97
45) 2-Nitroaniline	13.80	65	35544	19.483	ng/ul	89
47) Dimethylphthalate	14.16	163	135236	20.152	ng/ul	97
48) 2,6-Dinitrotoluene	14.29	165	29211	20.212	ng/ul#	85
50) Acenaphthylene	14.45	152	150766	19.984	ng/ul	98
51) 3-Nitroaniline	14.62	138	26270	19.962	ng/ul	97
52) Acenaphthene	14.79	153	108693	19.838	ng/ul	98
53) 2,4-Dinitrophenol	14.83	184	15521	16.946	ng/ul	95
55) 4-Nitrophenol	14.93	109	28400	18.800	ng/ul	97
56) Dibenzofuran	15.12	168	155993	20.089	ng/ul	98
57) 2,4-Dinitrotoluene	15.08	165	42605	20.429	ng/ul	98
58) 2,3,4,6-Tetrachlorophenol	15.34	232	36620	19.223	ng/ul#	96
59) Diethylphthalate	15.53	149	143444	19.886	ng/ul	98
61) Fluorene	15.77	166	134541	20.473	ng/ul	95
62) 4-Chlorophenyl-phenylether	15.76	204	73889	20.452	ng/ul	95
63) 4-Nitroaniline	15.78	138	29585	22.900	ng/ul	98
66) 4,6-Dinitro-2-methylphenol	15.84	198	25954	19.277	ng/ul#	96
67) N-Nitrosodiphenylamine	15.97	169	114278	20.164	ng/ul	96
68) 4-Bromophenyl-phenylether	16.65	248	49907	20.102	ng/ul	96
69) Hexachlorobenzene	16.78	284	56541	20.109	ng/ul	97
70) Atrazine	16.92	200	51273	19.768	ng/ul	92
71) Pentachlorophenol	17.12	266	31452	18.742	ng/ul	91
72) Phenanthrene	17.51	178	217673	20.049	ng/ul	98
74) Anthracene	17.61	178	223312	20.135	ng/ul	99
75) 1,2,3,4-Tetrachlorobenzene	13.52	216	58898	19.396	ng/uL	99
76) Pentachlorobenzene	15.04	250	65941	20.469	ng/uL	100
77) Carbazole	17.87	167	199809	20.195	ng/ul	98
78) Di-n-butylphthalate	18.42	149	249222	20.133	ng/ul	99
80) Fluoranthene	19.52	202	286006	21.454	ng/ul	100
82) Pyrene	19.89	202	284994	21.455	ng/ul	99
83) Butylbenzylphthalate	20.76	149	109943	21.082	ng/ul	100
84) 3,3'-Dichlorobenzidine	21.65	252	106337	20.350	ng/ul	98
85) Benzo(a)anthracene	21.74	228	278906	20.293	ng/ul	98
86) Bis(2-ethylhexyl)phthalate	21.64	149	154274	20.283	ng/ul	97
87) Chrysene	21.80	228	268869	20.681	ng/ul	99
89) Di-n-octyl phthalate	22.87	149	255390	19.318	ng/ul	100
90) Benzo(b)fluoranthene	24.00	252	285945	19.735	ng/ul	97
91) Benzo(k)fluoranthene	24.07	252	282382	19.989	ng/ul	93
93) Benzo(a)pyrene	24.90	252	251439	19.719	ng/ul	93
94) Indeno(1,2,3-cd)pyrene	28.82	276	323641	19.672	ng/ul	97
95) Dibenzo(a,h)anthracene	28.89	278	266585	19.564	ng/ul#	99
96) Benzo(g,h,i)perylene	30.00	276	268405	19.733	ng/ul#	93

Data Path : Z:\svoasrv\HPCHEM1\BNA G\Data\BG070921\
Data File : BG049241.D
Acq On : 9 Jul 2021 17:19
Operator : CG/JU
Sample : SSTDCCC020
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SSTD020202

Manual Integrations
APPROVED

mohammad
7/12/2021 12:33:16 PM

Quant Time: Jul 09 18:06:40 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\SFAM-EPA-BG070921.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Jul 09 03:15:38 2021
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev	(Min)
--------------------	------	------	----------	------	-------	-----	-------

(#) = qualifier out of range (m) = manual integration (+) = signals summed