

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG071323\
 Data File : BG058205.D
 Acq On : 13 Jul 2023 19:27
 Operator : CG/JU
 Sample : 03414-04
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :

Quant Time: Jul 13 23:08:02 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG070123.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Jul 13 14:01:20 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.902	152	52466	20.000	ng/ul	0.00
20) Naphthalene-d8	10.704	136	247796	20.000	ng/ul	0.00
38) Acenaphthene-d10	14.541	164	184570	20.000	ng/ul	0.00
64) Phenanthrene-d10	17.285	188	441261	20.000	ng/ul	0.00
79) Chrysene-d12	21.539	240	396596	20.000	ng/ul	0.00
88) Perylene-d12	24.682	264	484292	20.000	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.348	96	245	0.164	ng/uL	0.00
4) Pyridine-d5	3.748	84	219	0.048	ng/ul	0.00
7) Phenol-d5	7.073	99	23602	4.405	ng/ul	0.00
9) Bis-(2-Chloroethyl)eth...	7.232	67	15347	4.753	ng/ul	0.00
11) 2-Chlorophenol-d4	7.438	132	16746	4.531	ng/ul	0.00
15) 4-Methylphenol-d8	8.613	113	13721	3.394	ng/ul	0.00
21) Nitrobenzene-d5	9.065	128	8831	4.373	ng/ul	0.00
24) 2-Nitrophenol-d4	9.782	143	9499	4.475	ng/ul	0.00
28) 2,4-Dichlorophenol-d3	10.328	165	17382	4.269	ng/ul	0.00
31) 4-Chloroaniline-d4	10.840	131	18086	2.930	ng/ul	0.00
46) Dimethylphthalate-d6	13.942	166	76365	5.244	ng/ul	0.00
49) Acenaphthylene-d8	14.230	160	83099	5.229	ng/ul	0.00
54) 4-Nitrophenol-d4	14.747	143	7111	2.764	ng/ul	0.00
60) Fluorene-d10	15.534	176	67177	5.432	ng/ul	0.00
65) 4,6-Dinitro-2-methylph...	15.652	200	6719	2.804	ng/ul	0.00
73) Anthracene-d10	17.385	188	103925	5.076	ng/ul	0.00
81) Pyrene-d10	19.670	212	136947	5.483	ng/ul	0.00
92) Benzo(a)pyrene-d12	24.459	264	125904	5.103	ng/ul	0.00
Target Compounds						
					Qvalue	
16) Acetophenone	8.730	105	18027	2.687	ng/ul	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG071323\
Data File : BG058205.D
Acq On : 13 Jul 2023 19:27
Operator : CG/JU
Sample : 03414-04
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :


Quant Time: Jul 13 23:08:02 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG070123.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Jul 13 14:01:20 2023
Response via : Initial Calibration





#16
 Acetophenone
 Concen: 2.687 ng/ul
 RT: 8.730 min Scan# 90
 Delta R.T. 0.008 min
 Lab File: BG058205.D
 Acq: 13 Jul 2023 19:27

Instrument :
 BNA_G
 ClientSampleId :



Tgt Ion:	105	Resp:	18027
Ion	Ratio	Lower	Upper
105	100		
77	74.8	61.2	91.8
51	31.5	23.5	35.3

