

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG071323\
 Data File : BG058263.D
 Acq On : 15 Jul 2023 16:01
 Operator : CG/JU
 Sample : PB153869BS
 Misc :
 ALS Vial : 74 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SLCS869

Quant Time: Jul 15 22:37:19 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG070123.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Jul 13 14:01:20 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.903	152	54620	20.000	ng/u1	0.00
20) Naphthalene-d8	10.705	136	257217	20.000	ng/u1	0.00
38) Acenaphthene-d10	14.542	164	184547	20.000	ng/u1	0.00
64) Phenanthrene-d10	17.286	188	436712	20.000	ng/u1	0.00
79) Chrysene-d12	21.540	240	381407	20.000	ng/u1	0.00
88) Perylene-d12	24.683	264	486177	20.000	ng/u1	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.349	96	8962	5.746	ng/uL	0.00
4) Pyridine-d5	3.755	84	137146	28.961	ng/u1	0.00
7) Phenol-d5	7.068	99	179989	32.267	ng/u1	0.00
9) Bis-(2-Chloroethyl)eth...	7.227	67	103560	30.808	ng/u1	0.00
11) 2-Chlorophenol-d4	7.438	132	124200	32.283	ng/u1	0.00
15) 4-Methylphenol-d8	8.614	113	135985	32.309	ng/u1	0.00
21) Nitrobenzene-d5	9.066	128	65191	31.096	ng/u1	0.00
24) 2-Nitrophenol-d4	9.783	143	76165	34.568	ng/u1	0.00
28) 2,4-Dichlorophenol-d3	10.329	165	139310	32.959	ng/u1	0.00
31) 4-Chloroaniline-d4	10.840	131	180211	28.121	ng/u1	0.00
46) Dimethylphthalate-d6	13.943	166	415262	28.519	ng/u1	0.00
49) Acenaphthylene-d8	14.236	160	489136	30.784	ng/u1	0.00
54) 4-Nitrophenol-d4	14.748	143	70333	27.340	ng/u1	0.00
60) Fluorene-d10	15.535	176	376830	30.473	ng/u1	0.00
65) 4,6-Dinitro-2-methylph...	15.652	200	71576	30.184	ng/u1	0.00
73) Anthracene-d10	17.386	188	601712	29.693	ng/u1	0.00
81) Pyrene-d10	19.671	212	732187	30.481	ng/u1	0.00
92) Benzo(a)pyrene-d12	24.466	264	782466	31.590	ng/u1	0.00
Target Compounds						
					Qvalue	
2) 1,4-Dioxane	3.379	88	19043	9.882	ng/uL#	88
5) Pyridine	3.772	79	133656	27.547	ng/u1	96
6) Benzaldehyde	7.039	77	89037	47.796	ng/u1	98
8) Phenol	7.098	94	176712	31.219	ng/u1	98
10) Bis(2-Chloroethyl)ether	7.321	93	126151	28.863	ng/u1	99
12) 2-Chlorophenol	7.468	128	121499	30.349	ng/u1	97
13) 2-Methylphenol	8.343	108	135036	30.376	ng/u1	93
14) 2,2'-oxybis(1-Chloropr...	8.420	45	205507	30.546	ng/u1	96
16) Acetophenone	8.725	105	203342	29.119	ng/u1	99
17) N-Nitroso-di-n-propyla...	8.708	70	105607	28.290	ng/u1	97
18) 4-Methylphenol	8.678	108	148726	30.940	ng/u1	93
19) Hexachloroethane	8.984	117	46849	30.525	ng/u1	99
22) Nitrobenzene	9.107	77	160304	29.455	ng/u1	98
23) Isophorone	9.624	82	323075	27.821	ng/u1	98
25) 2-Nitrophenol	9.818	139	73056	30.900	ng/u1	95
26) 2,4-Dimethylphenol	9.877	107	144743	27.226	ng/u1	98
27) Bis(2-Chloroethoxy)met...	10.112	93	184034	28.123	ng/u1	98
29) 2,4-Dichlorophenol	10.353	162	128970	31.383	ng/u1	95
30) Naphthalene	10.752	128	424311	29.354	ng/u1	99
32) 4-Chloroaniline	10.864	127	151076	23.056	ng/u1	99
33) Hexachlorobutadiene	11.034	225	88624	30.461	ng/u1	96
34) Caprolactam	11.628	113	31695	19.183	ng/u1	95
35) 4-Chloro-3-methylphenol	11.992	107	158787	31.454	ng/u1	98
36) 2-Methylnaphthalene	12.362	142	290453	29.808	ng/u1	97

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG071323\
 Data File : BG058263.D
 Acq On : 15 Jul 2023 16:01
 Operator : CG/JU
 Sample : PB153869BS
 Misc :
 ALS Vial : 74 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SLCS869

Quant Time: Jul 15 22:37:19 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG070123.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Jul 13 14:01:20 2023
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
37) 1-Methylnaphthalene	12.585	142	290015	29.680	ng/ul	100
39) 1,2,4,5-Tetrachloroben...	12.732	216	171299	30.459	ng/ul	98
40) Hexachlorocyclopentadiene	12.709	237	65336	18.444	ng/ul	96
41) 2,4,6-Trichlorophenol	12.973	196	114876	30.138	ng/ul	98
42) 2,4,5-Trichlorophenol	13.050	196	122302	29.668	ng/ul	99
43) 1,1'-Biphenyl	13.373	154	381056	28.652	ng/ul	99
44) 2-Chloronaphthalene	13.414	162	311623	29.196	ng/ul	99
45) 2-Nitroaniline	13.625	65	112601	30.342	ng/ul	95
47) Dimethylphthalate	13.990	163	401401	27.439	ng/ul	100
48) 2,6-Dinitrotoluene	14.113	165	90421	30.112	ng/ul	96
50) Acenaphthylene	14.266	152	494970	28.847	ng/ul	98
51) 3-Nitroaniline	14.448	138	88695	34.952	ng/ul	98
52) Acenaphthene	14.607	153	345089	29.309	ng/ul	97
53) 2,4-Dinitrophenol	14.659	184	38477	24.578	ng/ul	93
55) 4-Nitrophenol	14.759	109	49791	26.126	ng/ul	86
56) Dibenzofuran	14.941	168	476291	28.457	ng/ul	98
57) 2,4-Dinitrotoluene	14.906	165	128855	30.287	ng/ul	99
58) 2,3,4,6-Tetrachlorophenol	15.165	232	106012	28.249	ng/ul	98
59) Diethylphthalate	15.353	149	412966	27.047	ng/ul	99
61) Fluorene	15.588	166	390839	28.460	ng/ul	99
62) 4-Chlorophenyl-phenyle...	15.576	204	208110	28.640	ng/ul	99
63) 4-Nitroaniline	15.611	138	88602	38.976	ng/ul	97
66) 4,6-Dinitro-2-methylph...	15.670	198	71104	29.321	ng/ul#	99
67) N-Nitrosodiphenylamine	15.793	169	337512	29.040	ng/ul	99
68) 4-Bromophenyl-phenylether	16.469	248	144340	30.110	ng/ul	98
69) Hexachlorobenzene	16.592	284	164158	30.586	ng/ul	99
70) Atrazine	16.739	200	91718	19.298	ng/ul	98
71) Pentachlorophenol	16.933	266	76660	23.792	ng/ul	97
72) Phenanthrene	17.327	178	640828	28.848	ng/ul	100
74) Anthracene	17.421	178	642596	28.586	ng/ul	99
75) 1,2,3,4-Tetrachloroben...	13.337	216	180200	31.113	ng/uL	97
76) Pentachlorobenzene	14.859	250	422760	68.345	ng/uL	97
77) Carbazole	17.691	167	603195	29.669	ng/ul	98
78) Di-n-butylphthalate	18.243	149	751474	29.017	ng/ul	100
80) Fluoranthene	19.336	202	786697	28.263	ng/ul	99
82) Pyrene	19.701	202	791043	28.233	ng/ul	98
83) Butylbenzylphthalate	20.582	149	337739	29.727	ng/ul	96
84) 3,3'-Dichlorobenzidine	21.440	252	317893	34.428	ng/ul	98
85) Benzo(a)anthracene	21.522	228	809273	29.551	ng/ul	99
86) Bis(2-ethylhexyl)phtha...	21.416	149	491270	30.174	ng/ul	99
87) Chrysene	21.587	228	775896	30.223	ng/ul	98
89) Di-n-octyl phthalate	22.597	149	874605	29.279	ng/ul	100
90) Benzo(b)fluoranthene	23.678	252	864651	28.723	ng/ul	99
91) Benzo(k)fluoranthene	23.749	252	845793	28.665	ng/ul	99
93) Benzo(a)pyrene	24.536	252	764983	28.711	ng/ul	99
94) Indeno(1,2,3-cd)pyrene	28.261	276	1014104	28.662	ng/ul	99
95) Dibenzo(a,h)anthracene	28.314	278	849761	29.126	ng/ul	98
96) Benzo(g,h,i)perylene	29.383	276	795354	27.522	ng/ul	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

```
Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG071323\  
Data File : BG058263.D  
Acq On    : 15 Jul 2023  16:01  
Operator  : CG/JU  
Sample    : PB153869BS  
Misc      :  
ALS Vial  : 74    Sample Multiplier: 1
```

Instrument :
BNA_G
ClientSampleId :
SLCS869

Quant Time: Jul 15 22:37:19 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG070123.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Jul 13 14:01:20 2023
Response via : Initial Calibration





#2
1,4-Dioxane

Concen: 9.882 ng/uL

RT: 3.379 min Scan# 49

Delta R.T. -0.003 min

Lab File: BG058263.D

Acq: 15 Jul 2023 16:01

Instrument :

BNA_G

ClientSampleId :

SLCS869





Tgt Ion: 88 Resp: 19043

Ion Ratio Lower Upper

88 100

43 33.1 20.6 30.8#

58 92.0 65.5 98.3



#5

Pyridine

Concen: 27.547 ng/uL

RT: 3.772 min Scan# 116

Delta R.T. -0.003 min

Lab File: BG058263.D

Acq: 15 Jul 2023 16:01




Tgt Ion: 79 Resp: 133656


Ion Ratio Lower Upper

79 100

52 87.9 68.6 102.8

51 40.4 29.4 44.0









#6
Benzaldehyde
Concen: 47.796 ng/ul
RT: 7.039 min Scan# 611
Delta R.T. -0.003 min
Lab File: BG058263.D
Acq: 15 Jul 2023 16:01




Instrument :
BNA_G
ClientSampleId :
SLCS869


Tgt Ion: 77 Resp: 89037
Ion Ratio Lower Upper
77 100
105 94.3 74.7 112.1
106 91.7 75.9 113.9



#8
Phenol
Concen: 31.219 ng/ul
RT: 7.098 min Scan# 682
Delta R.T. 0.003 min
Lab File: BG058263.D
Acq: 15 Jul 2023 16:01

Tgt Ion: 94 Resp: 176712
Ion Ratio Lower Upper
94 100
65 29.8 22.2 33.4
66 35.8 28.6 43.0









#10
Bis(2-Chloroethyl)ether
Concen: 28.863 ng/ul
RT: 7.321 min Scan# 720
Delta R.T. -0.003 min
Lab File: BG058263.D
Acq: 15 Jul 2023 16:01




Instrument :
BNA_G
ClientSampleId :
SLCS869


Tgt Ion: 93 Resp: 126151
Ion Ratio Lower Upper
93 100
63 86.9 69.4 104.0
95 31.2 27.0 40.6



#12
2-Chlorophenol
Concen: 30.349 ng/ul
RT: 7.468 min Scan# 745
Delta R.T. 0.003 min
Lab File: BG058263.D
Acq: 15 Jul 2023 16:01

Tgt Ion:128 Resp: 121499
Ion Ratio Lower Upper
128 100
64 57.2 44.3 66.5
130 31.3 27.3 40.9





#13

2-Methylphenol

Concen: 30.376 ng/ul

RT: 8.343 min Scan# 894

Delta R.T. -0.003 min

Lab File: BG058263.D

Acq: 15 Jul 2023 16:01

Instrument :

BNA_G

ClientSampleId :





SLCS869

Tgt Ion:108 Resp: 135036

Ion Ratio Lower Upper

108 100

107 86.5 75.0 112.4



#14

2,2'-oxybis(1-Chloropropane)

Concen: 30.546 ng/ul

RT: 8.420 min Scan# 907

Delta R.T. -0.003 min

Lab File: BG058263.D

Acq: 15 Jul 2023 16:01




Tgt Ion: 45 Resp: 205507


Ion Ratio Lower Upper

45 100

77 13.2 9.4 14.2

79 8.9 8.3 12.5









#16
Acetophenone
Concen: 29.119 ng/ul
RT: 8.725 min Scan# 91
Delta R.T. 0.003 min
Lab File: BG058263.D
Acq: 15 Jul 2023 16:01




Instrument :
BNA_G
ClientSampleId :
SLCS869


Tgt Ion:105 Resp: 203342
Ion Ratio Lower Upper
105 100
77 77.3 61.2 91.8
51 30.6 23.5 35.3



#17
N-Nitroso-di-n-propylamine
Concen: 28.290 ng/ul
RT: 8.708 min Scan# 956
Delta R.T. 0.003 min
Lab File: BG058263.D
Acq: 15 Jul 2023 16:01

Tgt Ion: 70 Resp: 105607
Ion Ratio Lower Upper
70 100
42 62.0 48.0 72.0
101 10.3 7.4 11.2
130 18.3 13.4 20.0









#18
4-Methylphenol
Concen: 30.940 ng/ul
RT: 8.678 min Scan# 91
Delta R.T. 0.003 min
Lab File: BG058263.D
Acq: 15 Jul 2023 16:01




Instrument :
BNA_G
ClientSampleId :
SLCS869


Tgt Ion:108 Resp: 148726
Ion Ratio Lower Upper
108 100
107 106.3 91.1 136.7



#19
Hexachloroethane
Concen: 30.525 ng/ul
RT: 8.984 min Scan# 1003
Delta R.T. 0.003 min
Lab File: BG058263.D
Acq: 15 Jul 2023 16:01

Tgt Ion:117 Resp: 46849
Ion Ratio Lower Upper
117 100
201 118.3 94.0 141.0
199 74.3 59.8 89.6









#22
Nitrobenzene
Concen: 29.455 ng/ul
RT: 9.107 min Scan# 1102
Delta R.T. 0.003 min
Lab File: BG058263.D
Acq: 15 Jul 2023 16:01




Instrument :
BNA_G
ClientSampleId :
SLCS869


Tgt Ion: 77 Resp: 160304
Ion Ratio Lower Upper
77 100
123 43.3 33.3 49.9
65 13.5 10.4 15.6



#23
Isophorone
Concen: 27.821 ng/ul
RT: 9.624 min Scan# 1112
Delta R.T. -0.003 min
Lab File: BG058263.D
Acq: 15 Jul 2023 16:01

Tgt Ion: 82 Resp: 323075
Ion Ratio Lower Upper
82 100
95 6.4 4.8 7.2
138 14.9 11.4 17.0









#25
2-Nitrophenol
Concen: 30.900 ng/ul
RT: 9.818 min Scan# 1145
Delta R.T. -0.003 min
Lab File: BG058263.D
Acq: 15 Jul 2023 16:01




Instrument :
BNA_G
ClientSampleId :
SLCS869


Tgt Ion:139 Resp: 73056
Ion Ratio Lower Upper
139 100
65 56.8 42.6 64.0
109 28.9 20.7 31.1



#26
2,4-Dimethylphenol
Concen: 27.226 ng/ul
RT: 9.877 min Scan# 1155
Delta R.T. -0.003 min
Lab File: BG058263.D
Acq: 15 Jul 2023 16:01

Tgt Ion:107 Resp: 144743
Ion Ratio Lower Upper
107 100
121 48.4 40.6 60.8
122 83.5 67.1 100.7









#27
 Bis(2-Chloroethoxy)methane
 Concen: 28.123 ng/ul
 RT: 10.112 min Scan# 1195
 Delta R.T. 0.003 min
 Lab File: BG058263.D
 Acq: 15 Jul 2023 16:01




Instrument :
 BNA_G
 ClientSampleId :
 SLCS869


Tgt Ion: 93 Resp: 184034
 Ion Ratio Lower Upper
 93 100
 95 31.9 26.4 39.6
 123 10.0 7.9 11.9



#29
 2,4-Dichlorophenol
 Concen: 31.383 ng/ul
 RT: 10.353 min Scan# 1236
 Delta R.T. -0.003 min
 Lab File: BG058263.D
 Acq: 15 Jul 2023 16:01

Tgt Ion:162 Resp: 128970
 Ion Ratio Lower Upper
 162 100
 164 68.0 51.1 76.7
 98 37.5 27.9 41.9









#30
Naphthalene
Concen: 29.354 ng/ul
RT: 10.752 min Scan# 11
Delta R.T. -0.003 min
Lab File: BG058263.D
Acq: 15 Jul 2023 16:01




Instrument :
BNA_G
ClientSampleId :
SLCS869


Tgt Ion:128 Resp: 424311
Ion Ratio Lower Upper
128 100
129 11.2 8.6 12.8
127 13.1 10.2 15.2



#32
4-Chloroaniline
Concen: 23.056 ng/ul
RT: 10.864 min Scan# 1323
Delta R.T. -0.003 min
Lab File: BG058263.D
Acq: 15 Jul 2023 16:01

Tgt Ion:127 Resp: 151076
Ion Ratio Lower Upper
127 100
129 32.0 26.0 39.0









#33
Hexachlorobutadiene
Concen: 30.461 ng/ul
RT: 11.034 min Scan# 11
Delta R.T. -0.003 min
Lab File: BG058263.D
Acq: 15 Jul 2023 16:01




Instrument :
BNA_G
ClientSampleId :
SLCS869


Tgt Ion:225 Resp: 88624
Ion Ratio Lower Upper
225 100
223 60.9 53.2 79.8
227 63.6 51.4 77.2



#34
Caprolactam
Concen: 19.183 ng/ul
RT: 11.628 min Scan# 1453
Delta R.T. 0.009 min
Lab File: BG058263.D
Acq: 15 Jul 2023 16:01

Tgt Ion:113 Resp: 31695
Ion Ratio Lower Upper
113 100
55 235.7 183.4 275.2
56 163.6 123.0 184.6









#35
 4-Chloro-3-methylphenol
 Concen: 31.454 ng/ul
 RT: 11.992 min Scan# 1515
 Delta R.T. -0.003 min
 Lab File: BG058263.D
 Acq: 15 Jul 2023 16:01

Instrument :
 BNA_G
 ClientSampleId :
 SLCS869

Tgt Ion:107 Resp: 158787




Ion	Ratio	Lower	Upper
107	100		
144	22.0	19.0	28.4
142	72.3	58.4	87.6




#36
 2-Methylnaphthalene
 Concen: 29.808 ng/ul
 RT: 12.362 min Scan# 1578
 Delta R.T. -0.003 min
 Lab File: BG058263.D
 Acq: 15 Jul 2023 16:01

Tgt Ion:142 Resp: 290453

Ion	Ratio	Lower	Upper
142	100		
141	89.3	69.4	104.2





#37

1-Methylnaphthalene

Concen: 29.680 ng/ul

RT: 12.585 min Scan# 1

Delta R.T. -0.003 min

Lab File: BG058263.D

Acq: 15 Jul 2023 16:01

Instrument :

BNA_G

ClientSampleId :

SLCS869





Tgt Ion:142 Resp: 290015

Ion Ratio Lower Upper

142 100

141 92.2 73.8 110.8

116 3.7 3.0 4.4



#39

1,2,4,5-Tetrachlorobenzene

Concen: 30.459 ng/ul

RT: 12.732 min Scan# 1641

Delta R.T. -0.003 min

Lab File: BG058263.D

Acq: 15 Jul 2023 16:01

Tgt Ion:216 Resp: 171299




Ion Ratio Lower Upper


216 100

214 78.1 64.1 96.1

179 19.1 16.0 24.0

108 15.7 12.1 18.1





#40

Hexachlorocyclopentadiene

Concen: 18.444 ng/ul

RT: 12.709 min Scan# 1

Delta R.T. -0.003 min

Lab File: BG058263.D

Acq: 15 Jul 2023 16:01

Instrument :

BNA_G

ClientSampleId :

SLCS869





Tgt Ion:237 Resp: 65336

Ion Ratio Lower Upper

237 100

235 64.9 49.2 73.8

272 14.5 10.4 15.6



#41

2,4,6-Trichlorophenol

Concen: 30.138 ng/ul

RT: 12.973 min Scan# 1682

Delta R.T. -0.003 min

Lab File: BG058263.D

Acq: 15 Jul 2023 16:01




Tgt Ion:196 Resp: 114876


Ion Ratio Lower Upper

196 100

198 93.0 73.5 110.3

200 29.4 24.8 37.2









#42
2,4,5-Trichlorophenol
Concen: 29.668 ng/ul
RT: 13.050 min Scan# 1
Delta R.T. 0.003 min
Lab File: BG058263.D
Acq: 15 Jul 2023 16:01




Instrument :
BNA_G
ClientSampleId :
SLCS869


Tgt Ion:196 Resp: 122302
Ion Ratio Lower Upper
196 100
198 96.3 77.2 115.8
200 28.8 23.8 35.6



#43
1,1'-Biphenyl
Concen: 28.652 ng/ul
RT: 13.373 min Scan# 1750
Delta R.T. -0.003 min
Lab File: BG058263.D
Acq: 15 Jul 2023 16:01

Tgt Ion:154 Resp: 381056
Ion Ratio Lower Upper
154 100
153 41.7 32.6 49.0
76 14.8 11.6 17.4









#44
2-Chloronaphthalene
Concen: 29.196 ng/ul
RT: 13.414 min Scan# 1757
Delta R.T. -0.003 min
Lab File: BG058263.D
Acq: 15 Jul 2023 16:01




Instrument :
BNA_G
ClientSampleId :
SLCS869


Tgt Ion:162 Resp: 311623
Ion Ratio Lower Upper
162 100
164 34.2 27.7 41.5
127 39.7 30.9 46.3



#45
2-Nitroaniline
Concen: 30.342 ng/ul
RT: 13.625 min Scan# 1793
Delta R.T. 0.003 min
Lab File: BG058263.D
Acq: 15 Jul 2023 16:01

Tgt Ion: 65 Resp: 112601
Ion Ratio Lower Upper
65 100
92 63.5 53.2 79.8
138 94.3 71.1 106.7









#47
Dimethylphthalate
Concen: 27.439 ng/ul
RT: 13.990 min Scan# 1855
Delta R.T. -0.003 min
Lab File: BG058263.D
Acq: 15 Jul 2023 16:01




Instrument :
BNA_G
ClientSampleId :
SLCS869


Tgt Ion:163 Resp: 401401
Ion Ratio Lower Upper
163 100
194 3.7 3.0 4.4
164 10.9 8.6 12.8



#48
2,6-Dinitrotoluene
Concen: 30.112 ng/ul
RT: 14.113 min Scan# 1876
Delta R.T. -0.003 min
Lab File: BG058263.D
Acq: 15 Jul 2023 16:01


Tgt Ion:165 Resp: 90421
Ion Ratio Lower Upper
165 100
89 57.3 42.7 64.1
121 19.0 14.8 22.2








#50
Acenaphthylene
Concen: 28.847 ng/ul
RT: 14.266 min Scan# 1902
Delta R.T. 0.003 min
Lab File: BG058263.D
Acq: 15 Jul 2023 16:01

Instrument :
BNA_G
ClientSampleId :
SLCS869







Tgt Ion:152 Resp: 494970
Ion Ratio Lower Upper
152 100
151 20.3 15.6 23.4
153 13.6 10.5 15.7



#51
3-Nitroaniline
Concen: 34.952 ng/ul
RT: 14.448 min Scan# 1933
Delta R.T. -0.003 min
Lab File: BG058263.D
Acq: 15 Jul 2023 16:01

Tgt Ion:138 Resp: 88695
Ion Ratio Lower Upper
138 100
108 9.6 8.2 12.2
92 122.5 100.2 150.4









#52
Acenaphthene
Concen: 29.309 ng/ul
RT: 14.607 min Scan# 1960
Delta R.T. 0.003 min
Lab File: BG058263.D
Acq: 15 Jul 2023 16:01




Instrument :
BNA_G
ClientSampleId :
SLCS869


Tgt Ion:153 Resp: 345089
Ion Ratio Lower Upper
153 100
152 47.0 36.5 54.7
154 85.1 70.5 105.7



#53
2,4-Dinitrophenol
Concen: 24.578 ng/ul
RT: 14.659 min Scan# 1969
Delta R.T. 0.003 min
Lab File: BG058263.D
Acq: 15 Jul 2023 16:01

Tgt Ion:184 Resp: 38477
Ion Ratio Lower Upper
184 100
63 68.0 51.1 76.7
154 60.1 43.3 64.9









#55
4-Nitrophenol
Concen: 26.126 ng/ul
RT: 14.759 min Scan# 1986
Delta R.T. -0.003 min
Lab File: BG058263.D
Acq: 15 Jul 2023 16:01




Instrument :
BNA_G
ClientSampleId :
SLCS869


Tgt Ion:109 Resp: 49791
Ion Ratio Lower Upper
109 100
139 131.7 119.0 178.4
65 149.7 135.5 203.3



#56
Dibenzofuran
Concen: 28.457 ng/ul
RT: 14.941 min Scan# 1717
Delta R.T. 0.003 min
Lab File: BG058263.D
Acq: 15 Jul 2023 16:01

Tgt Ion:168 Resp: 476291
Ion Ratio Lower Upper
168 100
139 35.7 27.6 41.4









#57
2,4-Dinitrotoluene
Concen: 30.287 ng/ul
RT: 14.906 min Scan# 2011
Delta R.T. 0.003 min
Lab File: BG058263.D
Acq: 15 Jul 2023 16:01




Instrument :
BNA_G
ClientSampleId :
SLCS869


Tgt Ion:165 Resp: 128855
Ion Ratio Lower Upper
165 100
63 44.2 35.8 53.8
182 2.2 1.6 2.4



#58
2,3,4,6-Tetrachlorophenol
Concen: 28.249 ng/ul
RT: 15.165 min Scan# 2055
Delta R.T. -0.003 min
Lab File: BG058263.D
Acq: 15 Jul 2023 16:01

Tgt Ion:232 Resp: 106012
Ion Ratio Lower Upper
232 100
131 37.6 30.5 45.7
130 2.0 1.4 2.0
166 29.9 22.6 34.0









#59
Diethylphthalate
Concen: 27.047 ng/ul
RT: 15.353 min Scan# 2087
Delta R.T. -0.003 min
Lab File: BG058263.D
Acq: 15 Jul 2023 16:01




Instrument :
BNA_G
ClientSampleId :
SLCS869


Tgt Ion:149 Resp: 412966
Ion Ratio Lower Upper
149 100
177 22.8 17.8 26.8
150 12.9 10.1 15.1



#61
Fluorene
Concen: 28.460 ng/ul
RT: 15.588 min Scan# 2127
Delta R.T. -0.003 min
Lab File: BG058263.D
Acq: 15 Jul 2023 16:01

Tgt Ion:166 Resp: 390839
Ion Ratio Lower Upper
166 100
165 99.9 79.1 118.7
167 13.5 10.7 16.1





#62

4-Chlorophenyl-phenylether

Concen: 28.640 ng/ul

RT: 15.576 min Scan# 2125

Delta R.T. -0.003 min

Lab File: BG058263.D

Acq: 15 Jul 2023 16:01

Instrument :

BNA_G

ClientSampleId :

SLCS869





Tgt Ion:204 Resp: 208110

Ion Ratio Lower Upper

204 100

206 32.7 25.8 38.6

141 52.7 41.8 62.6



#63

4-Nitroaniline

Concen: 38.976 ng/ul

RT: 15.611 min Scan# 2131

Delta R.T. -0.003 min

Lab File: BG058263.D

Acq: 15 Jul 2023 16:01




Tgt Ion:138 Resp: 88602


Ion Ratio Lower Upper

138 100

92 56.6 43.8 65.8

108 76.4 58.8 88.2









#66
 4,6-Dinitro-2-methylphenol
 Concen: 29.321 ng/ul
 RT: 15.670 min Scan# 2141
 Delta R.T. 0.003 min
 Lab File: BG058263.D
 Acq: 15 Jul 2023 16:01




Instrument :
 BNA_G
 ClientSampleId :
 SLCS869


Tgt Ion:198 Resp: 71104
 Ion Ratio Lower Upper
 198 100
 182 4.8 3.1 4.7#
 77 22.7 17.9 26.9



#67
 N-Nitrosodiphenylamine
 Concen: 29.040 ng/ul
 RT: 15.793 min Scan# 2162
 Delta R.T. -0.003 min
 Lab File: BG058263.D
 Acq: 15 Jul 2023 16:01

Tgt Ion:169 Resp: 337512
 Ion Ratio Lower Upper
 169 100
 168 69.0 54.2 81.2
 167 37.7 30.8 46.2









#68
4-Bromophenyl-phenylether
Concen: 30.110 ng/ul
RT: 16.469 min Scan# 21
Delta R.T. -0.003 min
Lab File: BG058263.D
Acq: 15 Jul 2023 16:01




Instrument :
BNA_G
ClientSampleId :
SLCS869


Tgt Ion:248 Resp: 144340
Ion Ratio Lower Upper
248 100
250 99.2 78.3 117.5
141 63.5 49.1 73.7



#69
Hexachlorobenzene
Concen: 30.586 ng/ul
RT: 16.592 min Scan# 2298
Delta R.T. -0.003 min
Lab File: BG058263.D
Acq: 15 Jul 2023 16:01

Tgt Ion:284 Resp: 164158
Ion Ratio Lower Upper
284 100
142 26.2 21.9 32.9
249 31.0 25.0 37.6





#70

Atrazine

Concen: 19.298 ng/ul

RT: 16.739 min Scan# 21

Delta R.T. -0.003 min

Lab File: BG058263.D

Acq: 15 Jul 2023 16:01

Instrument :

BNA_G

ClientSampleId :

SLCS869





Tgt Ion:200 Resp: 91718

Ion Ratio Lower Upper

200 100

173 25.8 20.0 30.0

215 46.5 35.8 53.8



#71

Pentachlorophenol

Concen: 23.792 ng/ul

RT: 16.933 min Scan# 2356

Delta R.T. -0.009 min

Lab File: BG058263.D

Acq: 15 Jul 2023 16:01




Tgt Ion:266 Resp: 76660


Ion Ratio Lower Upper

266 100

264 61.2 51.5 77.3

268 61.8 49.0 73.4





#72

Phenanthrene

Concen: 28.848 ng/ul

RT: 17.327 min Scan# 2424

Delta R.T. -0.003 min

Lab File: BG058263.D

Acq: 15 Jul 2023 16:01

Instrument :

BNA_G

ClientSampleId :

SLCS869





Tgt Ion:178 Resp: 640828

Ion Ratio Lower Upper

178 100

179 16.1 12.8 19.2

176 19.6 15.7 23.5



#74

Anthracene

Concen: 28.586 ng/ul

RT: 17.421 min Scan# 2439

Delta R.T. -0.003 min

Lab File: BG058263.D

Acq: 15 Jul 2023 16:01




Tgt Ion:178 Resp: 642596


Ion Ratio Lower Upper

178 100

179 16.3 12.6 18.8

176 19.4 15.4 23.2









#75
1,2,3,4-Tetrachlorobenzene
Concen: 31.113 ng/uL
RT: 13.337 min Scan# 1744
Delta R.T. -0.003 min
Lab File: BG058263.D
Acq: 15 Jul 2023 16:01




Instrument :
BNA_G
ClientSampleId :
SLCS869


Tgt Ion:216 Resp: 180200
Ion Ratio Lower Upper
216 100
214 78.7 64.8 97.2
218 47.3 39.1 58.7



#76
Pentachlorobenzene
Concen: 68.345 ng/uL
RT: 14.859 min Scan# 2003
Delta R.T. -0.003 min
Lab File: BG058263.D
Acq: 15 Jul 2023 16:01

Tgt Ion:250 Resp: 422760
Ion Ratio Lower Upper
250 100
248 63.5 52.8 79.2
252 63.3 52.4 78.6









#77
 Carbazole
 Concen: 29.669 ng/ul
 RT: 17.691 min Scan# 2485
 Delta R.T. -0.003 min
 Lab File: BG058263.D
 Acq: 15 Jul 2023 16:01




Instrument :
 BNA_G
 ClientSampleId :
 SLCS869


Tgt Ion:167 Resp: 603195
 Ion Ratio Lower Upper
 167 100
 166 23.1 17.5 26.3
 139 11.8 9.5 14.3



#78
 Di-n-butylphthalate
 Concen: 29.017 ng/ul
 RT: 18.243 min Scan# 2579
 Delta R.T. -0.003 min
 Lab File: BG058263.D
 Acq: 15 Jul 2023 16:01

Tgt Ion:149 Resp: 751474
 Ion Ratio Lower Upper
 149 100
 150 9.4 7.4 11.2
 104 4.8 3.9 5.9





#80

Fluoranthene

Concen: 28.263 ng/ul

RT: 19.336 min Scan# 21

Delta R.T. -0.009 min

Lab File: BG058263.D

Acq: 15 Jul 2023 16:01

Instrument :

BNA_G

ClientSampleId :

SLCS869





Tgt Ion:202 Resp: 786697

Ion Ratio Lower Upper

202 100

101 11.7 9.1 13.7

100 9.3 7.1 10.7



#82

Pyrene

Concen: 28.233 ng/ul

RT: 19.701 min Scan# 2827

Delta R.T. -0.003 min

Lab File: BG058263.D

Acq: 15 Jul 2023 16:01




Tgt Ion:202 Resp: 791043


Ion Ratio Lower Upper

202 100

101 13.7 10.2 15.2

100 11.4 8.9 13.3









#83
Butylbenzylphthalate
Concen: 29.727 ng/ul
RT: 20.582 min Scan# 2978
Delta R.T. -0.009 min
Lab File: BG058263.D
Acq: 15 Jul 2023 16:01




Instrument :
BNA_G
ClientSampleId :
SLCS869


Tgt Ion:149 Resp: 337739
Ion Ratio Lower Upper
149 100
91 74.9 56.5 84.7
206 21.5 17.4 26.0



#84
3,3'-Dichlorobenzidine
Concen: 34.428 ng/ul
RT: 21.440 min Scan# 3123
Delta R.T. -0.003 min
Lab File: BG058263.D
Acq: 15 Jul 2023 16:01

Tgt Ion:252 Resp: 317893
Ion Ratio Lower Upper
252 100
254 64.7 50.7 76.1
126 8.6 6.6 10.0





#85

Benzo(a)anthracene

Concen: 29.551 ng/ul

RT: 21.522 min Scan# 3119

Delta R.T. -0.003 min

Lab File: BG058263.D

Acq: 15 Jul 2023 16:01

Instrument :

BNA_G

ClientSampleId :

SLCS869





Tgt Ion:228 Resp: 809273

Ion Ratio Lower Upper

228 100

229 20.7 16.0 24.0

226 27.3 22.0 33.0



#86

Bis(2-ethylhexyl)phthalate

Concen: 30.174 ng/ul

RT: 21.416 min Scan# 3119

Delta R.T. -0.009 min

Lab File: BG058263.D

Acq: 15 Jul 2023 16:01




Tgt Ion:149 Resp: 491270


Ion Ratio Lower Upper

149 100

167 26.6 20.9 31.3

279 3.9 3.1 4.7





#87

Chrysene

Concen: 30.223 ng/ul

RT: 21.587 min Scan# 3148

Delta R.T. -0.003 min

Lab File: BG058263.D

Acq: 15 Jul 2023 16:01

Instrument :

BNA_G

ClientSampleId :

SLCS869





Tgt Ion:228 Resp: 775896

Ion Ratio Lower Upper

228 100

226 31.3 24.4 36.6

229 20.4 15.5 23.3



#89

Di-n-octyl phthalate

Concen: 29.279 ng/ul




RT: 22.597 min Scan# 3320


Delta R.T. -0.009 min

Lab File: BG058263.D

Acq: 15 Jul 2023 16:01

Tgt Ion:149 Resp: 874605





#90

Benzo(b)fluoranthene

Concen: 28.723 ng/ul

RT: 23.678 min Scan# 3504

Delta R.T. -0.009 min

Lab File: BG058263.D

Acq: 15 Jul 2023 16:01

Instrument :

BNA_G

ClientSampleId :

SLCS869





Tgt Ion:252 Resp: 864651

Ion Ratio Lower Upper

252 100

253 23.1 18.1 27.1

125 9.0 7.5 11.3



#91

Benzo(k)fluoranthene

Concen: 28.665 ng/ul

RT: 23.749 min Scan# 3516

Delta R.T. -0.003 min

Lab File: BG058263.D

Acq: 15 Jul 2023 16:01




Tgt Ion:252 Resp: 845793


Ion Ratio Lower Upper

252 100

253 22.5 17.7 26.5

125 9.3 7.4 11.2









#93
Benzo(a)pyrene
Concen: 28.711 ng/ul
RT: 24.536 min Scan# 30
Delta R.T. -0.003 min
Lab File: BG058263.D
Acq: 15 Jul 2023 16:01




Instrument :
BNA_G
ClientSampleId :
SLCS869


Tgt Ion:252 Resp: 764983
Ion Ratio Lower Upper
252 100
253 22.7 17.8 26.6
125 9.7 8.3 12.5



#94
Indeno(1,2,3-cd)pyrene
Concen: 28.662 ng/ul
RT: 28.261 min Scan# 4284
Delta R.T. -0.009 min
Lab File: BG058263.D
Acq: 15 Jul 2023 16:01

Tgt Ion:276 Resp: 1014104
Ion Ratio Lower Upper
276 100
138 16.8 14.0 21.0
277 23.8 19.4 29.2





#95

Dibenzo(a,h)anthracene

Concen: 29.126 ng/ul

RT: 28.314 min Scan# 4293

Delta R.T. -0.009 min

Lab File: BG058263.D

Acq: 15 Jul 2023 16:01

Instrument :

BNA_G

ClientSampleId :

SLCS869





Tgt Ion:278 Resp: 849761

Ion Ratio Lower Upper

278 100

139 13.0 11.3 16.9

279 24.1 18.9 28.3



#96

Benzo(g,h,i)perylene

Concen: 27.522 ng/ul

RT: 29.383 min Scan# 4475

Delta R.T. -0.009 min

Lab File: BG058263.D

Acq: 15 Jul 2023 16:01

Tgt Ion:276 Resp: 795354

Ion Ratio Lower Upper

276 100

138 18.1 14.2 21.2

277 25.0 18.6 27.8

