

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG071619\
 Data File : BG041673.D
 Acq On : 16 Jul 2019 18:16
 Operator : HP/JU
 Sample : K3622-08
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 OR-03-071519-B

Quant Time: Jul 17 03:20:43 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG071519.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jul 15 16:16:21 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.05	152	103806	20.00	ng	0.00
21) Naphthalene-d8	10.86	136	431485	20.00	ng	0.00
39) Acenaphthene-d10	14.66	164	269459	20.00	ng	0.00
64) Phenanthrene-d10	17.40	188	662260	20.00	ng	0.00
76) Chrysene-d12	21.65	240	651836	20.00	ng	-0.01
87) Perylene-d12	24.85	264	725214	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.61	112	690280	108.71	ng	0.00
7) Phenol-d6	7.20	99	896588	104.97	ng	0.00
23) Nitrobenzene-d5	9.21	82	635042	89.51	ng	0.00
42) 2,4,6-Tribromophenol	16.15	330	412493	135.83	ng	0.00
45) 2-Fluorobiphenyl	13.30	172	1487563	85.49	ng	0.00
79) Terphenyl-d14	20.01	244	2378719	85.28	ng	0.00


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG071619\
Data File : BG041673.D
Acq On : 16 Jul 2019 18:16
Operator : HP/JU
Sample : K3622-08
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
OR-03-071519-B

Quant Time: Jul 17 03:20:43 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG071519.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jul 15 16:16:21 2019
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.05 min Scan# 844
Delta R.T. -0.01 min
Lab File: BG041673.D
Acq: 16 Jul 2019 18:16

Instrument :
BNA_G
ClientSampleId :
OR-03-071519-B

Tot Ion:152 Resp: 103806
Ion Ratio Lower Upper
152 100
150 153.0 126.9 190.3
115 57.6 45.0 67.6




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 108.706 ng
RT: 5.61 min Scan# 429
Delta R.T. 0.00 min
Lab File: BG041673.D
Acq: 16 Jul 2019 18:16

Tgt Ion:112 Resp: 690280
Ion Ratio Lower Upper
112 100
64 70.9 55.4 83.2
63 37.9 29.1 43.7



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 104.975 ng

RT: 7.20 min Scan# 700

Delta R.T. 0.00 min

Lab File: BG041673.D

Acq: 16 Jul 2019 18:16

Instrument :

BNA_G

ClientSampleId :

OR-03-071519-B


Tot Ion: 99 Resp: 896588

Ion Ratio Lower Upper




99 100

42 21.0 17.6 26.4

71 35.2 27.8 41.6



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.86 min Scan# 1322

Delta R.T. 0.00 min

Lab File: BG041673.D

Acq: 16 Jul 2019 18:16

Tgt Ion: 136 Resp: 431485


Ion Ratio Lower Upper

136 100



137 11.5 9.2 13.8


54 11.2 8.7 13.1

68 6.3 5.5 8.3



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC






#23
 Nitrobenzene-d5
 Concen: 89.505 ng
 RT: 9.21 min Scan# 1041
 Delta R.T. -0.01 min
 Lab File: BG041673.D
 Acq: 16 Jul 2019 18:16

Instrument :
 BNA_G
 ClientSampleId :
 OR-03-071519-B

Tot Ion	82	Resp	635042
Ion Ratio	Lower	Upper	
82	100		
128	44.1	35.1	52.7
54	60.3	48.7	73.1






Abundance

Ion 82.00 (81.70 to 82.70): BGC


Ion 128.00 (127.70 to 128.70): BGC

Ion 54.00 (53.70 to 54.70): BGC



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.66 min Scan# 1970
 Delta R.T. -0.01 min
 Lab File: BG041673.D
 Acq: 16 Jul 2019 18:16

Tgt Ion	164	Resp	269459
Ion Ratio	Lower	Upper	
164	100		
162	100.0	79.6	119.4
160	43.5	35.4	53.0






Abundance

Ion 164.00 (163.70 to 164.70): BGC

Ion 162.00 (161.70 to 162.70): BGC

Ion 160.00 (159.70 to 160.70): BGC






#42
 2,4,6-Tribromophenol
 Concen: 135.833 ng
 RT: 16.15 min Scan# 2222
 Delta R.T. -0.01 min
 Lab File: BG041673.D
 Acq: 16 Jul 2019 18:16

Instrument :
 BNA_G
 ClientSampleId :
 OR-03-071519-B

Tot Ion	Ratio	Lower	Upper
330	100		
332	94.3	77.4	116.0
141	39.7	31.9	47.9






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45
 2-Fluorobiphenyl
 Concen: 85.486 ng
 RT: 13.30 min Scan# 1737
 Delta R.T. -0.01 min
 Lab File: BG041673.D
 Acq: 16 Jul 2019 18:16

Tgt Ion	Ratio	Lower	Upper
172	100		
171	40.2	35.0	52.4
170	26.4	23.5	35.3






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.40 min Scan# 2436
Delta R.T. -0.01 min
Lab File: BG041673.D
Acq: 16 Jul 2019 18:16

Instrument :
BNA_G
ClientSampleId :
OR-03-071519-B

Tot Ion:188 Resp: 662260
Ion Ratio Lower Upper
188 100
94 8.9 6.9 10.3
80 9.6 8.0 12.0




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGC
Ion 80.00 (79.70 to 80.70): BGC






#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.65 min Scan# 3159
Delta R.T. -0.01 min
Lab File: BG041673.D
Acq: 16 Jul 2019 18:16

Tgt Ion:240 Resp: 651836
Ion Ratio Lower Upper
240 100
120 10.0 8.0 12.0
236 27.1 22.6 33.8



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 85.279 ng

RT: 20.01 min Scan# 2880

Delta R.T. 0.00 min

Lab File: BG041673.D

Acq: 16 Jul 2019 18:16

Instrument :


BNA_G

ClientSampleId :

OR-03-071519-B

Tot Ion:244 Resp: 2378719

Ion	Ratio	Lower	Upper
244	100		
212	11.0	9.7	14.5
122	13.5	12.5	18.7






Abundance

Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 24.85 min Scan# 3703


Delta R.T. -0.02 min

Lab File: BG041673.D

Acq: 16 Jul 2019 18:16

Tgt Ion:264 Resp: 725214

Ion	Ratio	Lower	Upper
264	100		
260	23.5	19.5	29.3
265	22.1	18.0	27.0



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

