

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG071823\
 Data File : BG058326.D
 Acq On : 19 Jul 2023 12:31
 Operator : CG/JU
 Sample : 03472-27
 Misc :
 ALS Vial : 37 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 A4664

Quant Time: Jul 20 00:40:37 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG071723.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Jul 18 02:19:39 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.894	152	37133	20.000	ng/u1	0.00
20) Naphthalene-d8	10.696	136	174486	20.000	ng/u1	0.00
38) Acenaphthene-d10	14.533	164	130577	20.000	ng/u1	0.00
64) Phenanthrene-d10	17.277	188	319850	20.000	ng/u1	0.00
79) Chrysene-d12	21.531	240	262239	20.000	ng/u1	0.00
88) Perylene-d12	24.662	264	325204	20.000	ng/u1	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.335	96	5267	5.221	ng/uL	0.00
4) Pyridine-d5	0.000	84	0d	0.000	ng/u1	
7) Phenol-d5	7.060	99	117998	33.498	ng/u1	0.00
9) Bis-(2-Chloroethyl)eth...	7.224	67	67314	30.574	ng/u1	0.00
11) 2-Chlorophenol-d4	7.430	132	82464	33.443	ng/u1	0.00
15) 4-Methylphenol-d8	8.599	113	86049	32.025	ng/u1	0.00
21) Nitrobenzene-d5	9.057	128	42550	32.534	ng/u1	0.00
24) 2-Nitrophenol-d4	9.780	143	49866	34.924	ng/u1	0.00
28) 2,4-Dichlorophenol-d3	10.320	165	92059	33.634	ng/u1	0.00
31) 4-Chloroaniline-d4	10.832	131	119586	30.138	ng/u1	0.00
46) Dimethylphthalate-d6	13.940	166	338951	33.662	ng/u1	0.00
49) Acenaphthylene-d8	14.228	160	364222	34.517	ng/u1	0.00
54) 4-Nitrophenol-d4	14.739	143	56469	37.134	ng/u1	0.00
60) Fluorene-d10	15.526	176	301784	36.201	ng/u1	0.00
65) 4,6-Dinitro-2-methylph...	15.649	200	55480	34.045	ng/u1	0.00
73) Anthracene-d10	17.377	188	515014	37.265	ng/u1	0.00
81) Pyrene-d10	19.668	212	598605	38.648	ng/u1	0.00
92) Benzo(a)pyrene-d12	24.451	264	609990	38.808	ng/u1	0.00
Target Compounds						
					Qvalue	
2) 1,4-Dioxane	3.370	88	26745	23.371	ng/uL	95
6) Benzaldehyde	7.036	77	85510	60.109	ng/u1	100
8) Phenol	7.089	94	145005	39.639	ng/u1	97
12) 2-Chlorophenol	7.459	128	63945	24.775	ng/u1	98
17) N-Nitroso-di-n-propyla...	8.693	70	72516	28.956	ng/u1	97
22) Nitrobenzene	9.098	77	78461	22.496	ng/u1	99
25) 2-Nitrophenol	9.809	139	41113	26.957	ng/u1	98
29) 2,4-Dichlorophenol	10.344	162	72906	28.064	ng/u1	94
30) Naphthalene	10.749	128	170716	18.304	ng/u1	99
33) Hexachlorobutadiene	11.031	225	49636	26.720	ng/u1	97
35) 4-Chloro-3-methylphenol	11.983	107	150919	45.648	ng/u1	95
37) 1-Methylnaphthalene	12.577	142	167356	26.133	ng/u1	98
39) 1,2,4,5-Tetrachloroben...	12.724	216	82052	21.707	ng/u1	99
41) 2,4,6-Trichlorophenol	12.964	196	89972	35.161	ng/u1	99
43) 1,1'-Biphenyl	13.364	154	254666	28.842	ng/u1	98
44) 2-Chloronaphthalene	13.411	162	127354	18.141	ng/u1	98
47) Dimethylphthalate	13.987	163	260812	25.787	ng/u1	99
48) 2,6-Dinitrotoluene	14.110	165	57389	29.364	ng/u1	98
52) Acenaphthene	14.598	153	189550	23.969	ng/u1	98
55) 4-Nitrophenol	14.751	109	35517	30.327	ng/u1	92
56) Dibenzofuran	14.933	168	239914	21.306	ng/u1	99
58) 2,3,4,6-Tetrachlorophenol	15.162	232	65911	26.145	ng/u1#	97
62) 4-Chlorophenyl-phenyle...	15.573	204	96132	19.610	ng/u1	98
66) 4,6-Dinitro-2-methylph...	15.661	198	90487	53.972	ng/u1	99

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG071823\
 Data File : BG058326.D
 Acq On : 19 Jul 2023 12:31
 Operator : CG/JU
 Sample : 03472-27
 Misc :
 ALS Vial : 37 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 A4664


Quant Time: Jul 20 00:40:37 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG071723.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Jul 18 02:19:39 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

69) Hexachlorobenzene	16.584	284	90416	23.652	ng/ul	98
71) Pentachlorophenol	16.930	266	87809	40.921	ng/ul	96
72) Phenanthrene	17.318	178	330186	21.723	ng/ul	98
74) Anthracene	17.412	178	373752	24.493	ng/ul	98
77) Carbazole	17.682	167	350665	26.510	ng/ul	99
78) Di-n-butylphthalate	18.235	149	369678	21.994	ng/ul	99
80) Fluoranthene	19.333	202	841008	47.397	ng/ul	99
82) Pyrene	19.698	202	599529	33.346	ng/ul	99
83) Butylbenzylphthalate	20.579	149	155928	22.025	ng/ul	96
85) Benzo(a)anthracene	21.513	228	726701	41.228	ng/ul	99
86) Bis(2-ethylhexyl)phtha...	21.407	149	272865	27.098	ng/ul	98
87) Chrysene	21.578	228	506088	30.270	ng/ul	99
90) Benzo(b)fluoranthene	23.664	252	557467	29.627	ng/ul	99
93) Benzo(a)pyrene	24.516	252	468891	28.018	ng/ul	100
94) Indeno(1,2,3-cd)pyrene	28.229	276	680290	30.852	ng/ul	99
95) Dibenzo(a,h)anthracene	28.288	278	438384	24.245	ng/ul	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Abundance Scan 48 (3.373 min): BG058321.D\data.ms (-43)



#2

1,4-Dioxane

Concen: 23.371 ng/uL

RT: 3.370 min Scan# 48

Delta R.T. -0.005 min

Lab File: BG058326.D

Acq: 19 Jul 2023 12:31

Instrument :

BNA_G

ClientSampleId :

A4664

Tgt Ion: 88 Resp: 26745


Ion Ratio Lower Upper

88 100


43 29.1 19.6 29.4

58 84.3 70.2 105.4


Abundance Scan 48 (3.370 min): BG058326.D\data.ms




Abundance



Abundance Scan 48 (3.370 min): BG058326.D\data.ms (-15)



Abundance Scan 671 (7.033 min): BG058321.D\data.ms (-66)



#6

Benzaldehyde

Concen: 60.109 ng/uL

RT: 7.036 min Scan# 672

Delta R.T. 0.001 min

Lab File: BG058326.D

Acq: 19 Jul 2023 12:31

Tgt Ion: 77 Resp: 85510


Ion Ratio Lower Upper

77 100


105 97.2 78.2 117.4

106 89.7 71.6 107.4


Abundance Scan 672 (7.036 min): BG058326.D\data.ms




Abundance



Abundance Scan 672 (7.036 min): BG058326.D\data.ms (-63)









#8
Phenol
Concen: 39.639 ng/ul
RT: 7.089 min Scan# 681
Delta R.T. 0.001 min
Lab File: BG058326.D
Acq: 19 Jul 2023 12:31




Instrument :
BNA_G
ClientSampleId :
A4664


Tgt Ion: 94 Resp: 145005
Ion Ratio Lower Upper
94 100
65 29.1 23.8 35.8
66 36.4 31.2 46.8



#12
2-Chlorophenol
Concen: 24.775 ng/ul
RT: 7.459 min Scan# 744
Delta R.T. -0.005 min
Lab File: BG058326.D
Acq: 19 Jul 2023 12:31

Tgt Ion:128 Resp: 63945
Ion Ratio Lower Upper
128 100
64 58.9 45.6 68.4
130 30.9 25.2 37.8









#17
N-Nitroso-di-n-propylamine
Concen: 28.956 ng/ul
RT: 8.693 min Scan# 91
Delta R.T. -0.011 min
Lab File: BG058326.D
Acq: 19 Jul 2023 12:31

Instrument :
BNA_G
ClientSampleId :
A4664

Tgt Ion: 70 Resp: 72516




Ion	Ratio	Lower	Upper
70	100		
42	60.0	46.6	69.8
101	7.7	7.3	10.9
130	18.6	14.2	21.2




#22
Nitrobenzene
Concen: 22.496 ng/ul
RT: 9.098 min Scan# 1023
Delta R.T. -0.005 min
Lab File: BG058326.D
Acq: 19 Jul 2023 12:31

Tgt Ion: 77 Resp: 78461

Ion	Ratio	Lower	Upper
77	100		
123	41.8	34.0	51.0
65	13.7	11.0	16.6





#25

2-Nitrophenol

Concen: 26.957 ng/ul

RT: 9.809 min Scan# 1144

Delta R.T. -0.005 min

Lab File: BG058326.D

Acq: 19 Jul 2023 12:31





Instrument :

BNA_G

ClientSampleId :

A4664

Tgt Ion:	139	Resp:	41113
Ion	Ratio	Lower	Upper
139	100		
65	60.0	49.2	73.8
109	27.6	21.6	32.4



#29

2,4-Dichlorophenol

Concen: 28.064 ng/ul




RT: 10.344 min Scan# 1235


Delta R.T. -0.005 min

Lab File: BG058326.D

Acq: 19 Jul 2023 12:31

Tgt Ion:	162	Resp:	72906
Ion	Ratio	Lower	Upper
162	100		
164	65.8	58.4	87.6
98	37.2	29.6	44.4









#30
Naphthalene
Concen: 18.304 ng/ul
RT: 10.749 min Scan# 11
Delta R.T. -0.005 min
Lab File: BG058326.D
Acq: 19 Jul 2023 12:31




Instrument :
BNA_G
ClientSampleId :
A4664


Tgt Ion:128 Resp: 170716
Ion Ratio Lower Upper
128 100
129 11.1 8.8 13.2
127 13.1 10.8 16.2



#33
Hexachlorobutadiene
Concen: 26.720 ng/ul
RT: 11.031 min Scan# 1352
Delta R.T. 0.001 min
Lab File: BG058326.D
Acq: 19 Jul 2023 12:31


Tgt Ion:225 Resp: 49636
Ion Ratio Lower Upper
225 100
223 65.5 49.7 74.5
227 67.5 53.2 79.8








#35
4-Chloro-3-methylphenol
Concen: 45.648 ng/ul
RT: 11.983 min Scan# 11
Delta R.T. -0.005 min
Lab File: BG058326.D
Acq: 19 Jul 2023 12:31

Instrument :
BNA_G
ClientSampleId :
A4664







Tgt Ion:107 Resp: 150919
Ion Ratio Lower Upper
107 100
144 24.0 19.0 28.6
142 75.0 55.8 83.6



#37
1-Methylnaphthalene
Concen: 26.133 ng/ul
RT: 12.577 min Scan# 1615
Delta R.T. -0.005 min
Lab File: BG058326.D
Acq: 19 Jul 2023 12:31

Tgt Ion:142 Resp: 167356
Ion Ratio Lower Upper
142 100
141 93.0 75.8 113.6
116 4.1 3.2 4.8









#39
1,2,4,5-Tetrachlorobenzene
Concen: 21.707 ng/ul
RT: 12.724 min Scan# 1640
Delta R.T. -0.005 min
Lab File: BG058326.D
Acq: 19 Jul 2023 12:31




Instrument :
BNA_G
ClientSampleId :
A4664


Tgt Ion:	216	Resp:	82052
Ion Ratio	Lower	Upper	
216	100		
214	79.0	62.2	93.4
179	19.6	16.2	24.2
108	15.5	12.2	18.4



#41
2,4,6-Trichlorophenol
Concen: 35.161 ng/ul
RT: 12.964 min Scan# 1681
Delta R.T. -0.005 min
Lab File: BG058326.D
Acq: 19 Jul 2023 12:31

Tgt Ion:	196	Resp:	89972
Ion Ratio	Lower	Upper	
196	100		
198	95.6	77.7	116.5
200	31.8	25.0	37.6









#43
1,1'-Biphenyl
Concen: 28.842 ng/ul
RT: 13.364 min Scan# 1749
Delta R.T. -0.005 min
Lab File: BG058326.D
Acq: 19 Jul 2023 12:31




Instrument :
BNA_G
ClientSampleId :
A4664


Tgt Ion:154 Resp: 254666
Ion Ratio Lower Upper
154 100
153 41.0 31.8 47.6
76 14.0 11.7 17.5



#44
2-Chloronaphthalene
Concen: 18.141 ng/ul
RT: 13.411 min Scan# 1757
Delta R.T. -0.005 min
Lab File: BG058326.D
Acq: 19 Jul 2023 12:31

Tgt Ion:162 Resp: 127354
Ion Ratio Lower Upper
162 100
164 35.0 26.2 39.2
127 37.8 29.8 44.6









#47
Dimethylphthalate
Concen: 25.787 ng/ul
RT: 13.987 min Scan# 1855
Delta R.T. 0.001 min
Lab File: BG058326.D
Acq: 19 Jul 2023 12:31




Instrument :
BNA_G
ClientSampleId :
A4664


Tgt Ion:163 Resp: 260812
Ion Ratio Lower Upper
163 100
194 3.7 2.6 3.8
164 10.5 8.2 12.2



#48
2,6-Dinitrotoluene
Concen: 29.364 ng/ul
RT: 14.110 min Scan# 1876
Delta R.T. 0.001 min
Lab File: BG058326.D
Acq: 19 Jul 2023 12:31

Tgt Ion:165 Resp: 57389
Ion Ratio Lower Upper
165 100
89 60.1 48.9 73.3
121 19.1 16.2 24.4









#52
Acenaphthene
Concen: 23.969 ng/ul
RT: 14.598 min Scan# 1959
Delta R.T. -0.005 min
Lab File: BG058326.D
Acq: 19 Jul 2023 12:31




Instrument :
BNA_G
ClientSampleId :
A4664


Tgt Ion:153 Resp: 189550
Ion Ratio Lower Upper
153 100
152 46.0 39.1 58.7
154 87.0 68.7 103.1



#55
4-Nitrophenol
Concen: 30.327 ng/ul
RT: 14.751 min Scan# 1985
Delta R.T. -0.005 min
Lab File: BG058326.D
Acq: 19 Jul 2023 12:31

Tgt Ion:109 Resp: 35517
Ion Ratio Lower Upper
109 100
139 138.5 100.3 150.5
65 157.3 120.6 180.8









#56
Dibenzofuran
Concen: 21.306 ng/ul
RT: 14.933 min Scan# 2015
Delta R.T. -0.005 min
Lab File: BG058326.D
Acq: 19 Jul 2023 12:31




Instrument :
BNA_G
ClientSampleId :
A4664


Tgt Ion:168 Resp: 239914
Ion Ratio Lower Upper
168 100
139 34.2 27.8 41.8



#58
2,3,4,6-Tetrachlorophenol
Concen: 26.145 ng/ul
RT: 15.162 min Scan# 2055
Delta R.T. 0.001 min
Lab File: BG058326.D
Acq: 19 Jul 2023 12:31

Tgt Ion:232 Resp: 65911
Ion Ratio Lower Upper
232 100
131 39.0 29.0 43.6
130 1.8 1.1 1.7#
166 28.2 23.0 34.6









#62
4-Chlorophenyl-phenylether
Concen: 19.610 ng/ul
RT: 15.573 min Scan# 2124
Delta R.T. 0.001 min
Lab File: BG058326.D
Acq: 19 Jul 2023 12:31




Instrument :
BNA_G
ClientSampleId :
A4664


Tgt Ion:204 Resp: 96132
Ion Ratio Lower Upper
204 100
206 31.5 26.0 39.0
141 50.8 42.2 63.2



#66
4,6-Dinitro-2-methylphenol
Concen: 53.972 ng/ul
RT: 15.661 min Scan# 2140
Delta R.T. -0.005 min
Lab File: BG058326.D
Acq: 19 Jul 2023 12:31

Tgt Ion:198 Resp: 90487
Ion Ratio Lower Upper
198 100
182 3.8 3.4 5.2
77 23.7 18.4 27.6









#69
Hexachlorobenzene
Concen: 23.652 ng/ul
RT: 16.584 min Scan# 21
Delta R.T. -0.005 min
Lab File: BG058326.D
Acq: 19 Jul 2023 12:31




Instrument :
BNA_G
ClientSampleId :
A4664


Tgt Ion:284 Resp: 90416
Ion Ratio Lower Upper
284 100
142 27.5 20.5 30.7
249 32.3 25.2 37.8



#71
Pentachlorophenol
Concen: 40.921 ng/ul
RT: 16.930 min Scan# 2356
Delta R.T. 0.001 min
Lab File: BG058326.D
Acq: 19 Jul 2023 12:31

Tgt Ion:266 Resp: 87809
Ion Ratio Lower Upper
266 100
264 58.9 46.6 70.0
268 64.4 47.6 71.4









#72
Phenanthrene
Concen: 21.723 ng/ul
RT: 17.318 min Scan# 2422
Delta R.T. -0.005 min
Lab File: BG058326.D
Acq: 19 Jul 2023 12:31




Instrument :
BNA_G
ClientSampleId :
A4664


Tgt Ion:178 Resp: 330186
Ion Ratio Lower Upper
178 100
179 16.1 11.9 17.9
176 20.2 15.8 23.8



#74
Anthracene
Concen: 24.493 ng/ul
RT: 17.412 min Scan# 2438
Delta R.T. -0.005 min
Lab File: BG058326.D
Acq: 19 Jul 2023 12:31

Tgt Ion:178 Resp: 373752
Ion Ratio Lower Upper
178 100
179 15.5 13.4 20.2
176 19.4 16.2 24.2









#77
 Carbazole
 Concen: 26.510 ng/ul
 RT: 17.682 min Scan# 2484
 Delta R.T. 0.001 min
 Lab File: BG058326.D
 Acq: 19 Jul 2023 12:31




Instrument :
 BNA_G
 ClientSampleId :
 A4664


Tgt Ion:167 Resp: 350665
 Ion Ratio Lower Upper
 167 100
 166 21.9 17.8 26.8
 139 11.6 9.4 14.0



#78
 Di-n-butylphthalate
 Concen: 21.994 ng/ul
 RT: 18.235 min Scan# 2578
 Delta R.T. -0.005 min
 Lab File: BG058326.D
 Acq: 19 Jul 2023 12:31

Tgt Ion:149 Resp: 369678
 Ion Ratio Lower Upper
 149 100
 150 9.4 7.2 10.8
 104 4.9 3.9 5.9









#80
Fluoranthene
Concen: 47.397 ng/u1
RT: 19.333 min Scan# 21
Delta R.T. 0.001 min
Lab File: BG058326.D
Acq: 19 Jul 2023 12:31




Instrument :
BNA_G
ClientSampleId :
A4664


Tgt Ion:202 Resp: 841008
Ion Ratio Lower Upper
202 100
101 11.5 8.6 12.8
100 9.1 7.2 10.8



#82
Pyrene
Concen: 33.346 ng/u1
RT: 19.698 min Scan# 2827
Delta R.T. 0.001 min
Lab File: BG058326.D
Acq: 19 Jul 2023 12:31

Tgt Ion:202 Resp: 599529
Ion Ratio Lower Upper
202 100
101 13.2 10.2 15.2
100 11.1 8.9 13.3









#83
Butylbenzylphthalate
Concen: 22.025 ng/ul
RT: 20.579 min Scan# 2977
Delta R.T. 0.001 min
Lab File: BG058326.D
Acq: 19 Jul 2023 12:31




Instrument :
BNA_G
ClientSampleId :
A4664


Tgt Ion:149 Resp: 155928
Ion Ratio Lower Upper
149 100
91 70.9 59.9 89.9
206 21.1 16.9 25.3



#85
Benzo(a)anthracene
Concen: 41.228 ng/ul
RT: 21.513 min Scan# 3136
Delta R.T. 0.001 min
Lab File: BG058326.D
Acq: 19 Jul 2023 12:31

Tgt Ion:228 Resp: 726701
Ion Ratio Lower Upper
228 100
229 20.5 15.7 23.5
226 27.6 21.8 32.8









#86
Bis(2-ethylhexyl)phthalate
Concen: 27.098 ng/ul
RT: 21.407 min Scan# 3118
Delta R.T. -0.005 min
Lab File: BG058326.D
Acq: 19 Jul 2023 12:31




Instrument :
BNA_G
ClientSampleId :
A4664


Tgt Ion:149 Resp: 272865
Ion Ratio Lower Upper
149 100
167 26.1 21.6 32.4
279 3.3 3.0 4.4



#87
Chrysene
Concen: 30.270 ng/ul
RT: 21.578 min Scan# 3147
Delta R.T. 0.001 min
Lab File: BG058326.D
Acq: 19 Jul 2023 12:31

Tgt Ion:228 Resp: 506088
Ion Ratio Lower Upper
228 100
226 30.6 24.0 36.0
229 19.9 15.8 23.8









#90
Benzo(b)fluoranthene
Concen: 29.627 ng/ul
RT: 23.664 min Scan# 31
Delta R.T. -0.005 min
Lab File: BG058326.D
Acq: 19 Jul 2023 12:31




Instrument :
BNA_G
ClientSampleId :
A4664


Tgt Ion:252 Resp: 557467
Ion Ratio Lower Upper
252 100
253 22.3 17.9 26.9
125 9.4 6.7 10.1



#93
Benzo(a)pyrene
Concen: 28.018 ng/ul
RT: 24.516 min Scan# 3647
Delta R.T. -0.005 min
Lab File: BG058326.D
Acq: 19 Jul 2023 12:31

Tgt Ion:252 Resp: 468891
Ion Ratio Lower Upper
252 100
253 21.5 17.4 26.0
125 9.7 7.7 11.5









#94
Indeno(1,2,3-cd)pyrene
Concen: 30.852 ng/ul
RT: 28.229 min Scan# 4279
Delta R.T. 0.001 min
Lab File: BG058326.D
Acq: 19 Jul 2023 12:31

Instrument :
BNA_G
ClientSampleId :
A4664

Tgt Ion:276 Resp: 680290
Ion Ratio Lower Upper
276 100
138 16.4 13.8 20.6
277 24.2 19.2 28.8



#95
Dibenzo(a,h)anthracene
Concen: 24.245 ng/ul
RT: 28.288 min Scan# 4289
Delta R.T. -0.005 min
Lab File: BG058326.D
Acq: 19 Jul 2023 12:31

Tgt Ion:278 Resp: 438384
Ion Ratio Lower Upper
278 100
139 12.4 10.4 15.6
279 23.4 18.4 27.6

