

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG072123\
 Data File : BG058394.D
 Acq On : 21 Jul 2023 19:27
 Operator : CG/JU
 Sample : 03504-09
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :

Quant Time: Jul 21 22:18:57 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG071723.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Jul 18 02:19:39 2023
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.896	152	51016	20.000	ng/ul	0.00
20) Naphthalene-d8	10.699	136	215634	20.000	ng/ul	0.00
38) Acenaphthene-d10	14.535	164	144642	20.000	ng/ul	0.00
64) Phenanthrene-d10	17.279	188	313145	20.000	ng/ul	0.00
79) Chrysene-d12	21.527	240	253737	20.000	ng/ul	0.00
88) Perylene-d12	24.665	264	299970	20.000	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.343	96	2121	1.530	ng/uL	0.00
4) Pyridine-d5	3.748	84	44875	10.908	ng/ul	0.00
7) Phenol-d5	7.062	99	20719	4.281	ng/ul	0.00
9) Bis-(2-Chloroethyl)eth...	7.221	67	27544	9.106	ng/ul	0.00
11) 2-Chlorophenol-d4	7.432	132	17979	5.307	ng/ul	0.00
15) 4-Methylphenol-d8	8.607	113	883	0.239	ng/ul	0.00
21) Nitrobenzene-d5	9.060	128	15242	9.430	ng/ul	0.00
24) 2-Nitrophenol-d4	9.776	143	16748	9.491	ng/ul	0.00
28) 2,4-Dichlorophenol-d3	10.323	165	8630	2.551	ng/ul	0.00
31) 4-Chloroaniline-d4	10.846	131	410	0.084	ng/ul	0.00
46) Dimethylphthalate-d6	13.936	166	101388	9.090	ng/ul	0.00
49) Acenaphthylene-d8	14.224	160	106246	9.090	ng/ul	0.00
54) 4-Nitrophenol-d4	14.747	143	7218	4.285	ng/ul	0.00
60) Fluorene-d10	15.523	176	90796	9.832	ng/ul	0.00
65) 4,6-Dinitro-2-methylph...	15.646	200	3210	2.012	ng/ul	0.00
73) Anthracene-d10	17.373	188	75462	5.577	ng/ul	0.00
81) Pyrene-d10	19.665	212	123504	8.241	ng/ul	0.00
92) Benzo(a)pyrene-d12	24.442	264	40055	2.763	ng/ul	0.00
Target Compounds						
					Qvalue	
16) Acetophenone	8.719	105	7824	1.245	ng/ul	97
72) Phenanthrene	17.320	178	30924	2.078	ng/ul	95
74) Anthracene	17.320	178	30924	2.070	ng/ul	96
80) Fluoranthene	19.336	202	67240	3.916	ng/ul	99
82) Pyrene	19.694	202	45551	2.618	ng/ul	98
85) Benzo(a)anthracene	21.574	228	28218	1.655	ng/ul	94
86) Bis(2-ethylhexyl)phtha...	21.410	149	19334	1.984	ng/ul#	99
87) Chrysene	21.574	228	28218	1.744	ng/ul	97
90) Benzo(b)fluoranthene	23.672	252	31703	1.827	ng/ul#	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG072123\
Data File : BG058394.D
Acq On : 21 Jul 2023 19:27
Operator : CG/JU
Sample : 03504-09
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :

Quant Time: Jul 21 22:18:57 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG071723.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Jul 18 02:19:39 2023
Response via : Initial Calibration









#16
Acetophenone
Concen: 1.245 ng/ul
RT: 8.719 min Scan# 91
Delta R.T. -0.003 min
Lab File: BG058394.D
Acq: 21 Jul 2023 19:27




Instrument :
BNA_G
ClientSampleId :


Tgt Ion:105 Resp: 7824
Ion Ratio Lower Upper
105 100
77 79.7 60.7 91.1
51 29.2 23.5 35.3



#72
Phenanthrene
Concen: 2.078 ng/ul
RT: 17.320 min Scan# 2422
Delta R.T. -0.003 min
Lab File: BG058394.D
Acq: 21 Jul 2023 19:27


Tgt Ion:178 Resp: 30924
Ion Ratio Lower Upper
178 100
179 16.4 11.9 17.9
176 23.0 15.8 23.8








#74
 Anthracene
 Concen: 2.070 ng/ul
 RT: 17.320 min Scan# 2437
 Delta R.T. -0.097 min
 Lab File: BG058394.D
 Acq: 21 Jul 2023 19:27


Instrument :
 BNA_G
 ClientSampleId :





Tgt Ion:178 Resp: 30924
 Ion Ratio Lower Upper
 178 100
 179 16.4 13.4 20.2
 176 23.0 16.2 24.2




#80
 Fluoranthene
 Concen: 3.916 ng/ul
 RT: 19.336 min Scan# 2765
 Delta R.T. 0.003 min
 Lab File: BG058394.D
 Acq: 21 Jul 2023 19:27




Tgt Ion:202 Resp: 67240
 Ion Ratio Lower Upper
 202 100
 101 10.8 8.6 12.8
 100 8.4 7.2 10.8








#82
 Pyrene
 Concen: 2.618 ng/ul
 RT: 19.694 min Scan# 21
 Delta R.T. -0.003 min
 Lab File: BG058394.D
 Acq: 21 Jul 2023 19:27

Instrument :
 BNA_G
 ClientSampleId :







Tgt Ion:202 Resp: 45551
 Ion Ratio Lower Upper
 202 100
 101 13.8 10.2 15.2
 100 10.9 8.9 13.3



#85
 Benzo(a)anthracene
 Concen: 1.655 ng/ul
 RT: 21.574 min Scan# 3146
 Delta R.T. 0.062 min
 Lab File: BG058394.D
 Acq: 21 Jul 2023 19:27

Tgt Ion:228 Resp: 28218
 Ion Ratio Lower Upper
 228 100
 229 22.3 15.7 23.5
 226 30.3 21.8 32.8









#86
 Bis(2-ethylhexyl)phthalate
 Concen: 1.984 ng/ul
 RT: 21.410 min Scan# 3118
 Delta R.T. -0.003 min
 Lab File: BG058394.D
 Acq: 21 Jul 2023 19:27




Instrument :
 BNA_G
 ClientSampleId :


Tgt Ion:149 Resp: 19334
 Ion Ratio Lower Upper
 149 100
 167 27.7 21.6 32.4
 279 4.5 3.0 4.4#



#87
 Chrysene
 Concen: 1.744 ng/ul
 RT: 21.574 min Scan# 3146
 Delta R.T. -0.003 min
 Lab File: BG058394.D
 Acq: 21 Jul 2023 19:27


Tgt Ion:228 Resp: 28218
 Ion Ratio Lower Upper
 228 100
 226 30.3 24.0 36.0
 229 22.3 15.8 23.8





#90
 Benzo(b)fluoranthene
 Concen: 1.827 ng/ul
 RT: 23.672 min Scan# 31
 Delta R.T. 0.003 min
 Lab File: BG058394.D
 Acq: 21 Jul 2023 19:27

Instrument :
 BNA_G
 ClientSampleId :



Tgt Ion:252 Resp: 31703

Ion	Ratio	Lower	Upper
252	100		
253	20.8	17.9	26.9
125	13.3	6.7	10.1#

