

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG073018\
 Data File : BG035979.D
 Acq On : 30 Jul 2018 16:58
 Operator : JU/SJ
 Sample : J4196-08
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 072518-DBRI-E-U-S

Quant Time: Jul 30 17:44:28 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG071218.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jul 25 11:04:14 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.02	152	40340	20.00	ng	0.00
21) Naphthalene-d8	10.83	136	160137	20.00	ng	0.00
38) Acenaphthene-d10	14.65	164	118948	20.00	ng	0.00
63) Phenanthrene-d10	17.39	188	322662	20.00	ng	0.00
75) Chrysene-d12	21.65	240	328795	20.00	ng	0.00
86) Perylene-d12	24.85	264	309878	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.60	112	88761	36.53	ng	0.00
7) Phenol-d6	7.19	99	78135	21.55	ng	0.00
23) Nitrobenzene-d5	9.18	82	325754	84.98	ng	0.00
41) 2,4,6-Tribromophenol	16.13	330	138298	88.21	ng	0.00
44) 2-Fluorobiphenyl	13.27	172	782188	88.10	ng	0.00
78) Terphenyl-d14	20.00	244	1236172	82.88	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG073018\
Data File : BG035979.D
Acq On : 30 Jul 2018 16:58
Operator : JU/SJ
Sample : J4196-08
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
072518-DBRI-E-U-S

Quant Time: Jul 30 17:44:28 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG071218.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jul 25 11:04:14 2018
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.02 min Scan# 806
Delta R.T. -0.00 min
Lab File: BG035979.D
Acq: 30 Jul 2018 16:58

Instrument :
BNA_G
ClientSampleId :
072518-DBRI-E-U-S




Tot Ion:152 Resp: 40340
Ion Ratio Lower Upper
152 100
150 143.1 126.6 189.8
115 65.1 53.0 79.4




#5

2-Fluorophenol
Concen: 36.531 ng
RT: 5.60 min Scan# 394
Delta R.T. -0.00 min
Lab File: BG035979.D
Acq: 30 Jul 2018 16:58

Tgt Ion:112 Resp: 88761
Ion Ratio Lower Upper
112 100
64 58.5 56.3 84.5
63 31.4 30.1 45.1





#7

Phenol-d6

Concen: 21.553 ng

RT: 7.19 min Scan# 665

Delta R.T. -0.00 min

Lab File: BG035979.D

Acq: 30 Jul 2018 16:58

Instrument :

BNA_G

ClientSampleId :

072518-DBRI-E-U-S


Tot Ion: 99 Resp: 78135

Ion Ratio Lower Upper

99 100

42 18.4 14.1 21.1




71 46.8 26.1 39.1#



Abundance Ion 99.00 (98.70 to 99.70): BGC

Ion 42.00 (41.70 to 42.70): BGC

Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.83 min Scan# 1284

Delta R.T. -0.00 min

Lab File: BG035979.D

Acq: 30 Jul 2018 16:58

Tgt Ion: 136 Resp: 160137


Ion Ratio Lower Upper

136 100

137 10.1 9.2 13.8

54 6.2 10.3 15.5#

68 3.8 4.5 6.7#






Abundance Ion 136.00 (135.70 to 136.70): BGC

Ion 137.00 (136.70 to 137.70): BGC

Ion 54.00 (53.70 to 54.70): BGC

Ion 68.00 (67.70 to 68.70): BGC





#23

Nitrobenzene-d5

Concen: 84.979 ng

RT: 9.18 min Scan# 1004

Delta R.T. -0.00 min

Lab File: BG035979.D

Acq: 30 Jul 2018 16:58

Instrument :

BNA_G

ClientSampleId :

072518-DBRI-E-U-S


Tot Ion: 82 Resp: 325754

Ion Ratio Lower Upper




82 100

128 36.6 29.7 44.5

54 42.9 43.1 64.7#



Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC



#38

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.65 min Scan# 1934

Delta R.T. -0.00 min

Lab File: BG035979.D

Acq: 30 Jul 2018 16:58


Tgt Ion:164 Resp: 118948

Ion Ratio Lower Upper



164 100


162 94.4 78.8 118.2

160 45.6 35.4 53.0



Abundance Ion 164.00 (163.70 to 164.70): BGC
Ion 162.00 (161.70 to 162.70): BGC
Ion 160.00 (159.70 to 160.70): BGC






#41
 2,4,6-Tribromophenol
 Concen: 88.211 ng
 RT: 16.13 min Scan# 2187
 Delta R.T. -0.01 min
 Lab File: BG035979.D
 Acq: 30 Jul 2018 16:58

Instrument :
 BNA_G
 ClientSampleId :
 072518-DBRI-E-U-S

Tot Ion	Ratio	Lower	Upper
330	100		
332	98.9	77.0	115.6
141	39.6	25.2	37.8#






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#44
 2-Fluorobiphenyl
 Concen: 88.100 ng
 RT: 13.27 min Scan# 1699
 Delta R.T. -0.01 min
 Lab File: BG035979.D
 Acq: 30 Jul 2018 16:58

Tgt Ion	Ratio	Lower	Upper
172	100		
171	34.0	30.0	45.0
170	23.3	19.5	29.3






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.39 min Scan# 2401
Delta R.T. -0.00 min
Lab File: BG035979.D
Acq: 30 Jul 2018 16:58




Instrument :
BNA_G
ClientSampleId :
072518-DBRI-E-U-S


Tot Ion:188 Resp: 322662
Ion Ratio Lower Upper
188 100
94 6.0 6.9 10.3#
80 6.9 7.7 11.5#



#75
Chrysene-d12
Concen: 20.000 ng
RT: 21.65 min Scan# 3126
Delta R.T. -0.01 min
Lab File: BG035979.D
Acq: 30 Jul 2018 16:58

Tgt Ion:240 Resp: 328795
Ion Ratio Lower Upper
240 100
120 5.6 6.8 10.2#
236 27.1 20.9 31.3





#78

Terphenyl-d14

Concen: 82.875 ng

RT: 20.00 min Scan# 2845

Delta R.T. -0.00 min

Lab File: BG035979.D

Acq: 30 Jul 2018 16:58

Instrument :

BNA_G

ClientSampleId :

072518-DBRI-E-U-S


Tot Ion:244 Resp: 1236172

Ion Ratio Lower Upper

244 100

212 10.1 5.8 8.8#




122 6.5 7.0 10.4#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 24.85 min Scan# 3670

Delta R.T. -0.01 min

Lab File: BG035979.D

Acq: 30 Jul 2018 16:58


Tgt Ion:264 Resp: 309878

Ion Ratio Lower Upper

264 100

260 25.4 17.4 26.0

265 22.4 17.7 26.5



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

