

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG073123\
 Data File : BG058551.D
 Acq On : 31 Jul 2023 20:14
 Operator : MA/JU
 Sample : 03741-18
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 B-P29A

Quant Time: Aug 01 02:51:27 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG072823.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jul 28 22:29:07 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.813	152	58604	20.000	ng	0.00
21) Naphthalene-d8	10.616	136	246265	20.000	ng	0.00
39) Acenaphthene-d10	14.458	164	173478	20.000	ng	0.00
64) Phenanthrene-d10	17.202	188	396007	20.000	ng	0.00
76) Chrysene-d12	21.444	240	343623	20.000	ng	0.00
86) Perylene-d12	24.517	264	424445	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.387	112	276375	72.082	ng	0.00
7) Phenol-d6	6.985	99	387340	72.601	ng	0.00
23) Nitrobenzene-d5	8.977	82	228333	45.548	ng	0.00
42) 2,4,6-Tribromophenol	15.951	330	175831	61.838	ng	0.00
45) 2-Fluorobiphenyl	13.078	172	534396	46.164	ng	0.00
79) Terphenyl-d14	19.823	244	886575	48.519	ng	0.00
Target Compounds						
50) Dimethylphthalate	13.918	163	27333	2.098	ng	Qvalue 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG073123\
Data File : BG058551.D
Acq On : 31 Jul 2023 20:14
Operator : MA/JU
Sample : 03741-18
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
B-P29A

Quant Time: Aug 01 02:51:27 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG072823.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jul 28 22:29:07 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.813 min Scan# 804
Delta R.T. 0.002 min
Lab File: BG058551.D
Acq: 31 Jul 2023 20:14




Instrument :
BNA_G
ClientSampleId :
B-P29A

Tgt Ion:152 Resp: 58604
Ion Ratio Lower Upper
152 100
150 154.3 120.5 180.7
115 58.8 45.9 68.9



#5
2-Fluorophenol
Concen: 72.082 ng
RT: 5.387 min Scan# 391
Delta R.T. 0.002 min
Lab File: BG058551.D
Acq: 31 Jul 2023 20:14

Tgt Ion:112 Resp: 276375
Ion Ratio Lower Upper
112 100
64 68.9 55.3 82.9
63 34.8 28.3 42.5









#7
Phenol-d6
Concen: 72.601 ng
RT: 6.985 min Scan# 60
Delta R.T. 0.002 min
Lab File: BG058551.D
Acq: 31 Jul 2023 20:14




Instrument :
BNA_G
ClientSampleId :
B-P29A

Tgt Ion: 99 Resp: 387340
Ion Ratio Lower Upper
99 100
42 17.4 14.6 21.8
71 30.1 25.0 37.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.616 min Scan# 1281
Delta R.T. 0.002 min
Lab File: BG058551.D
Acq: 31 Jul 2023 20:14

Tgt Ion: 136 Resp: 246265
Ion Ratio Lower Upper
136 100
137 10.7 8.6 13.0
54 10.5 8.9 13.3
68 7.1 5.6 8.4









#23
Nitrobenzene-d5
Concen: 45.548 ng
RT: 8.977 min Scan# 1002
Delta R.T. -0.004 min
Lab File: BG058551.D
Acq: 31 Jul 2023 20:14




Instrument :
BNA_G
ClientSampleId :
B-P29A


Tgt Ion: 82 Resp: 228333
Ion Ratio Lower Upper
82 100
128 41.6 32.2 48.2
54 55.2 46.0 69.0



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.458 min Scan# 1935
Delta R.T. -0.004 min
Lab File: BG058551.D
Acq: 31 Jul 2023 20:14

Tgt Ion:164 Resp: 173478
Ion Ratio Lower Upper
164 100
162 95.5 78.3 117.5
160 41.9 34.1 51.1









#42
2,4,6-Tribromophenol
Concen: 61.838 ng
RT: 15.951 min Scan# 2190
Delta R.T. -0.004 min
Lab File: BG058551.D
Acq: 31 Jul 2023 20:14




Instrument :
BNA_G
ClientSampleId :
B-P29A


Tgt Ion:330 Resp: 175831
Ion Ratio Lower Upper
330 100
332 96.5 77.5 116.3
141 26.1 20.7 31.1



#45
2-Fluorobiphenyl
Concen: 46.164 ng
RT: 13.078 min Scan# 1700
Delta R.T. -0.004 min
Lab File: BG058551.D
Acq: 31 Jul 2023 20:14

Tgt Ion:172 Resp: 534396
Ion Ratio Lower Upper
172 100
171 34.4 28.0 42.0
170 23.3 18.4 27.6









#50
Dimethylphthalate
Concen: 2.098 ng
RT: 13.918 min Scan# 11
Delta R.T. -0.004 min
Lab File: BG058551.D
Acq: 31 Jul 2023 20:14




Instrument :
BNA_G
ClientSampleId :
B-P29A


Tgt Ion:163 Resp: 27333
Ion Ratio Lower Upper
163 100
194 3.5 2.7 4.1
164 9.1 8.6 12.8



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.202 min Scan# 2402
Delta R.T. -0.004 min
Lab File: BG058551.D
Acq: 31 Jul 2023 20:14

Tgt Ion:188 Resp: 396007
Ion Ratio Lower Upper
188 100
94 8.9 7.0 10.6
80 11.0 8.1 12.1





#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.444 min Scan# 31

Delta R.T. -0.004 min

Lab File: BG058551.D

Acq: 31 Jul 2023 20:14

Instrument :

BNA_G

ClientSampleId :

B-P29A





Tgt Ion:240 Resp: 343623

Ion Ratio Lower Upper

240 100

120 10.0 7.4 11.0

236 26.5 22.2 33.4



#79

Terphenyl-d14

Concen: 48.519 ng

RT: 19.823 min Scan# 2848

Delta R.T. -0.004 min

Lab File: BG058551.D

Acq: 31 Jul 2023 20:14




Tgt Ion:244 Resp: 886575


Ion Ratio Lower Upper

244 100

212 6.9 5.9 8.9

122 8.7 6.8 10.2





#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 24.517 min Scan# 30
 Delta R.T. 0.002 min
 Lab File: BG058551.D
 Acq: 31 Jul 2023 20:14

Instrument :
 BNA_G
 ClientSampleId :
 B-P29A

Tgt Ion:264 Resp: 424445
 Ion Ratio Lower Upper
 264 100
 260 22.3 18.4 27.6
 265 21.6 17.9 26.9

