

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG080119\
 Data File : BG041856.D
 Acq On : 1 Aug 2019 10:26
 Operator : HP/JU
 Sample : K4048-02
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 OWL-C7-GW

Quant Time: Aug 01 15:09:26 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG072719.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jul 31 08:57:26 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.05	152	99753	20.00	ng	0.00
21) Naphthalene-d8	10.87	136	375823	20.00	ng	0.00
39) Acenaphthene-d10	14.70	164	268576	20.00	ng	0.00
64) Phenanthrene-d10	17.45	188	600850	20.00	ng	0.00
76) Chrysene-d12	21.73	240	636024	20.00	ng	0.00
87) Perylene-d12	25.00	264	736473	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.60	112	322136	62.83	ng	0.00
7) Phenol-d6	7.19	99	279770	40.48	ng	0.00
23) Nitrobenzene-d5	9.21	82	554779	101.58	ng	0.00
42) 2,4,6-Tribromophenol	16.19	330	494040	161.95	ng	0.00
45) 2-Fluorobiphenyl	13.32	172	1439865	94.56	ng	0.00
79) Terphenyl-d14	20.06	244	2271824	81.73	ng	0.00
Target Compounds						
50) Dimethylphthalate	14.14	163	154051	8.399	ng	Qvalue 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG080119\
Data File : BG041856.D
Acq On : 1 Aug 2019 10:26
Operator : HP/JU
Sample : K4048-02
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
OWL-C7-GW

Quant Time: Aug 01 15:09:26 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG072719.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jul 31 08:57:26 2019
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.05 min Scan# 844
Delta R.T. -0.00 min
Lab File: BG041856.D
Acq: 1 Aug 2019 10:26

Instrument :
BNA_G
ClientSampleId :
OWL-C7-GW

Tot Ion	Ratio	Lower	Upper
152	100		
150	155.5	126.9	190.3
115	53.2	45.0	67.6






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 62.831 ng
RT: 5.60 min Scan# 427
Delta R.T. 0.01 min
Lab File: BG041856.D
Acq: 1 Aug 2019 10:26

Tgt Ion	Ratio	Lower	Upper
112	100		
64	60.9	55.4	83.2
63	32.9	29.1	43.7





Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BG

Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 40.475 ng

RT: 7.19 min Scan# 698

Delta R.T. -0.01 min

Lab File: BG041856.D

Acq: 1 Aug 2019 10:26

Instrument :

BNA_G

ClientSampleId :

OWL-C7-GW


Tot Ion: 99 Resp: 279770

Ion Ratio Lower Upper




99 100

42 18.5 17.6 26.4

71 35.3 27.8 41.6



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.87 min Scan# 1324

Delta R.T. -0.01 min

Lab File: BG041856.D

Acq: 1 Aug 2019 10:26

Tgt Ion: 136 Resp: 375823


Ion Ratio Lower Upper

136 100



137 11.1 9.2 13.8


54 8.6 8.7 13.1#

68 4.8 5.5 8.3#



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 101.584 ng
 RT: 9.21 min Scan# 1042
 Delta R.T. -0.00 min
 Lab File: BG041856.D
 Acq: 1 Aug 2019 10:26




Instrument :
 BNA_G
 ClientSampleId :
 OWL-C7-GW


Tot Ion	82	Resp	554779
Ion	Ratio	Lower	Upper
82	100		
128	47.2	35.1	52.7
54	53.6	48.7	73.1



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.70 min Scan# 1976
 Delta R.T. -0.01 min
 Lab File: BG041856.D
 Acq: 1 Aug 2019 10:26

Tgt Ion	164	Resp	268576
Ion	Ratio	Lower	Upper
164	100		
162	98.3	79.6	119.4
160	45.8	35.4	53.0









#42
 2,4,6-Tribromophenol
 Concen: 161.946 ng
 RT: 16.19 min Scan# 2230
 Delta R.T. -0.00 min
 Lab File: BG041856.D
 Acq: 1 Aug 2019 10:26

Instrument :
 BNA_G
 ClientSampleId :
 OWL-C7-GW

Tot Ion:330 Resp: 494040
 Ion Ratio Lower Upper
 330 100
 332 96.7 77.4 116.0
 141 32.2 31.9 47.9




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 94.555 ng
 RT: 13.32 min Scan# 1742
 Delta R.T. -0.01 min
 Lab File: BG041856.D
 Acq: 1 Aug 2019 10:26

Tgt Ion:172 Resp: 1439865
 Ion Ratio Lower Upper
 172 100
 171 41.7 35.0 52.4
 170 27.2 23.5 35.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#50
Dimethylphthalate
Concen: 8.399 ng
RT: 14.14 min Scan# 1882
Delta R.T. -0.01 min
Lab File: BG041856.D
Acq: 1 Aug 2019 10:26




Instrument :
BNA_G
ClientSampleId :
OWL-C7-GW


Tot Ion:163 Resp: 154051
Ion Ratio Lower Upper
163 100
194 5.0 4.2 6.2
164 10.5 9.4 14.2



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.45 min Scan# 2444
Delta R.T. -0.01 min
Lab File: BG041856.D
Acq: 1 Aug 2019 10:26

Tgt Ion:188 Resp: 600850
Ion Ratio Lower Upper
188 100
94 6.6 6.9 10.3#
80 7.3 8.0 12.0#





#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.73 min Scan# 3173

Delta R.T. -0.01 min

Lab File: BG041856.D

Acq: 1 Aug 2019 10:26

Instrument :

BNA_G

ClientSampleId :

OWL-C7-GW


Tot Ion:240 Resp: 636024

Ion Ratio Lower Upper

240 100

120 7.3 8.0 12.0#




236 27.1 22.6 33.8



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#79

Terphenyl-d14

Concen: 81.735 ng

RT: 20.06 min Scan# 2889

Delta R.T. -0.01 min

Lab File: BG041856.D

Acq: 1 Aug 2019 10:26


Tgt Ion:244 Resp: 2271824

Ion Ratio Lower Upper

244 100

212 9.9 9.7 14.5



122 10.8 12.5 18.7#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#87
Pervlene-d12
Concen: 20.000 ng
RT: 25.00 min Scan# 3729
Delta R.T. -0.02 min
Lab File: BG041856.D
Acq: 1 Aug 2019 10:26

Instrument :
BNA_G
ClientSampleId :
OWL-C7-GW

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.7	19.5	29.3
265	22.1	18.0	27.0

