

Data File : BG041981.D
Acq On : 6 Aug 2019 1:09
Operator : HP/JU
Sample : PB121695BL
Misc : GCMS CONFIRMATION
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SBLK95

Quant Time: Aug 06 07:00:56 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG080319MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Aug 06 06:57:43 2019
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.03	152	144185	20.00	ng/ul	0.00
18) Naphthalene-d8	10.86	136	536968	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.69	164	358999	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.44	188	786628	20.00	ng/ul	0.00
77) Chrysene-d12	21.73	240	915977	20.00	ng/ul	0.00
85) Perylene-d12	25.00	264	1065547	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	0.00	96	0	0.00	ng/uL	
5) Phenol-d5	0.00	99	0	0.00	ng/ul	
7) Bis-(2-Chloroethyl)ether-d	0.00	67	0	0.00	ng/ul	
9) 2-Chlorophenol-d4	0.00	132	0	0.00	ng/ul	
13) 4-Methylphenol-d8	0.00	113	0	0.00	ng/ul	
19) Nitrobenzene-d5	0.00	128	0	0.00	ng/ul	
22) 2-Nitrophenol-d4	0.00	143	0	0.00	ng/ul	
26) 2,4-Dichlorophenol-d3	0.00	165	0	0.00	ng/ul	
29) 4-Chloroaniline-d4	10.87	131	155	0.01	ng/ul	-0.11
43) Dimethylphthalate-d6	0.00	166	0	0.00	ng/ul	
46) Acenaphthylene-d8	14.69	160	159522	5.02	ng/ul	0.31
51) 4-Nitrophenol-d4	0.00	143	0	0.00	ng/ul	
57) Fluorene-d10	15.71	176	426	0.02	ng/ul	0.02
62) 4,6-Dinitro-2-methylphenol	0.00	200	0	0.00	ng/ul	
70) Anthracene-d10	17.54	188	5393	0.14	ng/ul	0.00
78) Pyrene-d10	0.00	212	0	0.00	ng/ul	
89) Benzo(a)pyrene-d12	25.00	264	1065547	19.14	ng/ul	0.23


Target Compounds					Qvalue	
44) Dimethylphthalate	14.70	163	79103	2.861	ng/ul#	1
45) 2,6-Dinitrotoluene	14.69	165	45743	7.607	ng/ul#	40


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : BG041981.D
Acq On : 6 Aug 2019 1:09
Operator : HP/JU
Sample : PB121695BL
Misc : GCMS CONFIRMATION
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SBLK95

Quant Time: Aug 06 07:00:56 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG080319MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Aug 06 06:57:43 2019
Response via : Initial Calibration









#44
Dimethylphthalate
Concen: 2.861 ng/ul
RT: 14.70 min Scan# 1976
Delta R.T. 0.56 min
Lab File: BG041981.D
Acq: 6 Aug 2019 1:09

Instrument :
BNA_G
ClientSampleId :
SBLK95

Tgt Ion	Ratio	Lower	Upper
163	100		
194	0.0	4.2	6.2#
164	411.5	7.8	11.8#



#45
2,6-Dinitrotoluene
Concen: 7.607 ng/ul
RT: 14.69 min Scan# 1975
Delta R.T. 0.44 min
Lab File: BG041981.D
Acq: 6 Aug 2019 1:09

Tgt Ion	Ratio	Lower	Upper
165	100		
89	1.3	36.8	55.2#
121	0.0	15.6	23.4#

