

Data File : BG041983.D
Acq On : 6 Aug 2019 2:26
Operator : HP/JU
Sample : K3981-13
Misc : GCMS CONFIRMATION
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
ETNF1

Quant Time: Aug 06 07:01:10 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG080319MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Aug 06 06:57:43 2019
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.03	152	143828	20.00	ng/ul	0.00
18) Naphthalene-d8	10.86	136	535573	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.69	164	362193	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.45	188	791234	20.00	ng/ul	0.00
77) Chrysene-d12	21.73	240	895163	20.00	ng/ul	0.00
85) Perylene-d12	25.00	264	1059284	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	0.00	96	0	0.00	ng/uL	
5) Phenol-d5	0.00	99	0	0.00	ng/ul	
7) Bis-(2-Chloroethyl)ether-d	0.00	67	0	0.00	ng/ul	
9) 2-Chlorophenol-d4	8.04	132	134	0.01	ng/ul	0.48
13) 4-Methylphenol-d8	0.00	113	0	0.00	ng/ul	
19) Nitrobenzene-d5	0.00	128	0	0.00	ng/ul	
22) 2-Nitrophenol-d4	0.00	143	0	0.00	ng/ul	
26) 2,4-Dichlorophenol-d3	0.00	165	0	0.00	ng/ul	
29) 4-Chloroaniline-d4	10.87	131	370	0.04	ng/ul	-0.12
43) Dimethylphthalate-d6	0.00	166	0	0.00	ng/ul	
46) Acenaphthylene-d8	14.69	160	158041	4.93	ng/ul	0.31
51) 4-Nitrophenol-d4	0.00	143	0	0.00	ng/ul	
57) Fluorene-d10	15.70	176	471	0.02	ng/ul	0.01
62) 4,6-Dinitro-2-methylphenol	0.00	200	0	0.00	ng/ul	
70) Anthracene-d10	17.45	188	791234	20.84	ng/ul	-0.10
78) Pyrene-d10	0.00	212	0	0.00	ng/ul	
89) Benzo(a)pyrene-d12	25.00	264	1059284	19.14	ng/ul	0.23


Target Compounds				Qvalue	
44) Dimethylphthalate	14.69	163	79560	2.853 ng/ul#	1
45) 2,6-Dinitrotoluene	14.69	165	48239	7.951 ng/ul#	39


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : BG041983.D
Acq On : 6 Aug 2019 2:26
Operator : HP/JU
Sample : K3981-13
Misc : GCMS CONFIRMATION
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
ETNF1

Quant Time: Aug 06 07:01:10 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG080319MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Aug 06 06:57:43 2019
Response via : Initial Calibration









#44
Dimethylphthalate
Concen: 2.853 ng/ul
RT: 14.69 min Scan# 1975
Delta R.T. 0.55 min
Lab File: BG041983.D
Acq: 6 Aug 2019 2:26

Instrument :
BNA_G
ClientSampleId :
ETNF1

Tgt Ion:163 Resp: 79560
Ion Ratio Lower Upper
163 100
194 0.0 4.2 6.2#
164 473.7 7.8 11.8#




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E



#45
2,6-Dinitrotoluene
Concen: 7.951 ng/ul
RT: 14.69 min Scan# 1975
Delta R.T. 0.43 min
Lab File: BG041983.D
Acq: 6 Aug 2019 2:26

Tgt Ion:165 Resp: 48239
Ion Ratio Lower Upper
165 100
89 0.0 36.8 55.2#
121 0.6 15.6 23.4#



Abundance Ion 165.00 (164.70 to 165.70): E
Ion 89.00 (88.70 to 89.70): BG
Ion 121.00 (120.70 to 121.70): E

