

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG080521\
 Data File : BG049668.D
 Acq On : 6 Aug 2021 3:35
 Operator : CG/JU
 Sample : M3162-16
 Misc :
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 BGEW7

Manual Integrations
 APPROVED

mohammad
 8/6/2021 2:48:41 PM

Quant Time: Aug 06 05:29:43 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\SFAM-EPA-BG080421.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Aug 04 16:17:29 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.037	152	27165	20.000	ng/u1	0.00
20) Naphthalene-d8	10.863	136	109534	20.000	ng/u1	0.00
38) Acenaphthene-d10	14.693	164	76637	20.000	ng/u1	0.00
64) Phenanthrene-d10	17.442	188	163612	20.000	ng/u1	0.00
79) Chrysene-d12	21.718	240	160583	20.000	ng/u1	0.00
88) Perylene-d12	24.996	264	163644	20.000	ng/u1	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.431	96	2639	4.542	ng/uL	0.00
4) Pyridine-d5	3.849	84	25986	14.904	ng/u1	0.00
7) Phenol-d5	7.191	99	56375	22.867	ng/u1	0.00
9) Bis-(2-Chloroethyl)eth...	7.361	67	31921	22.541	ng/u1	0.00
11) 2-Chlorophenol-d4	7.567	132	40146	22.752	ng/u1	0.00
15) 4-Methylphenol-d8	8.742	113	46919	24.960	ng/u1	0.00
21) Nitrobenzene-d5	9.206	128	23194	26.882	ng/u1	0.00
24) 2-Nitrophenol-d4	9.934	143	25742	26.124	ng/u1	0.00
28) 2,4-Dichlorophenol-d3	10.481	165	45459	24.467	ng/u1	0.00
31) 4-Chloroaniline-d4	10.998	131	60428	23.757	ng/u1	0.00
46) Dimethylphthalate-d6	14.088	166	168708	28.052	ng/u1	0.00
49) Acenaphthylene-d8	14.381	160	194422	27.172	ng/u1	0.00
54) 4-Nitrophenol-d4	14.887	143	19113	19.656	ng/u1	0.00
60) Fluorene-d10	15.685	176	139015	26.891	ng/u1	0.00
65) 4,6-Dinitro-2-methylph...	15.803	200	25212	22.895	ng/u1	0.00
73) Anthracene-d10	17.542	188	222148m	28.764	ng/u1	0.00
81) Pyrene-d10	19.827	212	254472	28.761	ng/u1	0.00
92) Benzo(a)pyrene-d12	24.773	264	250583m	27.946	ng/u1	0.00

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG080521\
Data File : BG049668.D
Acq On : 6 Aug 2021 3:35
Operator : CG/JU
Sample : M3162-16
Misc :
ALS Vial : 28 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
BGEW7

Manual Integrations
APPROVED

mohammad
8/6/2021 2:48:41 PM

Quant Time: Aug 06 05:29:43 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\SFAM-EPA-BG080421.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Aug 04 16:17:29 2021
Response via : Initial Calibration

