

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG080819\
 Data File : BG042101.D
 Acq On : 9 Aug 2019 14:00
 Operator : HP/JU
 Sample : K4041-07
 Misc :
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :

Quant Time: Aug 10 02:29:36 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG080319MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Aug 09 16:22:05 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.03	152	72446	20.00	ng/ul	0.00
18) Naphthalene-d8	10.85	136	294278	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.69	164	201972	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.44	188	426127	20.00	ng/ul	0.00
77) Chrysene-d12	21.72	240	409448	20.00	ng/ul	0.00
85) Perylene-d12	24.99	264	471354	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.41	96	4320	2.61	ng/uL	0.00
5) Phenol-d5	7.19	99	90393	15.90	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.34	67	51363	16.15	ng/ul	0.00
9) 2-Chlorophenol-d4	7.56	132	89950	18.51	ng/ul	0.00
13) 4-Methylphenol-d8	8.74	113	73262	15.35	ng/ul	0.00
19) Nitrobenzene-d5	9.19	128	44724	20.19	ng/ul	0.00
22) 2-Nitrophenol-d4	9.92	143	55827	21.71	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.47	165	96483	18.58	ng/ul	0.00
29) 4-Chloroaniline-d4	10.98	131	110335	19.15	ng/ul	0.00
43) Dimethylphthalate-d6	14.09	166	307315	19.62	ng/ul	0.00
46) Acenaphthylene-d8	14.38	160	351944	19.67	ng/ul	0.00
51) 4-Nitrophenol-d4	14.97	143	703	0.27	ng/ul	0.10
57) Fluorene-d10	15.68	176	269527	19.34	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.80	200	38642	14.13	ng/ul	0.00
70) Anthracene-d10	17.54	188	416413	20.37	ng/ul	0.00
78) Pyrene-d10	19.83	212	474278	20.76	ng/ul	0.00
89) Benzo(a)pyrene-d12	24.77	264	530337	21.54	ng/ul	0.00

Target Compounds


				Ovalue	
6) Phenol	7.21	94	16358	2.787	ng/ul 93
44) Dimethylphthalate	14.14	163	81994	5.272	ng/ul 98
54) 2,4-Dinitrotoluene	14.69	165	26945	5.478	ng/ul# 42


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG080819\
Data File : BG042101.D
Acq On : 9 Aug 2019 14:00
Operator : HP/JU
Sample : K4041-07
Misc :
ALS Vial : 31 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :

Quant Time: Aug 10 02:29:36 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG080319MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Aug 09 16:22:05 2019
Response via : Initial Calibration





#6

Phenol

Concen: 2.787 ng/ul

RT: 7.21 min Scan# 702

Delta R.T. 0.01 min

Lab File: BG042101.D

Acq: 9 Aug 2019 14:00

Instrument :

BNA_G

ClientSampleId :


Tot Ion: 94 Resp: 16358

Ion Ratio Lower Upper




94 100

65 26.7 25.8 38.6

66 36.9 31.8 47.8



Abundance Ion 94.00 (93.70 to 94.70): BGC
Ion 65.00 (64.70 to 65.70): BGC
Ion 66.00 (65.70 to 66.70): BGC



#44

Dimethylphthalate

Concen: 5.272 ng/ul

RT: 14.14 min Scan# 1880

Delta R.T. 0.00 min

Lab File: BG042101.D

Acq: 9 Aug 2019 14:00


Tgt Ion:163 Resp: 81994

Ion Ratio Lower Upper



163 100


194 4.8 4.2 6.2

164 10.5 7.8 11.8



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E





#54
 2,4-Dinitrotoluene
 Concen: 5.478 ng/ul
 RT: 14.69 min Scan# 1974
 Delta R.T. -0.36 min
 Lab File: BG042101.D
 Acq: 9 Aug 2019 14:00

Instrument :
 BNA_G
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
165	100		
63	0.0	29.4	44.2#
182	0.0	2.6	4.0#

