

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG081019\
 Data File : BG042125.D
 Acq On : 10 Aug 2019 13:59
 Operator : HP/JU
 Sample : K4184-07
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 C0AA6

Quant Time: Aug 10 23:46:31 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG080319MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Aug 09 16:22:05 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.03	152	97132	20.00	ng/ul	0.00
18) Naphthalene-d8	10.85	136	394981	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.69	164	273263	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.44	188	579930	20.00	ng/ul	0.00
77) Chrysene-d12	21.72	240	564745	20.00	ng/ul	0.00
85) Perylene-d12	24.99	264	655205	20.00	ng/ul	0.00

System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.41	96	7257	3.27	ng/uL	0.00
5) Phenol-d5	7.18	99	26606	3.49	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.34	67	56400	13.23	ng/ul	0.00
9) 2-Chlorophenol-d4	7.56	132	83564	12.82	ng/ul	0.00
13) 4-Methylphenol-d8	8.74	113	50738	7.93	ng/ul	0.00
19) Nitrobenzene-d5	9.19	128	51539	17.33	ng/ul	0.00
22) 2-Nitrophenol-d4	9.92	143	62071	17.98	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.47	165	111928	16.06	ng/ul	0.00
29) 4-Chloroaniline-d4	10.99	131	9855	1.27	ng/ul	0.01
43) Dimethylphthalate-d6	14.08	166	389960	18.40	ng/ul	0.00
46) Acenaphthylene-d8	14.38	160	436276	18.02	ng/ul	0.00
51) 4-Nitrophenol-d4	14.89	143	10148	2.85	ng/ul	0.02
57) Fluorene-d10	15.68	176	345133	18.30	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.80	200	60345	16.22	ng/ul	0.00
70) Anthracene-d10	17.54	188	547880	19.69	ng/ul	0.00
78) Pyrene-d10	19.82	212	611977	19.42	ng/ul	0.00
89) Benzo(a)pyrene-d12	24.77	264	676249	19.76	ng/ul	0.00


Target Compounds					Ovalue	
44) Dimethylphthalate	14.13	163	110088	5.232	ng/ul	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG081019\
Data File : BG042125.D
Acq On : 10 Aug 2019 13:59
Operator : HP/JU
Sample : K4184-07
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
C0AA6

Quant Time: Aug 10 23:46:31 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG080319MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Aug 09 16:22:05 2019
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 5.232 ng/ul

RT: 14.13 min Scan# 1879

Delta R.T. -0.00 min

Lab File: BG042125.D

Acq: 10 Aug 2019 13:59

Instrument :

BNA_G

ClientSampleId :

C0AA6

Tot Ion:163 Resp: 110088

Ion Ratio Lower Upper

163 100

194 4.4 4.2 6.2

164 10.3 7.8 11.8

