

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG081023\
 Data File : BG058682.D
 Acq On : 10 Aug 2023 17:03
 Operator : MA/JU
 Sample : 03955-07
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 WC-24

Quant Time: Aug 11 01:56:05 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG072823.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jul 28 22:29:07 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.811	152	39928	20.000	ng	0.00
21) Naphthalene-d8	10.613	136	171257	20.000	ng	0.00
39) Acenaphthene-d10	14.462	164	122598	20.000	ng	0.00
64) Phenanthrene-d10	17.206	188	315976	20.000	ng	0.00
76) Chrysene-d12	21.448	240	292228	20.000	ng	0.00
86) Perylene-d12	24.521	264	337675	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.384	112	214628	82.160	ng	0.00
7) Phenol-d6	6.982	99	316115	86.965	ng	0.00
23) Nitrobenzene-d5	8.974	82	171486	49.191	ng	0.00
42) 2,4,6-Tribromophenol	15.948	330	148657	73.978	ng	0.00
45) 2-Fluorobiphenyl	13.075	172	392721	48.005	ng	0.00
79) Terphenyl-d14	19.820	244	787217	50.658	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG081023\
Data File : BG058682.D
Acq On : 10 Aug 2023 17:03
Operator : MA/JU
Sample : 03955-07
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
WC-24

Quant Time: Aug 11 01:56:05 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG072823.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jul 28 22:29:07 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.811 min Scan# 804
Delta R.T. -0.000 min
Lab File: BG058682.D
Acq: 10 Aug 2023 17:03




Instrument :
BNA_G
ClientSampleId :
WC-24


Tgt Ion:152 Resp: 39928
Ion Ratio Lower Upper
152 100
150 166.0 120.5 180.7
115 63.3 45.9 68.9



#5
2-Fluorophenol
Concen: 82.160 ng
RT: 5.384 min Scan# 391
Delta R.T. -0.000 min
Lab File: BG058682.D
Acq: 10 Aug 2023 17:03

Tgt Ion:112 Resp: 214628
Ion Ratio Lower Upper
112 100
64 70.1 55.3 82.9
63 36.7 28.3 42.5









#7
Phenol-d6
Concen: 86.965 ng
RT: 6.982 min Scan# 60
Delta R.T. -0.000 min
Lab File: BG058682.D
Acq: 10 Aug 2023 17:03




Instrument :
BNA_G
ClientSampleId :
WC-24

Tgt Ion: 99 Resp: 316115
Ion Ratio Lower Upper
99 100
42 19.1 14.6 21.8
71 31.5 25.0 37.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.613 min Scan# 1281
Delta R.T. -0.000 min
Lab File: BG058682.D
Acq: 10 Aug 2023 17:03

Tgt Ion: 136 Resp: 171257
Ion Ratio Lower Upper
136 100
137 11.4 8.6 13.0
54 9.9 8.9 13.3
68 7.4 5.6 8.4









#23
Nitrobenzene-d5
Concen: 49.191 ng
RT: 8.974 min Scan# 1002
Delta R.T. -0.006 min
Lab File: BG058682.D
Acq: 10 Aug 2023 17:03




Instrument :
BNA_G
ClientSampleId :
WC-24

Tgt Ion: 82 Resp: 171486
Ion Ratio Lower Upper
82 100
128 39.2 32.2 48.2
54 57.9 46.0 69.0



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.462 min Scan# 1936
Delta R.T. -0.000 min
Lab File: BG058682.D
Acq: 10 Aug 2023 17:03


Tgt Ion:164 Resp: 122598
Ion Ratio Lower Upper
164 100
162 96.8 78.3 117.5
160 43.1 34.1 51.1








#42
2,4,6-Tribromophenol
Concen: 73.978 ng
RT: 15.948 min Scan# 21
Delta R.T. -0.006 min
Lab File: BG058682.D
Acq: 10 Aug 2023 17:03

Instrument :
BNA_G
ClientSampleId :
WC-24







Tgt Ion:330 Resp: 148657
Ion Ratio Lower Upper
330 100
332 97.8 77.5 116.3
141 26.0 20.7 31.1



#45
2-Fluorobiphenyl
Concen: 48.005 ng
RT: 13.075 min Scan# 1700
Delta R.T. -0.006 min
Lab File: BG058682.D
Acq: 10 Aug 2023 17:03

Tgt Ion:172 Resp: 392721
Ion Ratio Lower Upper
172 100
171 34.8 28.0 42.0
170 22.4 18.4 27.6





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.206 min Scan# 2403

Delta R.T. -0.000 min

Lab File: BG058682.D

Acq: 10 Aug 2023 17:03

Instrument :

BNA_G

ClientSampleId :

WC-24





Tgt Ion:188 Resp: 315976

Ion Ratio Lower Upper

188 100

94 8.7 7.0 10.6

80 9.9 8.1 12.1



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.448 min Scan# 3125

Delta R.T. -0.000 min

Lab File: BG058682.D

Acq: 10 Aug 2023 17:03




Tgt Ion:240 Resp: 292228


Ion Ratio Lower Upper

240 100

120 9.7 7.4 11.0


236 26.7 22.2 33.4








#79
 Terphenyl-d14
 Concen: 50.658 ng
 RT: 19.820 min Scan# 21
 Delta R.T. -0.006 min
 Lab File: BG058682.D
 Acq: 10 Aug 2023 17:03


Instrument :
 BNA_G
 ClientSampleId :
 WC-24



Tgt Ion:244 Resp: 787217
 Ion Ratio Lower Upper
 244 100
 212 7.1 5.9 8.9
 122 8.7 6.8 10.2



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 24.521 min Scan# 3648
 Delta R.T. 0.005 min
 Lab File: BG058682.D
 Acq: 10 Aug 2023 17:03



Tgt Ion:264 Resp: 337675
 Ion Ratio Lower Upper
 264 100
 260 22.9 18.4 27.6
 265 22.1 17.9 26.9

