

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG081222\
 Data File : BG054620.D
 Acq On : 12 Aug 2022 13:21
 Operator : CG/JU
 Sample : N4046-09
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 BEACONPOINT-BACKFILL-05

Quant Time: Aug 13 00:36:57 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG071522.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Aug 13 00:32:40 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.967	152	16263	20.000	ng	# 0.00
21) Naphthalene-d8	10.776	136	60380	20.000	ng	# 0.00
39) Acenaphthene-d10	14.607	164	46752	20.000	ng	0.00
64) Phenanthrene-d10	17.356	188	129635	20.000	ng	# 0.00
76) Chrysene-d12	21.622	240	162695	20.000	ng	# 0.00
86) Perylene-d12	24.818	264	169415	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.559	112	76407	98.093	ng	0.00
7) Phenol-d6	7.168	99	101513	95.110	ng	0.00
23) Nitrobenzene-d5	9.137	82	67767	61.119	ng	0.00
42) 2,4,6-Tribromophenol	16.105	330	83085	84.641	ng	0.00
45) 2-Fluorobiphenyl	13.226	172	201543	60.814	ng	0.00
79) Terphenyl-d14	19.965	244	537028	65.482	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG081222\
Data File : BG054620.D
Acq On : 12 Aug 2022 13:21
Operator : CG/JU
Sample : N4046-09
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
BEACONPOINT-BACKFILL-05

Quant Time: Aug 13 00:36:57 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG071522.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Aug 13 00:32:40 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.967 min Scan# 84
Delta R.T. -0.001 min
Lab File: BG054620.D
Acq: 12 Aug 2022 13:21




Instrument :
BNA_G
ClientSampleId :
BEACONPOINT-BACKFILL-05


Tgt Ion:152 Resp: 16263
Ion Ratio Lower Upper
152 100
150 146.0 131.6 197.4
115 48.4 50.9 76.3#



#5
2-Fluorophenol
Concen: 98.093 ng
RT: 5.559 min Scan# 437
Delta R.T. 0.005 min
Lab File: BG054620.D
Acq: 12 Aug 2022 13:21

Tgt Ion:112 Resp: 76407
Ion Ratio Lower Upper
112 100
64 62.5 55.1 82.7
63 35.7 30.4 45.6









#7
Phenol-d6
Concen: 95.110 ng
RT: 7.168 min Scan# 71
Delta R.T. -0.001 min
Lab File: BG054620.D
Acq: 12 Aug 2022 13:21




Instrument :
BNA_G
ClientSampleId :
BEACONPOINT-BACKFILL-05


Tgt Ion: 99 Resp: 101513
Ion Ratio Lower Upper
99 100
42 20.9 17.0 25.6
71 42.8 33.8 50.8



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.776 min Scan# 1325
Delta R.T. -0.001 min
Lab File: BG054620.D
Acq: 12 Aug 2022 13:21

Tgt Ion: 136 Resp: 60380
Ion Ratio Lower Upper
136 100
137 11.4 8.5 12.7
54 6.6 7.4 11.2#
68 4.1 4.9 7.3#









#23
 Nitrobenzene-d5
 Concen: 61.119 ng
 RT: 9.137 min Scan# 1046
 Delta R.T. -0.001 min
 Lab File: BG054620.D
 Acq: 12 Aug 2022 13:21




Instrument :
 BNA_G
 ClientSampleId :
 BEACONPOINT-BACKFILL-05

Tgt Ion: 82 Resp: 67767
 Ion Ratio Lower Upper
 82 100
 128 40.5 27.9 41.9
 54 52.8 41.2 61.8



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.607 min Scan# 1977
 Delta R.T. -0.001 min
 Lab File: BG054620.D
 Acq: 12 Aug 2022 13:21

Tgt Ion: 164 Resp: 46752
 Ion Ratio Lower Upper
 164 100
 162 106.3 82.3 123.5
 160 43.1 34.2 51.2









#42
2,4,6-Tribromophenol
Concen: 84.641 ng
RT: 16.105 min Scan# 2168
Delta R.T. -0.006 min
Lab File: BG054620.D
Acq: 12 Aug 2022 13:21




Instrument :
BNA_G
ClientSampleId :
BEACONPOINT-BACKFILL-05


Tgt Ion:330 Resp: 83085
Ion Ratio Lower Upper
330 100
332 97.9 76.0 114.0
141 21.3 27.1 40.7#



#45
2-Fluorobiphenyl
Concen: 60.814 ng
RT: 13.226 min Scan# 1742
Delta R.T. -0.001 min
Lab File: BG054620.D
Acq: 12 Aug 2022 13:21

Tgt Ion:172 Resp: 201543
Ion Ratio Lower Upper
172 100
171 35.8 28.5 42.7
170 24.5 18.9 28.3









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.356 min Scan# 2445
Delta R.T. -0.001 min
Lab File: BG054620.D
Acq: 12 Aug 2022 13:21




Instrument :
BNA_G
ClientSampleId :
BEACONPOINT-BACKFILL-05


Tgt Ion:188 Resp: 129635
Ion Ratio Lower Upper
188 100
94 4.2 5.4 8.0#
80 4.7 6.8 10.2#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.622 min Scan# 3171
Delta R.T. -0.006 min
Lab File: BG054620.D
Acq: 12 Aug 2022 13:21

Tgt Ion:240 Resp: 162695
Ion Ratio Lower Upper
240 100
120 3.7 4.6 7.0#
236 24.7 20.2 30.4









#79
 Terphenyl-d14
 Concen: 65.482 ng
 RT: 19.965 min Scan# 21
 Delta R.T. -0.001 min
 Lab File: BG054620.D
 Acq: 12 Aug 2022 13:21

Instrument :
 BNA_G
 ClientSampleId :
 BEACONPOINT-BACKFILL-05

Tgt Ion:244 Resp: 537028
 Ion Ratio Lower Upper
 244 100
 212 7.1 6.5 9.7
 122 4.0 5.0 7.4#



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 24.818 min Scan# 3715
 Delta R.T. -0.006 min
 Lab File: BG054620.D
 Acq: 12 Aug 2022 13:21

Tgt Ion:264 Resp: 169415
 Ion Ratio Lower Upper
 264 100
 260 22.6 19.0 28.6
 265 22.4 17.4 26.2

