

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG081222\
 Data File : BG054623.D
 Acq On : 12 Aug 2022 15:26
 Operator : CG/JU
 Sample : N4046-21
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 BEACONPOINT-BACKFILL-11

Quant Time: Aug 13 00:38:25 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG071522.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Aug 13 00:32:40 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.967	152	16973	20.000	ng	0.00
21) Naphthalene-d8	10.776	136	64414	20.000	ng	# 0.00
39) Acenaphthene-d10	14.607	164	50671	20.000	ng	0.00
64) Phenanthrene-d10	17.356	188	137286	20.000	ng	# 0.00
76) Chrysene-d12	21.622	240	159005	20.000	ng	# 0.00
86) Perylene-d12	24.830	264	165011	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.558	112	87310	107.402	ng	0.00
7) Phenol-d6	7.168	99	116773	104.831	ng	0.00
23) Nitrobenzene-d5	9.137	82	80734	68.254	ng	0.00
42) 2,4,6-Tribromophenol	16.105	330	97677	91.810	ng	0.00
45) 2-Fluorobiphenyl	13.226	172	244467	68.060	ng	0.00
79) Terphenyl-d14	19.965	244	589109	73.499	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG081222\
Data File : BG054623.D
Acq On : 12 Aug 2022 15:26
Operator : CG/JU
Sample : N4046-21
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
BEACONPOINT-BACKFILL-11

Quant Time: Aug 13 00:38:25 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG071522.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Aug 13 00:32:40 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.967 min Scan# 84
Delta R.T. -0.001 min
Lab File: BG054623.D
Acq: 12 Aug 2022 15:26




Instrument :
BNA_G
ClientSampleId :
BEACONPOINT-BACKFILL-11


Tgt Ion:152 Resp: 16973
Ion Ratio Lower Upper
152 100
150 151.8 131.6 197.4
115 59.5 50.9 76.3



#5
2-Fluorophenol
Concen: 107.402 ng
RT: 5.558 min Scan# 437
Delta R.T. 0.005 min
Lab File: BG054623.D
Acq: 12 Aug 2022 15:26

Tgt Ion:112 Resp: 87310
Ion Ratio Lower Upper
112 100
64 62.4 55.1 82.7
63 37.0 30.4 45.6









#7
Phenol-d6
Concen: 104.831 ng
RT: 7.168 min Scan# 71
Delta R.T. -0.001 min
Lab File: BG054623.D
Acq: 12 Aug 2022 15:26




Instrument :
BNA_G
ClientSampleId :
BEACONPOINT-BACKFILL-11


Tgt Ion: 99 Resp: 116773
Ion Ratio Lower Upper
99 100
42 23.1 17.0 25.6
71 44.3 33.8 50.8



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.776 min Scan# 1325
Delta R.T. -0.001 min
Lab File: BG054623.D
Acq: 12 Aug 2022 15:26

Tgt Ion:136 Resp: 64414
Ion Ratio Lower Upper
136 100
137 11.5 8.5 12.7
54 7.6 7.4 11.2
68 3.4 4.9 7.3#









#23
Nitrobenzene-d5
Concen: 68.254 ng
RT: 9.137 min Scan# 1046
Delta R.T. -0.001 min
Lab File: BG054623.D
Acq: 12 Aug 2022 15:26




Instrument :
BNA_G
ClientSampleId :
BEACONPOINT-BACKFILL-11


Tgt Ion: 82 Resp: 80734
Ion Ratio Lower Upper
82 100
128 41.5 27.9 41.9
54 52.9 41.2 61.8



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.607 min Scan# 1977
Delta R.T. -0.001 min
Lab File: BG054623.D
Acq: 12 Aug 2022 15:26

Tgt Ion:164 Resp: 50671
Ion Ratio Lower Upper
164 100
162 101.6 82.3 123.5
160 42.9 34.2 51.2





#42

2,4,6-Tribromophenol

Concen: 91.810 ng

RT: 16.105 min Scan# 21

Delta R.T. -0.006 min

Lab File: BG054623.D

Acq: 12 Aug 2022 15:26

Instrument :

BNA_G

ClientSampleId :

BEACONPOINT-BACKFILL-11





Tgt Ion:330 Resp: 97677

Ion Ratio Lower Upper

330 100

332 97.2 76.0 114.0

141 21.4 27.1 40.7#



#45

2-Fluorobiphenyl

Concen: 68.060 ng

RT: 13.226 min Scan# 1742

Delta R.T. -0.001 min

Lab File: BG054623.D

Acq: 12 Aug 2022 15:26




Tgt Ion:172 Resp: 244467


Ion Ratio Lower Upper

172 100

171 36.8 28.5 42.7

170 24.4 18.9 28.3









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.356 min Scan# 2445
Delta R.T. -0.001 min
Lab File: BG054623.D
Acq: 12 Aug 2022 15:26




Instrument :
BNA_G
ClientSampleId :
BEACONPOINT-BACKFILL-11


Tgt Ion:188 Resp: 137286
Ion Ratio Lower Upper
188 100
94 4.6 5.4 8.0#
80 5.8 6.8 10.2#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.622 min Scan# 3171
Delta R.T. -0.006 min
Lab File: BG054623.D
Acq: 12 Aug 2022 15:26

Tgt Ion:240 Resp: 159005
Ion Ratio Lower Upper
240 100
120 3.8 4.6 7.0#
236 24.7 20.2 30.4









#79
 Terphenyl-d14
 Concen: 73.499 ng
 RT: 19.965 min Scan# 21
 Delta R.T. -0.001 min
 Lab File: BG054623.D
 Acq: 12 Aug 2022 15:26

Instrument :
 BNA_G
 ClientSampleId :
 BEACONPOINT-BACKFILL-11

Tgt Ion:244 Resp: 589109
 Ion Ratio Lower Upper
 244 100
 212 7.0 6.5 9.7
 122 4.6 5.0 7.4#



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 24.830 min Scan# 3717
 Delta R.T. 0.005 min
 Lab File: BG054623.D
 Acq: 12 Aug 2022 15:26

Tgt Ion:264 Resp: 165011
 Ion Ratio Lower Upper
 264 100
 260 24.3 19.0 28.6
 265 19.7 17.4 26.2

