

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG081523\
 Data File : BG058726.D
 Acq On : 15 Aug 2023 10:52
 Operator : MA/JU
 Sample : 03973-14
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SB-07-COMP

Quant Time: Aug 15 11:44:16 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG072823.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jul 28 22:29:07 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.812	152	49250	20.000	ng	0.00
21) Naphthalene-d8	10.609	136	192564	20.000	ng	0.00
39) Acenaphthene-d10	14.457	164	136373	20.000	ng	0.00
64) Phenanthrene-d10	17.201	188	387313	20.000	ng	0.00
76) Chrysene-d12	21.443	240	416542	20.000	ng	0.00
86) Perylene-d12	24.516	264	507665	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.380	112	195310	60.614	ng	0.00
7) Phenol-d6	6.984	99	239202	53.350	ng	0.00
23) Nitrobenzene-d5	8.975	82	141253	36.035	ng	0.00
42) 2,4,6-Tribromophenol	15.949	330	133105	59.548	ng	0.00
45) 2-Fluorobiphenyl	13.076	172	340386	37.405	ng	0.00
79) Terphenyl-d14	19.821	244	658571	29.732	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG081523\
Data File : BG058726.D
Acq On : 15 Aug 2023 10:52
Operator : MA/JU
Sample : 03973-14
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SB-07-COMP

Quant Time: Aug 15 11:44:16 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG072823.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jul 28 22:29:07 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.812 min Scan# 804
Delta R.T. 0.001 min
Lab File: BG058726.D
Acq: 15 Aug 2023 10:52




Instrument :
BNA_G
ClientSampleId :
SB-07-COMP


Tgt Ion:152 Resp: 49250
Ion Ratio Lower Upper
152 100
150 160.1 120.5 180.7
115 61.8 45.9 68.9



#5
2-Fluorophenol
Concen: 60.614 ng
RT: 5.380 min Scan# 390
Delta R.T. -0.005 min
Lab File: BG058726.D
Acq: 15 Aug 2023 10:52

Tgt Ion:112 Resp: 195310
Ion Ratio Lower Upper
112 100
64 73.6 55.3 82.9
63 38.1 28.3 42.5









#7
Phenol-d6
Concen: 53.350 ng
RT: 6.984 min Scan# 60
Delta R.T. 0.001 min
Lab File: BG058726.D
Acq: 15 Aug 2023 10:52




Instrument :
BNA_G
ClientSampleId :
SB-07-COMP


Tgt Ion: 99 Resp: 239202
Ion Ratio Lower Upper
99 100
42 19.1 14.6 21.8
71 33.2 25.0 37.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.609 min Scan# 1280
Delta R.T. -0.005 min
Lab File: BG058726.D
Acq: 15 Aug 2023 10:52

Tgt Ion: 136 Resp: 192564
Ion Ratio Lower Upper
136 100
137 10.9 8.6 13.0
54 11.8 8.9 13.3
68 7.0 5.6 8.4





#23
Nitrobenzene-d5
Concen: 36.035 ng
RT: 8.975 min Scan# 1002
Delta R.T. -0.005 min
Lab File: BG058726.D
Acq: 15 Aug 2023 10:52





Instrument :

BNA_G

ClientSampleId :




SB-07-COMP


Tgt Ion: 82 Resp: 141253
Ion Ratio Lower Upper
82 100
128 39.7 32.2 48.2
54 60.9 46.0 69.0



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.457 min Scan# 1935
Delta R.T. -0.005 min
Lab File: BG058726.D
Acq: 15 Aug 2023 10:52

Tgt Ion:164 Resp: 136373
Ion Ratio Lower Upper
164 100
162 99.4 78.3 117.5
160 44.0 34.1 51.1





#42

2,4,6-Tribromophenol

Concen: 59.548 ng

RT: 15.949 min Scan# 21

Delta R.T. -0.005 min

Lab File: BG058726.D

Acq: 15 Aug 2023 10:52

Instrument :

BNA_G

ClientSampleId :

SB-07-COMP





Tgt Ion:330 Resp: 133105

Ion Ratio Lower Upper

330 100

332 98.2 77.5 116.3

141 27.0 20.7 31.1



#45

2-Fluorobiphenyl

Concen: 37.405 ng

RT: 13.076 min Scan# 1700

Delta R.T. -0.005 min

Lab File: BG058726.D

Acq: 15 Aug 2023 10:52




Tgt Ion:172 Resp: 340386


Ion Ratio Lower Upper

172 100

171 35.0 28.0 42.0

170 23.0 18.4 27.6









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.201 min Scan# 24
Delta R.T. -0.005 min
Lab File: BG058726.D
Acq: 15 Aug 2023 10:52




Instrument :
BNA_G
ClientSampleId :
SB-07-COMP


Tgt Ion:188 Resp: 387313
Ion Ratio Lower Upper
188 100
94 8.6 7.0 10.6
80 10.1 8.1 12.1



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.443 min Scan# 3124
Delta R.T. -0.005 min
Lab File: BG058726.D
Acq: 15 Aug 2023 10:52

Tgt Ion:240 Resp: 416542
Ion Ratio Lower Upper
240 100
120 9.4 7.4 11.0
236 27.4 22.2 33.4









#79
 Terphenyl-d14
 Concen: 29.732 ng
 RT: 19.821 min Scan# 21
 Delta R.T. -0.005 min
 Lab File: BG058726.D
 Acq: 15 Aug 2023 10:52

Instrument :
 BNA_G
 ClientSampleId :
 SB-07-COMP

Tgt Ion:244 Resp: 658571
 Ion Ratio Lower Upper
 244 100
 212 6.8 5.9 8.9
 122 8.3 6.8 10.2



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 24.516 min Scan# 3647
 Delta R.T. 0.001 min
 Lab File: BG058726.D
 Acq: 15 Aug 2023 10:52

Tgt Ion:264 Resp: 507665
 Ion Ratio Lower Upper
 264 100
 260 23.8 18.4 27.6
 265 22.7 17.9 26.9

