

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG081523\
 Data File : BG058737.D
 Acq On : 15 Aug 2023 18:26
 Operator : MA/JU
 Sample : 03985-04
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PNNL-APM2-0811-2

Quant Time: Aug 16 04:51:45 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG072823.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jul 28 22:29:07 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.805	152	33009	20.000	ng	0.00
21) Naphthalene-d8	10.607	136	140837	20.000	ng	0.00
39) Acenaphthene-d10	14.456	164	104477	20.000	ng	0.00
64) Phenanthrene-d10	17.200	188	252281	20.000	ng	0.00
76) Chrysene-d12	21.448	240	218287	20.000	ng	0.00
86) Perylene-d12	24.520	264	258313	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.384	112	296254	137.178	ng	0.00
7) Phenol-d6	6.982	99	395014	131.448	ng	0.00
23) Nitrobenzene-d5	8.974	82	270136	94.226	ng	0.00
42) 2,4,6-Tribromophenol	15.948	330	225416	131.633	ng	0.00
45) 2-Fluorobiphenyl	13.075	172	639307	91.701	ng	0.00
79) Terphenyl-d14	19.826	244	1171422	100.917	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG081523\
Data File : BG058737.D
Acq On : 15 Aug 2023 18:26
Operator : MA/JU
Sample : 03985-04
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PNNL-APM2-0811-2

Quant Time: Aug 16 04:51:45 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG072823.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jul 28 22:29:07 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.805 min Scan# 804
Delta R.T. -0.006 min
Lab File: BG058737.D
Acq: 15 Aug 2023 18:26




Instrument :
BNA_G
ClientSampleId :
PNNL-APM2-0811-2


Tgt Ion:152 Resp: 33009
Ion Ratio Lower Upper
152 100
150 151.0 120.5 180.7
115 60.4 45.9 68.9



#5
2-Fluorophenol
Concen: 137.178 ng
RT: 5.384 min Scan# 391
Delta R.T. -0.001 min
Lab File: BG058737.D
Acq: 15 Aug 2023 18:26

Tgt Ion:112 Resp: 296254
Ion Ratio Lower Upper
112 100
64 76.3 55.3 82.9
63 39.1 28.3 42.5









#7
Phenol-d6
Concen: 131.448 ng
RT: 6.982 min Scan# 60
Delta R.T. -0.001 min
Lab File: BG058737.D
Acq: 15 Aug 2023 18:26




Instrument :
BNA_G
ClientSampleId :
PNNL-APM2-0811-2


Tgt Ion: 99 Resp: 395014
Ion Ratio Lower Upper
99 100
42 21.7 14.6 21.8
71 34.4 25.0 37.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.607 min Scan# 1280
Delta R.T. -0.006 min
Lab File: BG058737.D
Acq: 15 Aug 2023 18:26

Tgt Ion: 136 Resp: 140837
Ion Ratio Lower Upper
136 100
137 11.1 8.6 13.0
54 12.7 8.9 13.3
68 6.4 5.6 8.4









#23
Nitrobenzene-d5
Concen: 94.226 ng
RT: 8.974 min Scan# 1002
Delta R.T. -0.006 min
Lab File: BG058737.D
Acq: 15 Aug 2023 18:26




Instrument :
BNA_G
ClientSampleId :
PNNL-APM2-0811-2


Tgt Ion: 82 Resp: 270136
Ion Ratio Lower Upper
82 100
128 40.8 32.2 48.2
54 64.8 46.0 69.0



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.456 min Scan# 1935
Delta R.T. -0.006 min
Lab File: BG058737.D
Acq: 15 Aug 2023 18:26

Tgt Ion:164 Resp: 104477
Ion Ratio Lower Upper
164 100
162 95.8 78.3 117.5
160 42.0 34.1 51.1









#42
2,4,6-Tribromophenol
Concen: 131.633 ng
RT: 15.948 min Scan# 21
Delta R.T. -0.006 min
Lab File: BG058737.D
Acq: 15 Aug 2023 18:26




Instrument :
BNA_G
ClientSampleId :
PNNL-APM2-0811-2


Tgt Ion:330 Resp: 225416
Ion Ratio Lower Upper
330 100
332 96.3 77.5 116.3
141 28.9 20.7 31.1



#45
2-Fluorobiphenyl
Concen: 91.701 ng
RT: 13.075 min Scan# 1700
Delta R.T. -0.006 min
Lab File: BG058737.D
Acq: 15 Aug 2023 18:26

Tgt Ion:172 Resp: 639307
Ion Ratio Lower Upper
172 100
171 34.2 28.0 42.0
170 22.5 18.4 27.6









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.200 min Scan# 2403
Delta R.T. -0.006 min
Lab File: BG058737.D
Acq: 15 Aug 2023 18:26




Instrument :
BNA_G
ClientSampleId :
PNNL-APM2-0811-2


Tgt Ion:188 Resp: 252281
Ion Ratio Lower Upper
188 100
94 7.9 7.0 10.6
80 9.0 8.1 12.1



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.448 min Scan# 3125
Delta R.T. -0.001 min
Lab File: BG058737.D
Acq: 15 Aug 2023 18:26

Tgt Ion:240 Resp: 218287
Ion Ratio Lower Upper
240 100
120 8.5 7.4 11.0
236 25.7 22.2 33.4









#79
 Terphenyl-d14
 Concen: 100.917 ng
 RT: 19.826 min Scan# 21
 Delta R.T. -0.001 min
 Lab File: BG058737.D
 Acq: 15 Aug 2023 18:26

Instrument :
 BNA_G
 ClientSampleId :
 PNNL-APM2-0811-2

Tgt Ion:244 Resp: 1171422

Ion	Ratio	Lower	Upper
244	100		
212	7.6	5.9	8.9
122	8.0	6.8	10.2



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 24.520 min Scan# 3648
 Delta R.T. 0.005 min
 Lab File: BG058737.D
 Acq: 15 Aug 2023 18:26

Tgt Ion:264 Resp: 258313

Ion	Ratio	Lower	Upper
264	100		
260	22.8	18.4	27.6
265	22.3	17.9	26.9

