

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG082123\
 Data File : BG058789.D
 Acq On : 21 Aug 2023 11:43
 Operator : MA/JU
 Sample : 04086-03
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 B-PP07A

Quant Time: Aug 22 01:24:39 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG081823.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Aug 21 01:40:57 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.812	152	29547	20.000	ng	0.00
21) Naphthalene-d8	10.608	136	125203	20.000	ng	0.00
39) Acenaphthene-d10	14.457	164	91404	20.000	ng	0.00
64) Phenanthrene-d10	17.206	188	227435	20.000	ng	0.00
76) Chrysene-d12	21.443	240	203021	20.000	ng	0.00
86) Perylene-d12	24.521	264	243895	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.379	112	152791	83.217	ng	0.00
7) Phenol-d6	6.977	99	199294	77.365	ng	0.00
23) Nitrobenzene-d5	8.975	82	123126	47.280	ng	0.00
42) 2,4,6-Tribromophenol	15.949	330	101556	70.860	ng	0.00
45) 2-Fluorobiphenyl	13.076	172	311380	49.548	ng	0.00
79) Terphenyl-d14	19.821	244	594693	52.597	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG082123\
Data File : BG058789.D
Acq On : 21 Aug 2023 11:43
Operator : MA/JU
Sample : 04086-03
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
B-PP07A

Quant Time: Aug 22 01:24:39 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG081823.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Aug 21 01:40:57 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.812 min Scan# 804
Delta R.T. -0.000 min
Lab File: BG058789.D
Acq: 21 Aug 2023 11:43




Instrument :
BNA_G
ClientSampleId :
B-PP07A


Tgt Ion:152 Resp: 29547
Ion Ratio Lower Upper
152 100
150 152.2 128.6 192.8
115 60.5 50.4 75.6



#5
2-Fluorophenol
Concen: 83.217 ng
RT: 5.379 min Scan# 390
Delta R.T. -0.001 min
Lab File: BG058789.D
Acq: 21 Aug 2023 11:43

Tgt Ion:112 Resp: 152791
Ion Ratio Lower Upper
112 100
64 72.4 60.6 90.8
63 37.9 31.0 46.4









#7
Phenol-d6
Concen: 77.365 ng
RT: 6.977 min Scan# 60
Delta R.T. -0.007 min
Lab File: BG058789.D
Acq: 21 Aug 2023 11:43




Instrument :
BNA_G
ClientSampleId :
B-PP07A


Tgt Ion: 99 Resp: 199294
Ion Ratio Lower Upper
99 100
42 23.2 16.5 24.7
71 35.6 28.4 42.6



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.608 min Scan# 1280
Delta R.T. -0.001 min
Lab File: BG058789.D
Acq: 21 Aug 2023 11:43

Tgt Ion: 136 Resp: 125203
Ion Ratio Lower Upper
136 100
137 10.8 8.7 13.1
54 12.5 10.1 15.1
68 6.4 5.2 7.8





#23
 Nitrobenzene-d5
 Concen: 47.280 ng
 RT: 8.975 min Scan# 10
 Delta R.T. -0.001 min
 Lab File: BG058789.D
 Acq: 21 Aug 2023 11:43





Instrument :

BNA_G

ClientSampleId :




B-PP07A


Tgt Ion: 82 Resp: 123126
 Ion Ratio Lower Upper
 82 100
 128 40.1 33.2 49.8
 54 63.5 51.2 76.8



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.457 min Scan# 1935
 Delta R.T. -0.001 min
 Lab File: BG058789.D
 Acq: 21 Aug 2023 11:43

Tgt Ion:164 Resp: 91404
 Ion Ratio Lower Upper
 164 100
 162 98.4 79.6 119.4
 160 43.1 34.0 51.0









#42
2,4,6-Tribromophenol
Concen: 70.860 ng
RT: 15.949 min Scan# 2189
Delta R.T. -0.001 min
Lab File: BG058789.D
Acq: 21 Aug 2023 11:43




Instrument :
BNA_G
ClientSampleId :
B-PP07A


Tgt Ion:330 Resp: 101556
Ion Ratio Lower Upper
330 100
332 98.0 78.5 117.7
141 27.4 23.0 34.6



#45
2-Fluorobiphenyl
Concen: 49.548 ng
RT: 13.076 min Scan# 1700
Delta R.T. -0.001 min
Lab File: BG058789.D
Acq: 21 Aug 2023 11:43

Tgt Ion:172 Resp: 311380
Ion Ratio Lower Upper
172 100
171 35.0 28.1 42.1
170 22.6 18.6 27.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.206 min Scan# 2403
Delta R.T. -0.001 min
Lab File: BG058789.D
Acq: 21 Aug 2023 11:43




Instrument :
BNA_G
ClientSampleId :
B-PP07A


Tgt Ion:188 Resp: 227435
Ion Ratio Lower Upper
188 100
94 7.0 6.1 9.1
80 8.2 6.9 10.3



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.443 min Scan# 3124
Delta R.T. -0.007 min
Lab File: BG058789.D
Acq: 21 Aug 2023 11:43


Tgt Ion:240 Resp: 203021
Ion Ratio Lower Upper
240 100
120 8.7 6.2 9.2
236 26.1 20.5 30.7








#79
 Terphenyl-d14
 Concen: 52.597 ng
 RT: 19.821 min Scan# 2848
 Delta R.T. -0.007 min
 Lab File: BG058789.D
 Acq: 21 Aug 2023 11:43


Instrument :
 BNA_G
 ClientSampleId :
 B-PP07A



Tgt Ion:244 Resp: 594693
 Ion Ratio Lower Upper
 244 100
 212 7.6 6.2 9.2
 122 7.9 6.3 9.5



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 24.521 min Scan# 3648
 Delta R.T. -0.001 min
 Lab File: BG058789.D
 Acq: 21 Aug 2023 11:43



Tgt Ion:264 Resp: 243895
 Ion Ratio Lower Upper
 264 100
 260 22.5 18.2 27.2
 265 21.0 16.4 24.6

