

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG082318\
 Data File : BG036373.D
 Acq On : 23 Aug 2018 10:54
 Operator : JU/SJ
 Sample : J4540-08
 Misc :
 ALS Vial : 41 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 081618-DBRI-E-U-S

Quant Time: Aug 23 12:49:16 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG082318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Aug 23 12:07:02 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.07	152	46119	20.00	ng	0.00
21) Naphthalene-d8	10.88	136	187864	20.00	ng	0.00
38) Acenaphthene-d10	14.69	164	121543	20.00	ng	0.00
63) Phenanthrene-d10	17.44	188	310206	20.00	ng	0.00
75) Chrysene-d12	21.71	240	363604	20.00	ng	0.00
86) Perylene-d12	24.93	264	366866	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.63	112	137342	47.24	ng	0.00
7) Phenol-d6	7.22	99	120197	28.88	ng	0.00
23) Nitrobenzene-d5	9.23	82	374965	108.29	ng	0.00
41) 2,4,6-Tribromophenol	16.18	330	157204	108.40	ng	0.00
44) 2-Fluorobiphenyl	13.32	172	885808	104.06	ng	0.00
78) Terphenyl-d14	20.05	244	1496908	96.23	ng	0.00
Target Compounds						
49) Dimethylphthalate	14.14	163	26200	2.640	ng	Qvalue # 96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG082318\
Data File : BG036373.D
Acq On : 23 Aug 2018 10:54
Operator : JU/SJ
Sample : J4540-08
Misc :
ALS Vial : 41 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
081618-DBRI-E-U-S

Quant Time: Aug 23 12:49:16 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG082318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 23 12:07:02 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.07 min Scan# 814
Delta R.T. -0.00 min
Lab File: BG036373.D
Acq: 23 Aug 2018 10:54

Instrument :
BNA_G
ClientSampleId :
081618-DBRI-E-U-S

Tot Ion:152 Resp: 46119
Ion Ratio Lower Upper
152 100
150 162.5 119.5 179.3
115 59.9 44.5 66.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 47.240 ng
RT: 5.63 min Scan# 399
Delta R.T. -0.00 min
Lab File: BG036373.D
Acq: 23 Aug 2018 10:54

Tgt Ion:112 Resp: 137342
Ion Ratio Lower Upper
112 100
64 70.4 57.2 85.8
63 36.8 30.8 46.2



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 28.876 ng

RT: 7.22 min Scan# 669

Delta R.T. -0.00 min

Lab File: BG036373.D

Acq: 23 Aug 2018 10:54

Instrument :

BNA_G

ClientSampleId :

081618-DBRI-E-U-S


Tot Ion: 99 Resp: 120197

Ion Ratio Lower Upper




99 100

42 19.4 16.5 24.7

71 37.0 29.4 44.2



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.88 min Scan# 1292

Delta R.T. -0.00 min

Lab File: BG036373.D

Acq: 23 Aug 2018 10:54

Tgt Ion: 136 Resp: 187864


Ion Ratio Lower Upper

136 100



137 11.5 8.8 13.2


54 10.7 9.2 13.8

68 6.2 5.8 8.6



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 108.293 ng
RT: 9.23 min Scan# 1011
Delta R.T. -0.01 min
Lab File: BG036373.D
Acq: 23 Aug 2018 10:54

Instrument :
BNA_G
ClientSampleId :
081618-DBRI-E-U-S

Tot Ion	82	Resp	374965
Ion Ratio	Lower	Upper	
82	100		
128	38.8	33.3	49.9
54	57.5	45.1	67.7




Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC






#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.69 min Scan# 1941
Delta R.T. -0.01 min
Lab File: BG036373.D
Acq: 23 Aug 2018 10:54

Tgt Ion	164	Resp	121543
Ion Ratio	Lower	Upper	
164	100		
162	101.4	80.7	121.1
160	42.7	35.3	52.9



Abundance Ion 164.00 (163.70 to 164.70): BGC
Ion 162.00 (161.70 to 162.70): BGC
Ion 160.00 (159.70 to 160.70): BGC









#41
 2,4,6-Tribromophenol
 Concen: 108.396 ng
 RT: 16.18 min Scan# 2194
 Delta R.T. -0.00 min
 Lab File: BG036373.D
 Acq: 23 Aug 2018 10:54

Instrument :
 BNA_G
 ClientSampleId :
 081618-DBRI-E-U-S

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.7	75.4	113.2
141	39.0	30.7	46.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 104.060 ng
 RT: 13.32 min Scan# 1708
 Delta R.T. -0.00 min
 Lab File: BG036373.D
 Acq: 23 Aug 2018 10:54

Tgt Ion	Ratio	Lower	Upper
172	100		
171	40.2	31.3	46.9
170	25.6	21.0	31.6



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 2.640 ng

RT: 14.14 min Scan# 1847

Delta R.T. -0.02 min

Lab File: BG036373.D

Acq: 23 Aug 2018 10:54

Instrument :

BNA_G

ClientSampleId :

081618-DBRI-E-U-S


Tot Ion:163 Resp: 26200

Ion Ratio Lower Upper

163 100

194 4.6 4.0 6.0




164 12.2 8.1 12.1#



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.44 min Scan# 2408

Delta R.T. -0.00 min

Lab File: BG036373.D

Acq: 23 Aug 2018 10:54


Tgt Ion:188 Resp: 310206

Ion Ratio Lower Upper

188 100

94 8.4 6.7 10.1



80 9.7 8.1 12.1




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC





#75

Chrysene-d12

Concen: 20.000 ng

RT: 21.71 min Scan# 3135

Delta R.T. -0.00 min

Lab File: BG036373.D

Acq: 23 Aug 2018 10:54

Instrument :

BNA_G

ClientSampleId :

081618-DBRI-E-U-S


Tot Ion:240 Resp: 363604

Ion Ratio Lower Upper

240 100

120 8.0 6.9 10.3




236 24.9 21.2 31.8



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 96.225 ng

RT: 20.05 min Scan# 2853

Delta R.T. -0.00 min

Lab File: BG036373.D

Acq: 23 Aug 2018 10:54


Tgt Ion:244 Resp: 1496908

Ion Ratio Lower Upper

244 100

212 9.3 7.0 10.6



122 9.3 7.1 10.7




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Pervlene-d12
Concen: 20.000 ng
RT: 24.93 min Scan# 3683
Delta R.T. -0.01 min
Lab File: BG036373.D
Acq: 23 Aug 2018 10:54

Instrument :
BNA_G
ClientSampleId :
081618-DBRI-E-U-S

Tot Ion:	264	Resp:	366866
Ion	Ratio	Lower	Upper
264	100		
260	22.8	19.6	29.4
265	21.4	17.4	26.0

