

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG082323\
 Data File : BG058817.D
 Acq On : 23 Aug 2023 11:21
 Operator : MA/JU
 Sample : PB154929BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB154929BL

Quant Time: Aug 23 12:22:15 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG081823.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Aug 21 01:40:57 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.806	152	19896	20.000	ng	0.00
21) Naphthalene-d8	10.609	136	87101	20.000	ng	0.00
39) Acenaphthene-d10	14.457	164	69909	20.000	ng	0.00
64) Phenanthrene-d10	17.201	188	177035	20.000	ng	0.00
76) Chrysene-d12	21.449	240	151772	20.000	ng	0.00
86) Perylene-d12	24.528	264	179737	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.385	112	186823	151.109	ng	0.00
7) Phenol-d6	6.983	99	257085	148.209	ng	0.00
23) Nitrobenzene-d5	8.975	82	159346	87.955	ng	0.00
42) 2,4,6-Tribromophenol	15.949	330	153178	139.741	ng	0.00
45) 2-Fluorobiphenyl	13.076	172	404927	84.245	ng	0.00
79) Terphenyl-d14	19.821	244	787065	93.116	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG082323\
Data File : BG058817.D
Acq On : 23 Aug 2023 11:21
Operator : MA/JU
Sample : PB154929BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB154929BL

Quant Time: Aug 23 12:22:15 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG081823.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Aug 21 01:40:57 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.806 min Scan# 804
Delta R.T. -0.006 min
Lab File: BG058817.D
Acq: 23 Aug 2023 11:21




Instrument :
BNA_G
ClientSampleId :
PB154929BL


Tgt Ion:152 Resp: 19896
Ion Ratio Lower Upper
152 100
150 156.9 128.6 192.8
115 62.6 50.4 75.6



#5
2-Fluorophenol
Concen: 151.109 ng
RT: 5.385 min Scan# 391
Delta R.T. 0.005 min
Lab File: BG058817.D
Acq: 23 Aug 2023 11:21

Tgt Ion:112 Resp: 186823
Ion Ratio Lower Upper
112 100
64 71.1 60.6 90.8
63 38.2 31.0 46.4









#7
Phenol-d6
Concen: 148.209 ng
RT: 6.983 min Scan# 60
Delta R.T. -0.000 min
Lab File: BG058817.D
Acq: 23 Aug 2023 11:21




Instrument :
BNA_G
ClientSampleId :
PB154929BL


Tgt Ion: 99 Resp: 257085
Ion Ratio Lower Upper
99 100
42 23.3 16.5 24.7
71 37.1 28.4 42.6



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.609 min Scan# 1280
Delta R.T. -0.000 min
Lab File: BG058817.D
Acq: 23 Aug 2023 11:21

Tgt Ion: 136 Resp: 87101
Ion Ratio Lower Upper
136 100
137 10.9 8.7 13.1
54 11.5 10.1 15.1
68 5.9 5.2 7.8





#23
Nitrobenzene-d5
Concen: 87.955 ng
RT: 8.975 min Scan# 1002
Delta R.T. -0.000 min
Lab File: BG058817.D
Acq: 23 Aug 2023 11:21





Instrument :

BNA_G

ClientSampleId :




PB154929BL


Tgt Ion: 82 Resp: 159346
Ion Ratio Lower Upper
82 100
128 40.0 33.2 49.8
54 65.3 51.2 76.8



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.457 min Scan# 1935
Delta R.T. -0.000 min
Lab File: BG058817.D
Acq: 23 Aug 2023 11:21


Tgt Ion:164 Resp: 69909
Ion Ratio Lower Upper
164 100
162 96.2 79.6 119.4
160 44.7 34.0 51.0








#42
2,4,6-Tribromophenol
Concen: 139.741 ng
RT: 15.949 min Scan# 21
Delta R.T. -0.000 min
Lab File: BG058817.D
Acq: 23 Aug 2023 11:21


Instrument :
BNA_G
ClientSampleId :
PB154929BL





Tgt Ion:330 Resp: 153178
Ion Ratio Lower Upper
330 100
332 97.4 78.5 117.7
141 29.5 23.0 34.6




#45
2-Fluorobiphenyl
Concen: 84.245 ng
RT: 13.076 min Scan# 1700
Delta R.T. -0.001 min
Lab File: BG058817.D
Acq: 23 Aug 2023 11:21



Tgt Ion:172 Resp: 404927
Ion Ratio Lower Upper
172 100
171 34.3 28.1 42.1
170 22.8 18.6 27.8





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.201 min Scan# 2402

Delta R.T. -0.006 min

Lab File: BG058817.D

Acq: 23 Aug 2023 11:21

Instrument :

BNA_G

ClientSampleId :

PB154929BL





Tgt Ion:188 Resp: 177035

Ion Ratio Lower Upper

188 100

94 7.0 6.1 9.1

80 8.5 6.9 10.3



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.449 min Scan# 3125

Delta R.T. -0.000 min

Lab File: BG058817.D

Acq: 23 Aug 2023 11:21




Tgt Ion:240 Resp: 151772


Ion Ratio Lower Upper

240 100

120 7.2 6.2 9.2


236 26.3 20.5 30.7








#79
 Terphenyl-d14
 Concen: 93.116 ng
 RT: 19.821 min Scan# 21
 Delta R.T. -0.006 min
 Lab File: BG058817.D
 Acq: 23 Aug 2023 11:21

Instrument :
 BNA_G
 ClientSampleId :
 PB154929BL



Tgt Ion:244 Resp: 787065
 Ion Ratio Lower Upper
 244 100
 212 7.7 6.2 9.2
 122 8.1 6.3 9.5



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 24.528 min Scan# 3649
 Delta R.T. 0.005 min
 Lab File: BG058817.D
 Acq: 23 Aug 2023 11:21

Tgt Ion:264 Resp: 179737
 Ion Ratio Lower Upper
 264 100
 260 21.5 18.2 27.2
 265 19.9 16.4 24.6

