

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG082418\
 Data File : BG036407.D
 Acq On : 24 Aug 2018 10:31
 Operator : JU/SJ
 Sample : J4568-04
 Misc :
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 081718-SIDI-E-U-S

Quant Time: Aug 24 12:11:30 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG082318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Aug 23 12:07:02 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.06	152	50805	20.00	ng	0.00
21) Naphthalene-d8	10.87	136	208958	20.00	ng	0.00
38) Acenaphthene-d10	14.69	164	136559	20.00	ng	0.00
63) Phenanthrene-d10	17.44	188	347431	20.00	ng	0.00
75) Chrysene-d12	21.70	240	398287	20.00	ng	-0.02
86) Perylene-d12	24.91	264	410635	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.63	112	153983	48.08	ng	0.00
7) Phenol-d6	7.22	99	136094	29.68	ng	0.00
23) Nitrobenzene-d5	9.23	82	427981	111.13	ng	0.00
41) 2,4,6-Tribromophenol	16.17	330	184245	113.07	ng	0.00
44) 2-Fluorobiphenyl	13.32	172	1007078	105.30	ng	0.00
78) Terphenyl-d14	20.04	244	1515177	88.92	ng	0.00
Target Compounds						
49) Dimethylphthalate	14.14	163	27602	2.475	ng	Qvalue 100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG082418\
Data File : BG036407.D
Acq On : 24 Aug 2018 10:31
Operator : JU/SJ
Sample : J4568-04
Misc :
ALS Vial : 28 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
081718-SIDI-E-U-S

Quant Time: Aug 24 12:11:30 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG082318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 23 12:07:02 2018
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.06 min Scan# 813
Delta R.T. -0.01 min
Lab File: BG036407.D
Acq: 24 Aug 2018 10:31

Instrument :
BNA_G
ClientSampleId :
081718-SIDI-E-U-S

Tot Ion	Ratio	Lower	Upper
152	100		
150	147.8	119.5	179.3
115	56.6	44.5	66.7






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 48.078 ng
RT: 5.63 min Scan# 399
Delta R.T. -0.00 min
Lab File: BG036407.D
Acq: 24 Aug 2018 10:31

Tgt Ion	Ratio	Lower	Upper
112	100		
64	67.6	57.2	85.8
63	37.3	30.8	46.2






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BG

Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 29.679 ng

RT: 7.22 min Scan# 669

Delta R.T. -0.00 min

Lab File: BG036407.D

Acq: 24 Aug 2018 10:31

Instrument :

BNA_G

ClientSampleId :

081718-SIDI-E-U-S


Tot Ion: 99 Resp: 136094

Ion Ratio Lower Upper



99 100

42 18.5 16.5 24.7

71 35.5 29.4 44.2



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.87 min Scan# 1291

Delta R.T. -0.01 min

Lab File: BG036407.D

Acq: 24 Aug 2018 10:31

Tgt Ion: 136 Resp: 208958


Ion Ratio Lower Upper

136 100



137 10.6 8.8 13.2

54 10.3 9.2 13.8

68 5.8 5.8 8.6



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 111.127 ng
 RT: 9.23 min Scan# 1011
 Delta R.T. -0.01 min
 Lab File: BG036407.D
 Acq: 24 Aug 2018 10:31




Instrument :
 BNA_G
 ClientSampleId :
 081718-SIDI-E-U-S

Tot Ion: 82 Resp: 427981
 Ion Ratio Lower Upper
 82 100
 128 42.9 33.3 49.9
 54 57.7 45.1 67.7



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.69 min Scan# 1941
 Delta R.T. -0.01 min
 Lab File: BG036407.D
 Acq: 24 Aug 2018 10:31

Tgt Ion:164 Resp: 136559
 Ion Ratio Lower Upper
 164 100
 162 104.3 80.7 121.1
 160 45.7 35.3 52.9








#41
 2,4,6-Tribromophenol
 Concen: 113.072 ng
 RT: 16.17 min Scan# 2193
 Delta R.T. -0.01 min
 Lab File: BG036407.D
 Acq: 24 Aug 2018 10:31

Instrument :
 BNA_G
 ClientSampleId :
 081718-SIDI-E-U-S

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.1	75.4	113.2
141	38.4	30.7	46.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 105.297 ng
 RT: 13.32 min Scan# 1707
 Delta R.T. -0.01 min
 Lab File: BG036407.D
 Acq: 24 Aug 2018 10:31

Tgt Ion	Ratio	Lower	Upper
172	100		
171	39.4	31.3	46.9
170	26.1	21.0	31.6



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 2.475 ng

RT: 14.14 min Scan# 1847

Delta R.T. -0.02 min

Lab File: BG036407.D

Acq: 24 Aug 2018 10:31

Instrument :

BNA_G

ClientSampleId :

081718-SIDI-E-U-S


Tot Ion:163 Resp: 27602

Ion Ratio Lower Upper

163 100

194 4.6 4.0 6.0




164 10.0 8.1 12.1



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.44 min Scan# 2408

Delta R.T. -0.00 min

Lab File: BG036407.D

Acq: 24 Aug 2018 10:31


Tgt Ion:188 Resp: 347431

Ion Ratio Lower Upper

188 100

94 7.9 6.7 10.1



80 8.5 8.1 12.1




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC





#75

Chrysene-d12

Concen: 20.000 ng

RT: 21.70 min Scan# 3133

Delta R.T. -0.02 min

Lab File: BG036407.D

Acq: 24 Aug 2018 10:31

Instrument :

BNA_G

ClientSampleId :

081718-SIDI-E-U-S


Tot Ion:240 Resp: 398287

Ion Ratio Lower Upper

240 100

120 8.5 6.9 10.3




236 25.9 21.2 31.8



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 88.918 ng

RT: 20.04 min Scan# 2852

Delta R.T. -0.01 min

Lab File: BG036407.D

Acq: 24 Aug 2018 10:31


Tgt Ion:244 Resp: 1515177

Ion Ratio Lower Upper

244 100

212 9.3 7.0 10.6



122 9.3 7.1 10.7




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Pervlene-d12
Concen: 20.000 ng
RT: 24.91 min Scan# 3681
Delta R.T. -0.02 min
Lab File: BG036407.D
Acq: 24 Aug 2018 10:31

Instrument :
BNA_G
ClientSampleId :
081718-SIDI-E-U-S

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.0	19.6	29.4
265	21.8	17.4	26.0



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

