

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG082522\
 Data File : BG054736.D
 Acq On : 25 Aug 2022 14:12
 Operator : CG/JU
 Sample : SSTDICC020
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SSTDICC020

Quant Time: Aug 25 16:03:23 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG082522.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Aug 25 16:00:11 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.152	152	44576	20.000	ng	0.00
21) Naphthalene-d8	10.979	136	179131	20.000	ng	0.00
39) Acenaphthene-d10	14.786	164	117986	20.000	ng	0.00
64) Phenanthrene-d10	17.530	188	271235	20.000	ng	0.00
76) Chrysene-d12	21.825	240	267705	20.000	ng	0.00
86) Perylene-d12	25.197	264	283838	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.685	112	109239	46.180	ng	0.00
7) Phenol-d6	7.295	99	148033	44.662	ng	0.00
23) Nitrobenzene-d5	9.322	82	142167	45.229	ng	0.00
42) 2,4,6-Tribromophenol	16.266	330	60709	64.250	ng	0.00
45) 2-Fluorobiphenyl	13.411	172	331551	41.441	ng	0.00
79) Terphenyl-d14	20.133	244	585103	43.417	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	3.534	88	26633	21.898	ng	98
3) Pyridine	3.946	79	72585	21.316	ng	99
4) n-Nitrosodimethylamine	3.863	42	30462	20.422	ng	# 97
6) Aniline	7.471	93	87742	21.218	ng	99
8) 2-Chlorophenol	7.712	128	58837	23.353	ng	99
9) Benzaldehyde	7.283	77	47748	20.836	ng	96
10) Phenol	7.318	94	76722	22.347	ng	97
11) bis(2-Chloroethyl)ether	7.565	93	61220	20.862	ng	99
12) 1,3-Dichlorobenzene	8.041	146	69055	21.352	ng	98
13) 1,4-Dichlorobenzene	8.188	146	69354	21.280	ng	99
14) 1,2-Dichlorobenzene	8.511	146	65718	21.381	ng	98
15) Benzyl Alcohol	8.387	79	53537	23.178	ng	95
16) 2,2'-oxybis(1-Chloropr...	8.675	45	95276	20.925	ng	99
17) 2-Methylphenol	8.587	107	51859	22.404	ng	99
18) Hexachloroethane	9.245	117	24947	23.177	ng	96
19) n-Nitroso-di-n-propyla...	8.952	70	50210	21.531	ng	97
20) 3+4-Methylphenols	8.916	107	72407	23.432	ng	96
22) Acetophenone	8.975	105	92954	20.604	ng	100
24) Nitrobenzene	9.369	77	70977	21.963	ng	98
25) Isophorone	9.886	82	130235	21.739	ng	99
26) 2-Nitrophenol	10.080	139	30461	36.449	ng	93
27) 2,4-Dimethylphenol	10.127	122	51458	23.547	ng	98
28) bis(2-Chloroethoxy)met...	10.368	93	74633	21.089	ng	99
29) 2,4-Dichlorophenol	10.614	162	56203	23.970	ng	100
30) 1,2,4-Trichlorobenzene	10.838	180	64375	20.603	ng	97
31) Naphthalene	11.031	128	198252	20.564	ng	99
32) Benzoic acid	10.215	122	24200	22.018	ng	99
33) 4-Chloroaniline	11.131	127	80727	21.215	ng	99
34) Hexachlorobutadiene	11.308	225	41201	20.887	ng	96
35) Caprolactam	11.883	113	19608	26.783	ng	93
36) 4-Chloro-3-methylphenol	12.236	107	61526	24.693	ng	97
37) 2-Methylnaphthalene	12.624	142	139688	21.091	ng	98
38) 1-Methylnaphthalene	12.841	142	135607	21.172	ng	99
40) 1,2,4,5-Tetrachloroben...	12.988	216	73055	20.055	ng	99
41) Hexachlorocyclopentadiene	12.964	237	37732	24.920	ng	98
43) 2,4,6-Trichlorophenol	13.223	196	47879	25.019	ng	99

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG082522\
 Data File : BG054736.D
 Acq On : 25 Aug 2022 14:12
 Operator : CG/JU
 Sample : SSTDICC020
 Misc :
 ALS Vial : 5 Sample Multiplier: 1


Instrument :
 BNA_G
 ClientSampleId :
 SSTDICC020


Quant Time: Aug 25 16:03:23 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG082522.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Aug 25 16:00:11 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	13.288	196	54344	25.091	ng	98
46) 1,1'-Biphenyl	13.623	154	179764	20.136	ng	99
47) 2-Chloronaphthalene	13.670	162	138178	20.290	ng	98
48) 2-Nitroaniline	13.863	65	42435	30.955	ng	96
49) Acenaphthylene	14.510	152	227984	20.596	ng	100
50) Dimethylphthalate	14.228	163	192210	24.193	ng	100
51) 2,6-Dinitrotoluene	14.351	165	38481	26.631	ng	94
52) Acenaphthene	14.850	154	144617	21.309	ng	98
53) 3-Nitroaniline	14.686	138	43275	25.971	ng	96
54) 2,4-Dinitrophenol	14.886	184	15486	30.049	ng	93
55) Dibenzofuran	15.180	168	216266	21.027	ng	99
56) 4-Nitrophenol	14.974	139	33865	27.343	ng	97
57) 2,4-Dinitrotoluene	15.133	165	53012	28.579	ng	93
58) Fluorene	15.832	166	183325	21.561	ng	98
59) 2,3,4,6-Tetrachlorophenol	15.403	232	48606	26.955	ng	96
60) Diethylphthalate	15.585	149	192090	24.786	ng	99
61) 4-Chlorophenyl-phenyle...	15.820	204	90069	21.392	ng	100
62) 4-Nitroaniline	15.843	138	44626	24.576	ng	97
63) Azobenzene	16.114	77	180883	21.016	ng	97
65) 4,6-Dinitro-2-methylph...	15.896	198	26675	32.196	ng	98
66) n-Nitrosodiphenylamine	16.031	169	162761	21.117	ng	98
67) 4-Bromophenyl-phenylether	16.713	248	62272	23.850	ng	99
68) Hexachlorobenzene	16.831	284	69275	21.028	ng	97
69) Atrazine	16.972	200	57467	25.160	ng	100
70) Pentachlorophenol	17.171	266	36175	23.771	ng	98
71) Phenanthrene	17.571	178	303876	21.018	ng	99
72) Anthracene	17.665	178	295051	21.061	ng	99
73) Carbazole	17.929	167	275534	22.106	ng	98
74) Di-n-butylphthalate	18.482	149	351746	26.453	ng	98
75) Fluoranthene	19.580	202	377718	22.160	ng	98
77) Benzidine	19.756	184	138739	23.869	ng	98
78) Pyrene	19.939	202	390544	20.682	ng	99
80) Butylbenzylphthalate	20.814	149	161135	31.015	ng	97
81) Benzo(a)anthracene	21.801	228	378408	20.813	ng	99
82) 3,3'-Dichlorobenzidine	21.713	252	132937	24.197	ng	99
83) Chrysene	21.872	228	364244	21.052	ng	98
84) Bis(2-ethylhexyl)phtha...	21.695	149	231707	28.391	ng	100
85) Di-n-octyl phthalate	22.959	149	390942	27.885	ng	96
87) Indeno(1,2,3-cd)pyrene	29.063	276	438630	20.709	ng	# 93
88) Benzo(b)fluoranthene	24.116	252	362463	20.566	ng	99
89) Benzo(k)fluoranthene	24.187	252	370456	20.369	ng	99
90) Benzo(a)pyrene	25.033	252	311359	20.583	ng	98
91) Dibenzo(a,h)anthracene	29.140	278	358339	20.594	ng	99
92) Benzo(g,h,i)perylene	30.279	276	361272	21.238	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quant Time: Aug 25 16:03:23 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG082522.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 25 16:00:11 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.152 min Scan# 81
Delta R.T. -0.001 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12




Instrument :
BNA_G
ClientSampleId :
SSTDICC020

Tgt Ion:152 Resp: 44576
Ion Ratio Lower Upper
152 100
150 157.3 125.2 187.8
115 61.0 47.9 71.9



#2
1,4-Dioxane
Concen: 21.898 ng
RT: 3.534 min Scan# 42
Delta R.T. -0.001 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12

Tgt Ion: 88 Resp: 26633
Ion Ratio Lower Upper
88 100
58 80.3 65.9 98.9
43 28.3 22.7 34.1





#3

Pyridine

Concen: 21.316 ng

RT: 3.946 min Scan# 11

Delta R.T. -0.001 min

Lab File: BG054736.D

Acq: 25 Aug 2022 14:12

Instrument :

BNA_G

ClientSampleId :

SSTDICC020





Tgt Ion: 79 Resp: 72585

Ion Ratio Lower Upper

79 100

52 78.0 61.4 92.0

51 39.2 31.4 47.0



#4

n-Nitrosodimethylamine

Concen: 20.422 ng

RT: 3.863 min Scan# 98

Delta R.T. 0.005 min

Lab File: BG054736.D

Acq: 25 Aug 2022 14:12




Tgt Ion: 42 Resp: 30462


Ion Ratio Lower Upper

42 100

74 140.2 109.6 164.4

44 8.7 5.5 8.3









#5
2-Fluorophenol
Concen: 46.180 ng
RT: 5.685 min Scan# 408
Delta R.T. -0.001 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion:112 Resp: 109239
Ion Ratio Lower Upper
112 100
64 61.7 49.3 73.9
63 33.5 26.3 39.5



#6
Aniline
Concen: 21.218 ng
RT: 7.471 min Scan# 712
Delta R.T. -0.001 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12

Tgt Ion: 93 Resp: 87742
Ion Ratio Lower Upper
93 100
66 40.2 31.8 47.8
65 20.6 16.6 25.0









#7
Phenol-d6
Concen: 44.662 ng
RT: 7.295 min Scan# 61
Delta R.T. -0.001 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion: 99 Resp: 148033
Ion Ratio Lower Upper
99 100
42 17.8 14.6 22.0
71 30.8 24.6 37.0



#8
2-Chlorophenol
Concen: 23.353 ng
RT: 7.712 min Scan# 753
Delta R.T. -0.001 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12

Tgt Ion:128 Resp: 58837
Ion Ratio Lower Upper
128 100
130 31.8 12.5 52.5
64 49.6 28.6 68.6









#9
Benzaldehyde
Concen: 20.836 ng
RT: 7.283 min Scan# 61
Delta R.T. -0.001 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion: 77 Resp: 47748
Ion Ratio Lower Upper
77 100
105 98.8 75.3 115.3
106 94.0 70.2 110.2



#10
Phenol
Concen: 22.347 ng
RT: 7.318 min Scan# 686
Delta R.T. -0.001 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12

Tgt Ion: 94 Resp: 76722
Ion Ratio Lower Upper
94 100
65 28.3 9.9 49.9
66 34.7 16.4 56.4









#11
bis(2-Chloroethyl)ether
Concen: 20.862 ng
RT: 7.565 min Scan# 71
Delta R.T. -0.001 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion: 93 Resp: 61220
Ion Ratio Lower Upper
93 100
63 81.1 62.1 102.1
95 33.1 12.1 52.1



#12
1,3-Dichlorobenzene
Concen: 21.352 ng
RT: 8.041 min Scan# 809
Delta R.T. -0.001 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12

Tgt Ion: 146 Resp: 69055
Ion Ratio Lower Upper
146 100
148 62.6 50.6 76.0
75 28.9 24.3 36.5





#13

1,4-Dichlorobenzene

Concen: 21.280 ng

RT: 8.188 min Scan# 81

Delta R.T. -0.001 min

Lab File: BG054736.D

Acq: 25 Aug 2022 14:12

Instrument :

BNA_G

ClientSampleId :

SSTDICC020





Tgt Ion:146 Resp: 69354

Ion Ratio Lower Upper

146 100

148 63.0 50.4 75.6

111 40.3 33.0 49.4



#14

1,2-Dichlorobenzene

Concen: 21.381 ng

RT: 8.511 min Scan# 889

Delta R.T. -0.001 min

Lab File: BG054736.D

Acq: 25 Aug 2022 14:12




Tgt Ion:146 Resp: 65718


Ion Ratio Lower Upper

146 100

148 64.9 51.2 76.8

111 44.8 34.3 51.5









#15
Benzyl Alcohol
Concen: 23.178 ng
RT: 8.387 min Scan# 80
Delta R.T. -0.001 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion: 79	Resp: 53537
Ion Ratio	Lower Upper
79	100
108	75.5 63.4 95.0
77	63.7 55.0 82.4



#16
2,2'-oxybis(1-Chloropropane)
Concen: 20.925 ng
RT: 8.675 min Scan# 917
Delta R.T. -0.001 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12

Tgt Ion: 45	Resp: 95276
Ion Ratio	Lower Upper
45	100
77	13.0 0.0 32.8
79	10.1 0.0 30.4





#17

2-Methylphenol

Concen: 22.404 ng

RT: 8.587 min Scan# 90

Delta R.T. -0.001 min

Lab File: BG054736.D

Acq: 25 Aug 2022 14:12

Instrument :

BNA_G

ClientSampleId :

SSTDICC020

Tgt Ion:107 Resp: 51859





Ion Ratio Lower Upper

107 100

108 107.2 85.6 128.4

77 43.8 35.8 53.8

79 42.7 33.8 50.6



#18

Hexachloroethane

Concen: 23.177 ng

RT: 9.245 min Scan# 1014

Delta R.T. -0.001 min

Lab File: BG054736.D

Acq: 25 Aug 2022 14:12




Tgt Ion:117 Resp: 24947


Ion Ratio Lower Upper

117 100

119 94.7 77.0 115.6

201 103.1 87.2 130.8









#19
n-Nitroso-di-n-propylamine
Concen: 21.531 ng
RT: 8.952 min Scan# 964
Delta R.T. -0.007 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12

Instrument :
BNA_G
ClientSampleId :
SSTDICC020

Tgt Ion: 70 Resp: 50210




Ion	Ratio	Lower	Upper
70	100		
42	56.0	46.6	69.8
101	9.4	7.7	11.5
130	19.0	13.9	20.9




#20
3+4-Methylphenols
Concen: 23.432 ng
RT: 8.916 min Scan# 958
Delta R.T. -0.001 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12

Tgt Ion: 107 Resp: 72407

Ion	Ratio	Lower	Upper
107	100		
108	85.8	71.6	111.6
77	31.3	13.1	53.1
79	27.5	7.9	47.9






#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.979 min Scan# 11
Delta R.T. -0.001 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12

Instrument :



BNA_G

ClientSampleId :

SSTDICC020







Tgt Ion:	136	Resp:	179131
Ion Ratio	Lower	Upper	
136	100		
137	11.0	9.2	13.8
54	9.3	7.7	11.5
68	6.5	5.6	8.4



#22
Acetophenone
Concen: 20.604 ng
RT: 8.975 min Scan# 968
Delta R.T. -0.007 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12

Tgt Ion:	105	Resp:	92954
Ion Ratio	Lower	Upper	
105	100		
71	1.5	1.2	1.8
51	28.3	22.9	34.3
120	21.6	17.4	26.2





#23

Nitrobenzene-d5

Concen: 45.229 ng

RT: 9.322 min Scan# 1027

Delta R.T. -0.007 min

Lab File: BG054736.D

Acq: 25 Aug 2022 14:12

Instrument :

BNA_G

ClientSampleId :

SSTDICC020





Tgt Ion: 82 Resp: 142167

Ion Ratio Lower Upper

82 100

128 41.9 32.2 48.2

54 51.1 41.4 62.0



#24

Nitrobenzene

Concen: 21.963 ng

RT: 9.369 min Scan# 1035

Delta R.T. -0.001 min

Lab File: BG054736.D

Acq: 25 Aug 2022 14:12




Tgt Ion: 77 Resp: 70977


Ion Ratio Lower Upper

77 100

123 45.1 35.0 52.6

65 12.6 10.2 15.2








#25
Isophorone
Concen: 21.739 ng
RT: 9.886 min Scan# 1123
Delta R.T. -0.001 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion: 82 Resp: 130235
Ion Ratio Lower Upper
82 100
95 6.7 5.6 8.4
138 17.2 13.9 20.9



#26
2-Nitrophenol
Concen: 36.449 ng
RT: 10.080 min Scan# 1156
Delta R.T. -0.001 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12

Tgt Ion:139 Resp: 30461
Ion Ratio Lower Upper
139 100
109 27.0 21.8 32.6
65 53.5 37.4 56.0









#27
2,4-Dimethylphenol
Concen: 23.547 ng
RT: 10.127 min Scan# 1164
Delta R.T. -0.001 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion:122 Resp: 51458
Ion Ratio Lower Upper
122 100
107 117.7 94.6 142.0
121 58.4 49.8 74.6



#28
bis(2-Chloroethoxy)methane
Concen: 21.089 ng
RT: 10.368 min Scan# 1205
Delta R.T. -0.001 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12

Tgt Ion: 93 Resp: 74633
Ion Ratio Lower Upper
93 100
95 33.2 26.2 39.2
123 10.8 8.4 12.6





#29

2,4-Dichlorophenol

Concen: 23.970 ng

RT: 10.614 min Scan# 1

Delta R.T. -0.001 min

Lab File: BG054736.D

Acq: 25 Aug 2022 14:12

Instrument :

BNA_G

ClientSampleId :

SSTDICC020





Tgt Ion:162 Resp: 56203

Ion Ratio Lower Upper

162 100

164 67.1 47.2 87.2

98 36.2 16.6 56.6



#30

1,2,4-Trichlorobenzene

Concen: 20.603 ng

RT: 10.838 min Scan# 1285

Delta R.T. -0.001 min

Lab File: BG054736.D

Acq: 25 Aug 2022 14:12




Tgt Ion:180 Resp: 64375


Ion Ratio Lower Upper

180 100

182 98.7 77.0 115.6

145 28.6 24.0 36.0









#31
Naphthalene
Concen: 20.564 ng
RT: 11.031 min Scan# 11
Delta R.T. -0.001 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12




Instrument :
BNA_G
ClientSampleId :
SSTDICC020

Tgt Ion:128 Resp: 198252
Ion Ratio Lower Upper
128 100
129 11.1 9.0 13.4
127 13.5 11.1 16.7



#32
Benzoic acid
Concen: 22.018 ng
RT: 10.215 min Scan# 1179
Delta R.T. -0.036 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12

Tgt Ion:122 Resp: 24200
Ion Ratio Lower Upper
122 100
105 123.6 101.5 141.5
77 89.0 69.3 109.3









#33
4-Chloroaniline
Concen: 21.215 ng
RT: 11.131 min Scan# 11
Delta R.T. -0.001 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion:127	Resp:	80727
Ion Ratio	Lower	Upper
127	100	
129	32.3	26.0 39.0
65	31.2	25.8 38.8
92	18.6	15.1 22.7



#34
Hexachlorobutadiene
Concen: 20.887 ng
RT: 11.308 min Scan# 1365
Delta R.T. -0.001 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12

Tgt Ion:225	Resp:	41201
Ion Ratio	Lower	Upper
225	100	
223	62.8	51.4 77.0
227	61.4	52.6 79.0









#35
 Caprolactam
 Concen: 26.783 ng
 RT: 11.883 min Scan# 1463
 Delta R.T. -0.019 min
 Lab File: BG054736.D
 Acq: 25 Aug 2022 14:12




Instrument :
 BNA_G
 ClientSampleId :
 SSTDICC020

Tgt Ion:113 Resp: 19608
 Ion Ratio Lower Upper
 113 100
 55 206.3 179.1 219.1
 56 151.9 120.8 160.8



#36
 4-Chloro-3-methylphenol
 Concen: 24.693 ng
 RT: 12.236 min Scan# 1523
 Delta R.T. -0.001 min
 Lab File: BG054736.D
 Acq: 25 Aug 2022 14:12

Tgt Ion:107 Resp: 61526
 Ion Ratio Lower Upper
 107 100
 144 27.1 22.4 33.6
 142 78.7 65.8 98.8









#37
2-Methylnaphthalene
Concen: 21.091 ng
RT: 12.624 min Scan# 11
Delta R.T. -0.001 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion:142 Resp: 139688
Ion Ratio Lower Upper
142 100
141 88.9 73.0 109.4
115 35.0 27.3 40.9



#38
1-Methylnaphthalene
Concen: 21.172 ng
RT: 12.841 min Scan# 1626
Delta R.T. -0.001 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12

Tgt Ion:142 Resp: 135607
Ion Ratio Lower Upper
142 100
141 95.6 77.4 116.0
116 3.7 3.0 4.4





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.786 min Scan# 1957

Delta R.T. -0.001 min

Lab File: BG054736.D

Acq: 25 Aug 2022 14:12

Instrument :

BNA_G

ClientSampleId :

SSTDICC020





Tgt Ion:164 Resp: 117986

Ion Ratio Lower Upper

164 100

162 101.3 83.0 124.4

160 47.2 38.0 57.0



#40

1,2,4,5-Tetrachlorobenzene

Concen: 20.055 ng

RT: 12.988 min Scan# 1651

Delta R.T. 0.005 min

Lab File: BG054736.D

Acq: 25 Aug 2022 14:12

Tgt Ion:216 Resp: 73055




Ion Ratio Lower Upper

216 100

214 79.9 63.2 94.8

179 20.2 16.5 24.7

108 17.4 13.9 20.9









#41
Hexachlorocyclopentadiene
Concen: 24.920 ng
RT: 12.964 min Scan# 1
Delta R.T. -0.001 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion:237 Resp: 37732
Ion Ratio Lower Upper
237 100
235 61.1 42.2 82.2
272 12.5 0.0 34.0



#42
2,4,6-Tribromophenol
Concen: 64.250 ng
RT: 16.266 min Scan# 2209
Delta R.T. -0.007 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12

Tgt Ion:330 Resp: 60709
Ion Ratio Lower Upper
330 100
332 97.6 79.8 119.6
141 33.4 26.8 40.2









#43
2,4,6-Trichlorophenol
Concen: 25.019 ng
RT: 13.223 min Scan# 1
Delta R.T. -0.001 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion:196 Resp: 47879
Ion Ratio Lower Upper
196 100
198 95.4 77.1 115.7
200 29.1 24.2 36.4



#44
2,4,5-Trichlorophenol
Concen: 25.091 ng
RT: 13.288 min Scan# 1702
Delta R.T. -0.007 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12

Tgt Ion:196 Resp: 54344
Ion Ratio Lower Upper
196 100
198 95.8 76.7 115.1
97 49.1 36.6 55.0
132 26.9 19.5 29.3









#45
2-Fluorobiphenyl
Concen: 41.441 ng
RT: 13.411 min Scan# 1723
Delta R.T. -0.001 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion:172 Resp: 331551
Ion Ratio Lower Upper
172 100
171 37.2 31.2 46.8
170 24.8 20.6 30.8



#46
1,1'-Biphenyl
Concen: 20.136 ng
RT: 13.623 min Scan# 1759
Delta R.T. -0.001 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12


Tgt Ion:154 Resp: 179764
Ion Ratio Lower Upper
154 100
153 41.7 22.2 62.2
76 13.7 0.0 34.0








#47
2-Chloronaphthalene
Concen: 20.290 ng
RT: 13.670 min Scan# 1767
Delta R.T. -0.001 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12

Instrument :
BNA_G
ClientSampleId :
SSTDICC020







Tgt Ion:162 Resp: 138178
Ion Ratio Lower Upper
162 100
127 37.9 31.5 47.3
164 34.0 27.8 41.6



#48
2-Nitroaniline
Concen: 30.955 ng
RT: 13.863 min Scan# 1800
Delta R.T. -0.001 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12

Tgt Ion: 65 Resp: 42435
Ion Ratio Lower Upper
65 100
92 72.3 54.7 82.1
138 101.4 84.1 126.1









#49
Acenaphthylene
Concen: 20.596 ng
RT: 14.510 min Scan# 1910
Delta R.T. -0.001 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion:152 Resp: 227984
Ion Ratio Lower Upper
152 100
151 21.4 17.3 25.9
153 13.4 10.8 16.2



#50
Dimethylphthalate
Concen: 24.193 ng
RT: 14.228 min Scan# 1862
Delta R.T. -0.007 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12

Tgt Ion:163 Resp: 192210
Ion Ratio Lower Upper
163 100
194 3.6 3.0 4.4
164 10.2 8.0 12.0









#51
2,6-Dinitrotoluene
Concen: 26.631 ng
RT: 14.351 min Scan# 1883
Delta R.T. -0.007 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion:165 Resp: 38481
Ion Ratio Lower Upper
165 100
63 55.1 46.0 69.0
89 56.0 50.3 75.5



#52
Acenaphthene
Concen: 21.309 ng
RT: 14.850 min Scan# 1968
Delta R.T. -0.001 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12

Tgt Ion:154 Resp: 144617
Ion Ratio Lower Upper
154 100
153 118.5 92.8 139.2
152 57.6 45.4 68.2









#53
3-Nitroaniline
Concen: 25.971 ng
RT: 14.686 min Scan# 1940
Delta R.T. -0.001 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion:138 Resp: 43275
Ion Ratio Lower Upper
138 100
108 9.3 7.6 11.4
92 114.9 96.0 144.0



#54
2,4-Dinitrophenol
Concen: 30.049 ng
RT: 14.886 min Scan# 1974
Delta R.T. -0.001 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12

Tgt Ion:184 Resp: 15486
Ion Ratio Lower Upper
184 100
63 57.4 41.8 62.8
154 60.9 45.2 67.8









#55
Dibenzofuran
Concen: 21.027 ng
RT: 15.180 min Scan# 20
Delta R.T. -0.001 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion:168 Resp: 216266
Ion Ratio Lower Upper
168 100
139 37.5 30.2 45.2
169 13.2 11.3 16.9



#56
4-Nitrophenol
Concen: 27.343 ng
RT: 14.974 min Scan# 1989
Delta R.T. -0.001 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12

Tgt Ion:139 Resp: 33865
Ion Ratio Lower Upper
139 100
109 68.8 50.5 90.5
65 95.7 79.9 119.9









#57
2,4-Dinitrotoluene
Concen: 28.579 ng
RT: 15.133 min Scan# 2017
Delta R.T. -0.007 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion:165	Resp:	53012
Ion	Ratio	Lower Upper
165	100	
63	43.1	36.8 55.2
89	73.0	64.3 96.5
182	2.3	1.8 2.6



#58
Fluorene
Concen: 21.561 ng
RT: 15.832 min Scan# 2135
Delta R.T. -0.001 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12

Tgt Ion:166	Resp:	183325
Ion	Ratio	Lower Upper
166	100	
165	103.4	80.8 121.2
167	14.0	11.4 17.0









#59
2,3,4,6-Tetrachlorophenol
Concen: 26.955 ng
RT: 15.403 min Scan# 2062
Delta R.T. -0.001 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion:232	Resp:	48606
Ion Ratio	Lower	Upper
232	100	
131	42.5	31.3 46.9
130	2.4	1.8 2.6
166	29.5	23.1 34.7



#60
Diethylphthalate
Concen: 24.786 ng
RT: 15.585 min Scan# 2093
Delta R.T. -0.007 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12

Tgt Ion:149	Resp:	192090
Ion Ratio	Lower	Upper
149	100	
177	22.1	17.8 26.6
150	12.0	10.1 15.1









#61
4-Chlorophenyl-phenylether
Concen: 21.392 ng
RT: 15.820 min Scan# 2133
Delta R.T. -0.001 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion:204 Resp: 90069
Ion Ratio Lower Upper
204 100
206 33.0 26.6 39.8
141 56.3 44.9 67.3



#62
4-Nitroaniline
Concen: 24.576 ng
RT: 15.843 min Scan# 2137
Delta R.T. -0.007 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12

Tgt Ion:138 Resp: 44626
Ion Ratio Lower Upper
138 100
92 52.1 34.7 74.7
108 74.6 56.2 96.2









#63
Azobenzene
Concen: 21.016 ng
RT: 16.114 min Scan# 21
Delta R.T. -0.001 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion: 77	Resp: 180883
Ion Ratio	Lower Upper
77 100	
182 26.6	5.1 45.1
105 21.3	0.7 40.7
51 27.8	9.9 49.9



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.530 min Scan# 2424
Delta R.T. -0.001 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12

Tgt Ion:188	Resp: 271235
Ion Ratio	Lower Upper
188 100	
94 9.4	7.0 10.4
80 10.6	7.9 11.9









#65
4,6-Dinitro-2-methylphenol
Concen: 32.196 ng
RT: 15.896 min Scan# 2146
Delta R.T. -0.001 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion:198 Resp: 26675
Ion Ratio Lower Upper
198 100
51 41.6 19.9 59.9
105 39.0 20.3 60.3



#66
n-Nitrosodiphenylamine
Concen: 21.117 ng
RT: 16.031 min Scan# 2169
Delta R.T. -0.001 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12

Tgt Ion:169 Resp: 162761
Ion Ratio Lower Upper
169 100
168 68.1 55.6 83.4
167 37.3 30.9 46.3









#67
4-Bromophenyl-phenylether
Concen: 23.850 ng
RT: 16.713 min Scan# 21
Delta R.T. -0.001 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion:248 Resp: 62272
Ion Ratio Lower Upper
248 100
250 96.7 78.8 118.2
141 65.7 51.9 77.9



#68
Hexachlorobenzene
Concen: 21.028 ng
RT: 16.831 min Scan# 2305
Delta R.T. -0.001 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12

Tgt Ion:284 Resp: 69275
Ion Ratio Lower Upper
284 100
142 29.4 25.0 37.6
249 31.9 24.5 36.7









#69
Atrazine
Concen: 25.160 ng
RT: 16.972 min Scan# 21
Delta R.T. -0.001 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion:200 Resp: 57467
Ion Ratio Lower Upper
200 100
173 25.7 5.6 45.6
215 47.8 28.2 68.2



#70
Pentachlorophenol
Concen: 23.771 ng
RT: 17.171 min Scan# 2363
Delta R.T. -0.001 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12

Tgt Ion:266 Resp: 36175
Ion Ratio Lower Upper
266 100
268 64.9 51.2 76.8
264 63.3 49.4 74.0





#71

Phenanthrene

Concen: 21.018 ng

RT: 17.571 min Scan# 2432

Delta R.T. -0.007 min

Lab File: BG054736.D

Acq: 25 Aug 2022 14:12

Instrument :

BNA_G

ClientSampleId :

SSTDICC020





Tgt Ion:178 Resp: 303876

Ion Ratio Lower Upper

178 100

176 20.4 16.6 25.0

179 16.0 12.8 19.2



#72

Anthracene

Concen: 21.061 ng

RT: 17.665 min Scan# 2447

Delta R.T. -0.001 min

Lab File: BG054736.D

Acq: 25 Aug 2022 14:12




Tgt Ion:178 Resp: 295051


Ion Ratio Lower Upper

178 100

176 19.9 16.2 24.4

179 15.9 12.9 19.3









#73
 Carbazole
 Concen: 22.106 ng
 RT: 17.929 min Scan# 2492
 Delta R.T. -0.001 min
 Lab File: BG054736.D
 Acq: 25 Aug 2022 14:12




Instrument :
 BNA_G
 ClientSampleId :
 SSTDICC020


Tgt Ion:167 Resp: 275534
 Ion Ratio Lower Upper
 167 100
 166 22.3 18.8 28.2
 139 12.6 10.2 15.4



#74
 Di-n-butylphthalate
 Concen: 26.453 ng
 RT: 18.482 min Scan# 2586
 Delta R.T. 0.005 min
 Lab File: BG054736.D
 Acq: 25 Aug 2022 14:12

Tgt Ion:149 Resp: 351746
 Ion Ratio Lower Upper
 149 100
 150 9.5 8.0 12.0
 104 4.9 4.4 6.6





#75

Fluoranthene

Concen: 22.160 ng

RT: 19.580 min Scan# 21

Delta R.T. -0.001 min

Lab File: BG054736.D

Acq: 25 Aug 2022 14:12

Instrument :

BNA_G

ClientSampleId :

SSTDICC020





Tgt Ion:202 Resp: 377718

Ion Ratio Lower Upper

202 100

101 10.4 0.0 31.4

203 17.7 0.0 38.6



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.825 min Scan# 3155

Delta R.T. -0.001 min

Lab File: BG054736.D

Acq: 25 Aug 2022 14:12




Tgt Ion:240 Resp: 267705


Ion Ratio Lower Upper

240 100

120 10.3 8.2 12.4

236 25.9 21.2 31.8









#77
Benzidine
Concen: 23.869 ng
RT: 19.756 min Scan# 21
Delta R.T. -0.001 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion:184 Resp: 138739
Ion Ratio Lower Upper
184 100
185 13.5 11.4 17.0
183 12.9 9.8 14.8



#78
Pyrene
Concen: 20.682 ng
RT: 19.939 min Scan# 2834
Delta R.T. -0.001 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12

Tgt Ion:202 Resp: 390544
Ion Ratio Lower Upper
202 100
200 21.1 17.8 26.6
203 18.1 14.6 21.8





#79

Terphenyl-d14

Concen: 43.417 ng

RT: 20.133 min Scan# 21

Delta R.T. -0.001 min

Lab File: BG054736.D

Acq: 25 Aug 2022 14:12

Instrument :

BNA_G

ClientSampleId :

SSTDICC020





Tgt Ion:244 Resp: 585103

Ion Ratio Lower Upper

244 100

212 7.3 6.2 9.2

122 9.7 9.0 13.6



#80

Butylbenzylphthalate

Concen: 31.015 ng

RT: 20.814 min Scan# 2983

Delta R.T. -0.001 min

Lab File: BG054736.D

Acq: 25 Aug 2022 14:12




Tgt Ion:149 Resp: 161135


Ion Ratio Lower Upper

149 100

91 71.4 59.5 89.3

206 20.0 16.6 25.0









#81
Benzo(a)anthracene
Concen: 20.813 ng
RT: 21.801 min Scan# 3152
Delta R.T. -0.007 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion:228 Resp: 378408
Ion Ratio Lower Upper
228 100
226 28.1 23.4 35.2
229 20.4 16.5 24.7



#82
3,3'-Dichlorobenzidine
Concen: 24.197 ng
RT: 21.713 min Scan# 3136
Delta R.T. -0.001 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12

Tgt Ion:252 Resp: 132937
Ion Ratio Lower Upper
252 100
254 65.4 51.4 77.2
126 10.6 8.2 12.2





#83

Chrysene

Concen: 21.052 ng

RT: 21.872 min Scan# 3163

Delta R.T. -0.007 min

Lab File: BG054736.D

Acq: 25 Aug 2022 14:12

Instrument :

BNA_G

ClientSampleId :

SSTDICC020





Tgt Ion:228 Resp: 364244

Ion Ratio Lower Upper

228 100

226 30.6 25.5 38.3

229 20.4 16.8 25.2



#84

Bis(2-ethylhexyl)phthalate

Concen: 28.391 ng

RT: 21.695 min Scan# 3133

Delta R.T. -0.001 min

Lab File: BG054736.D

Acq: 25 Aug 2022 14:12




Tgt Ion:149 Resp: 231707


Ion Ratio Lower Upper

149 100

167 26.9 21.4 32.0

279 3.9 3.1 4.7









#85
Di-n-octyl phthalate
Concen: 27.885 ng
RT: 22.959 min Scan# 31
Delta R.T. -0.001 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion:149 Resp: 390942
Ion Ratio Lower Upper
149 100
167 1.5 1.2 1.8
43 9.6 9.0 13.6



#86
Perylene-d12
Concen: 20.000 ng
RT: 25.197 min Scan# 3729
Delta R.T. -0.001 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12

Tgt Ion:264 Resp: 283838
Ion Ratio Lower Upper
264 100
260 24.5 19.9 29.9
265 21.0 16.9 25.3









#87
Indeno(1,2,3-cd)pyrene
Concen: 20.709 ng
RT: 29.063 min Scan# 41
Delta R.T. -0.007 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12




Instrument :
BNA_G
ClientSampleId :
SSTDICC020

Tgt Ion:276 Resp: 438630
Ion Ratio Lower Upper
276 100
138 23.2 12.0 18.0#
277 25.4 20.2 30.4



#88
Benzo(b)fluoranthene
Concen: 20.566 ng
RT: 24.116 min Scan# 3545
Delta R.T. -0.001 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12

Tgt Ion:252 Resp: 362463
Ion Ratio Lower Upper
252 100
253 21.9 18.0 27.0
125 9.6 8.1 12.1









#89
Benzo(k)fluoranthene
Concen: 20.369 ng
RT: 24.187 min Scan# 31
Delta R.T. -0.007 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion:252 Resp: 370456
Ion Ratio Lower Upper
252 100
253 21.7 17.8 26.8
125 10.3 8.2 12.4



#90
Benzo(a)pyrene
Concen: 20.583 ng
RT: 25.033 min Scan# 3701
Delta R.T. -0.007 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12

Tgt Ion:252 Resp: 311359
Ion Ratio Lower Upper
252 100
253 21.7 18.3 27.5
125 10.7 8.8 13.2









#91
Dibenzo(a,h)anthracene
Concen: 20.594 ng
RT: 29.140 min Scan# 4402
Delta R.T. -0.013 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12

Instrument :
BNA_G
ClientSampleId :
SSTDICC020

Tgt Ion:278 Resp: 358339
Ion Ratio Lower Upper
278 100
139 14.7 11.4 17.2
279 23.8 19.3 28.9



#92
Benzo(g,h,i)perylene
Concen: 21.238 ng
RT: 30.279 min Scan# 4594
Delta R.T. -0.019 min
Lab File: BG054736.D
Acq: 25 Aug 2022 14:12

Tgt Ion:276 Resp: 361272
Ion Ratio Lower Upper
276 100
277 23.7 19.4 29.0
138 20.2 16.6 25.0

