

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG082522\
 Data File : BG054747.D
 Acq On : 25 Aug 2022 22:38
 Operator : CG/JU
 Sample : PB147215TB
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB147215TB

Quant Time: Aug 26 05:21:27 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG082522.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Aug 25 17:50:55 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.147	152	48786	20.000	ng	0.00
21) Naphthalene-d8	10.973	136	194173	20.000	ng	0.00
39) Acenaphthene-d10	14.780	164	124449	20.000	ng	0.00
64) Phenanthrene-d10	17.524	188	295749	20.000	ng	0.00
76) Chrysene-d12	21.819	240	309770	20.000	ng	0.00
86) Perylene-d12	25.180	264	317844	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.685	112	410809	146.634	ng	0.00
7) Phenol-d6	7.295	99	530971	138.583	ng	0.00
23) Nitrobenzene-d5	9.322	82	324359	87.693	ng	0.00
42) 2,4,6-Tribromophenol	16.267	330	215093	138.317	ng	0.00
45) 2-Fluorobiphenyl	13.406	172	744759	89.947	ng	0.00
79) Terphenyl-d14	20.127	244	1416619	90.612	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG082522\
Data File : BG054747.D
Acq On : 25 Aug 2022 22:38
Operator : CG/JU
Sample : PB147215TB
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB147215TB

Quant Time: Aug 26 05:21:27 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG082522.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 25 17:50:55 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.147 min Scan# 81
Delta R.T. -0.006 min
Lab File: BG054747.D
Acq: 25 Aug 2022 22:38




Instrument :
BNA_G
ClientSampleId :
PB147215TB


Tgt Ion:152 Resp: 48786
Ion Ratio Lower Upper
152 100
150 150.6 125.2 187.8
115 58.6 47.9 71.9



#5
2-Fluorophenol
Concen: 146.634 ng
RT: 5.685 min Scan# 408
Delta R.T. -0.001 min
Lab File: BG054747.D
Acq: 25 Aug 2022 22:38

Tgt Ion:112 Resp: 410809
Ion Ratio Lower Upper
112 100
64 63.3 49.3 73.9
63 33.6 26.3 39.5









#7
Phenol-d6
Concen: 138.583 ng
RT: 7.295 min Scan# 61
Delta R.T. -0.001 min
Lab File: BG054747.D
Acq: 25 Aug 2022 22:38




Instrument :
BNA_G
ClientSampleId :
PB147215TB


Tgt Ion: 99 Resp: 530971
Ion Ratio Lower Upper
99 100
42 17.9 14.6 22.0
71 31.9 24.6 37.0



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.973 min Scan# 1308
Delta R.T. -0.007 min
Lab File: BG054747.D
Acq: 25 Aug 2022 22:38

Tgt Ion: 136 Resp: 194173
Ion Ratio Lower Upper
136 100
137 10.7 9.2 13.8
54 8.5 7.7 11.5
68 6.5 5.6 8.4





#23

Nitrobenzene-d5

Concen: 87.693 ng

RT: 9.322 min Scan# 1028

Delta R.T. -0.007 min

Lab File: BG054747.D

Acq: 25 Aug 2022 22:38

Instrument :

BNA_G

ClientSampleId :

PB147215TB





Tgt Ion: 82 Resp: 324359

Ion Ratio Lower Upper

82 100

128 44.4 32.2 48.2

54 51.7 41.4 62.0



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.780 min Scan# 1956

Delta R.T. -0.007 min

Lab File: BG054747.D

Acq: 25 Aug 2022 22:38




Tgt Ion:164 Resp: 124449


Ion Ratio Lower Upper

164 100

162 105.9 83.0 124.4


160 47.7 38.0 57.0








#42
2,4,6-Tribromophenol
Concen: 138.317 ng
RT: 16.267 min Scan# 21
Delta R.T. -0.007 min
Lab File: BG054747.D
Acq: 25 Aug 2022 22:38

Instrument :
BNA_G
ClientSampleId :
PB147215TB







Tgt Ion:330 Resp: 215093
Ion Ratio Lower Upper
330 100
332 96.9 79.8 119.6
141 32.7 26.8 40.2



#45
2-Fluorobiphenyl
Concen: 89.947 ng
RT: 13.406 min Scan# 1722
Delta R.T. -0.007 min
Lab File: BG054747.D
Acq: 25 Aug 2022 22:38

Tgt Ion:172 Resp: 744759
Ion Ratio Lower Upper
172 100
171 37.3 31.2 46.8
170 24.9 20.6 30.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.524 min Scan# 2423
Delta R.T. -0.007 min
Lab File: BG054747.D
Acq: 25 Aug 2022 22:38




Instrument :
BNA_G
ClientSampleId :
PB147215TB


Tgt Ion:188 Resp: 295749
Ion Ratio Lower Upper
188 100
94 9.2 7.0 10.4
80 10.0 7.9 11.9



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.819 min Scan# 3154
Delta R.T. -0.007 min
Lab File: BG054747.D
Acq: 25 Aug 2022 22:38

Tgt Ion:240 Resp: 309770
Ion Ratio Lower Upper
240 100
120 9.9 8.2 12.4
236 26.7 21.2 31.8









#79
 Terphenyl-d14
 Concen: 90.612 ng
 RT: 20.127 min Scan# 21
 Delta R.T. -0.007 min
 Lab File: BG054747.D
 Acq: 25 Aug 2022 22:38

Instrument :
 BNA_G
 ClientSampleId :
 PB147215TB

Tgt Ion:244 Resp: 1416619
 Ion Ratio Lower Upper
 244 100
 212 7.9 6.2 9.2
 122 10.6 9.0 13.6



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 25.180 min Scan# 3726
 Delta R.T. -0.018 min
 Lab File: BG054747.D
 Acq: 25 Aug 2022 22:38

Tgt Ion:264 Resp: 317844
 Ion Ratio Lower Upper
 264 100
 260 23.5 19.9 29.9
 265 21.5 16.9 25.3

