

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG082823\
 Data File : BG058873.D
 Acq On : 28 Aug 2023 14:40
 Operator : MA/JU
 Sample : 04188-02
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 WC-7

Quant Time: Aug 29 01:12:26 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG081823.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sun Aug 27 03:38:58 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.806	152	10332	20.000	ng	-0.02
21) Naphthalene-d8	10.608	136	39327	20.000	ng	-0.02
39) Acenaphthene-d10	14.457	164	27111	20.000	ng	-0.02
64) Phenanthrene-d10	17.200	188	74158	20.000	ng	-0.02
76) Chrysene-d12	21.442	240	84215	20.000	ng	-0.02
86) Perylene-d12	24.504	264	98602	20.000	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.379	112	117921	183.668	ng	-0.02
7) Phenol-d6	6.977	99	141744	157.356	ng	-0.03
23) Nitrobenzene-d5	8.969	82	99457	121.587	ng	-0.03
42) 2,4,6-Tribromophenol	15.943	330	87224	205.187	ng	-0.03
45) 2-Fluorobiphenyl	13.070	172	233213	125.115	ng	-0.03
79) Terphenyl-d14	19.815	244	602825	128.531	ng	-0.02


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG082823\
Data File : BG058873.D
Acq On : 28 Aug 2023 14:40
Operator : MA/JU
Sample : 04188-02
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
WC-7

Quant Time: Aug 29 01:12:26 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG081823.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sun Aug 27 03:38:58 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.806 min Scan# 806
Delta R.T. -0.021 min
Lab File: BG058873.D
Acq: 28 Aug 2023 14:40




Instrument :
BNA_G
ClientSampleId :
WC-7


Tgt Ion:152 Resp: 10332
Ion Ratio Lower Upper
152 100
150 144.6 128.6 192.8
115 56.1 50.4 75.6



#5
2-Fluorophenol
Concen: 183.668 ng
RT: 5.379 min Scan# 390
Delta R.T. -0.021 min
Lab File: BG058873.D
Acq: 28 Aug 2023 14:40

Tgt Ion:112 Resp: 117921
Ion Ratio Lower Upper
112 100
64 69.9 60.6 90.8
63 37.1 31.0 46.4









#7
Phenol-d6
Concen: 157.356 ng
RT: 6.977 min Scan# 61
Delta R.T. -0.027 min
Lab File: BG058873.D
Acq: 28 Aug 2023 14:40




Instrument :
BNA_G
ClientSampleId :
WC-7


Tgt Ion: 99 Resp: 141744
Ion Ratio Lower Upper
99 100
42 24.3 16.5 24.7
71 36.8 28.4 42.6



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.608 min Scan# 1280
Delta R.T. -0.021 min
Lab File: BG058873.D
Acq: 28 Aug 2023 14:40

Tgt Ion: 136 Resp: 39327
Ion Ratio Lower Upper
136 100
137 10.5 8.7 13.1
54 12.0 10.1 15.1
68 5.9 5.2 7.8









#23
Nitrobenzene-d5
Concen: 121.587 ng
RT: 8.969 min Scan# 1001
Delta R.T. -0.027 min
Lab File: BG058873.D
Acq: 28 Aug 2023 14:40




Instrument :
BNA_G
ClientSampleId :
WC-7


Tgt Ion: 82 Resp: 99457
Ion Ratio Lower Upper
82 100
128 38.5 33.2 49.8
54 66.0 51.2 76.8



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.457 min Scan# 1935
Delta R.T. -0.015 min
Lab File: BG058873.D
Acq: 28 Aug 2023 14:40

Tgt Ion:164 Resp: 27111
Ion Ratio Lower Upper
164 100
162 92.4 79.6 119.4
160 44.4 34.0 51.0









#42
2,4,6-Tribromophenol
Concen: 205.187 ng
RT: 15.943 min Scan# 2192
Delta R.T. -0.027 min
Lab File: BG058873.D
Acq: 28 Aug 2023 14:40




Instrument :
BNA_G
ClientSampleId :
WC-7


Tgt Ion:330 Resp: 87224
Ion Ratio Lower Upper
330 100
332 97.4 78.5 117.7
141 27.9 23.0 34.6



#45
2-Fluorobiphenyl
Concen: 125.115 ng
RT: 13.070 min Scan# 1699
Delta R.T. -0.027 min
Lab File: BG058873.D
Acq: 28 Aug 2023 14:40

Tgt Ion:172 Resp: 233213
Ion Ratio Lower Upper
172 100
171 33.1 28.1 42.1
170 22.1 18.6 27.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.200 min Scan# 24
Delta R.T. -0.021 min
Lab File: BG058873.D
Acq: 28 Aug 2023 14:40




Instrument :
BNA_G
ClientSampleId :
WC-7


Tgt Ion:188 Resp: 74158
Ion Ratio Lower Upper
188 100
94 6.7 6.1 9.1
80 8.0 6.9 10.3



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.442 min Scan# 3124
Delta R.T. -0.021 min
Lab File: BG058873.D
Acq: 28 Aug 2023 14:40

Tgt Ion:240 Resp: 84215
Ion Ratio Lower Upper
240 100
120 7.0 6.2 9.2
236 26.5 20.5 30.7









#79
 Terphenyl-d14
 Concen: 128.531 ng
 RT: 19.815 min Scan# 21
 Delta R.T. -0.021 min
 Lab File: BG058873.D
 Acq: 28 Aug 2023 14:40

Instrument :
 BNA_G
 ClientSampleId :
 WC-7

Tgt Ion:244 Resp: 602825
 Ion Ratio Lower Upper
 244 100
 212 7.6 6.2 9.2
 122 7.4 6.3 9.5



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 24.504 min Scan# 3645
 Delta R.T. -0.033 min
 Lab File: BG058873.D
 Acq: 28 Aug 2023 14:40

Tgt Ion:264 Resp: 98602
 Ion Ratio Lower Upper
 264 100
 260 21.9 18.2 27.2
 265 20.9 16.4 24.6

