

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG083118\
 Data File : BG036502.D
 Acq On : 31 Aug 2018 12:36
 Operator : JU/SJ
 Sample : J4677-02
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 CB-0818-S-TCLP-GRID-42(2)

Quant Time: Aug 31 13:21:53 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG082318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Aug 31 13:03:20 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.06	152	61601	20.00	ng	0.00
21) Naphthalene-d8	10.87	136	249809	20.00	ng	0.00
38) Acenaphthene-d10	14.68	164	167280	20.00	ng	0.00
63) Phenanthrene-d10	17.42	188	438959	20.00	ng	0.00
75) Chrysene-d12	21.69	240	471427	20.00	ng	0.00
86) Perylene-d12	24.90	264	460021	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.63	112	408433	105.18	ng	0.00
7) Phenol-d6	7.21	99	505073	90.84	ng	0.00
23) Nitrobenzene-d5	9.22	82	393737	85.52	ng	0.00
41) 2,4,6-Tribromophenol	16.17	330	242089	121.29	ng	0.00
44) 2-Fluorobiphenyl	13.31	172	902963	77.07	ng	0.00
78) Terphenyl-d14	20.03	244	1647617	81.69	ng	0.00
Target Compounds						
49) Dimethylphthalate	14.13	163	98658	7.223	ng	Qvalue 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG083118\
Data File : BG036502.D
Acq On : 31 Aug 2018 12:36
Operator : JU/SJ
Sample : J4677-02
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
CB-0818-S-TCLP-GRID-42(2)

Quant Time: Aug 31 13:21:53 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG082318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Aug 31 13:03:20 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.06 min Scan# 812
Delta R.T. -0.01 min
Lab File: BG036502.D
Acq: 31 Aug 2018 12:36

Instrument :
BNA_G
ClientSampleId :
CB-0818-S-TCLP-GRID-42(2)

Tot Ion:152 Resp: 61601
Ion Ratio Lower Upper
152 100
150 153.8 119.5 179.3
115 60.4 44.5 66.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 105.176 ng
RT: 5.63 min Scan# 398
Delta R.T. 0.00 min
Lab File: BG036502.D
Acq: 31 Aug 2018 12:36

Tgt Ion:112 Resp: 408433
Ion Ratio Lower Upper
112 100
64 69.0 57.2 85.8
63 36.1 30.8 46.2



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 90.841 ng

RT: 7.21 min Scan# 668

Delta R.T. -0.01 min

Lab File: BG036502.D

Acq: 31 Aug 2018 12:36

Instrument :

BNA_G

ClientSampleId :

CB-0818-S-TCLP-GRID-42(2)


Tot Ion: 99 Resp: 505073

Ion Ratio Lower Upper



99 100

42 20.0 16.5 24.7

71 35.6 29.4 44.2



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.87 min Scan# 1290

Delta R.T. 0.00 min

Lab File: BG036502.D

Acq: 31 Aug 2018 12:36

Tgt Ion: 136 Resp: 249809


Ion Ratio Lower Upper

136 100



137 10.9 8.8 13.2


54 11.0 9.2 13.8

68 6.8 5.8 8.6



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 85.517 ng
 RT: 9.22 min Scan# 1010
 Delta R.T. 0.00 min
 Lab File: BG036502.D
 Acq: 31 Aug 2018 12:36




Instrument :
 BNA_G
 ClientSampleId :
 CB-0818-S-TCLP-GRID-42(2)


Tot Ion	Ratio	Lower	Upper
82	100		
128	41.9	33.3	49.9
54	54.3	45.1	67.7



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.68 min Scan# 1939
 Delta R.T. -0.01 min
 Lab File: BG036502.D
 Acq: 31 Aug 2018 12:36

Tgt Ion	Ratio	Lower	Upper
164	100		
162	99.5	80.7	121.1
160	42.1	35.3	52.9









#41
 2,4,6-Tribromophenol
 Concen: 121.286 ng
 RT: 16.17 min Scan# 2192
 Delta R.T. -0.01 min
 Lab File: BG036502.D
 Acq: 31 Aug 2018 12:36

Instrument :
 BNA_G
 ClientSampleId :
 CB-0818-S-TCLP-GRID-42(2)

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.5	75.4	113.2
141	37.7	30.7	46.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 77.072 ng
 RT: 13.31 min Scan# 1706
 Delta R.T. 0.00 min
 Lab File: BG036502.D
 Acq: 31 Aug 2018 12:36

Tgt Ion	Ratio	Lower	Upper
172	100		
171	38.6	31.3	46.9
170	25.3	21.0	31.6



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 7.223 ng

RT: 14.13 min Scan# 1846

Delta R.T. -0.01 min

Lab File: BG036502.D

Acq: 31 Aug 2018 12:36

Instrument :

BNA_G

ClientSampleId :

CB-0818-S-TCLP-GRID-42(2)


Tot Ion:163 Resp: 98658

Ion Ratio Lower Upper

163 100

194 5.3 4.0 6.0




164 8.7 8.1 12.1



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.42 min Scan# 2406

Delta R.T. -0.01 min

Lab File: BG036502.D

Acq: 31 Aug 2018 12:36


Tgt Ion:188 Resp: 438959

Ion Ratio Lower Upper

188 100

94 8.2 6.7 10.1



80 8.7 8.1 12.1




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC





#75

Chrysene-d12

Concen: 20.000 ng

RT: 21.69 min Scan# 3132

Delta R.T. -0.01 min

Lab File: BG036502.D

Acq: 31 Aug 2018 12:36

Instrument :

BNA_G

ClientSampleId :

CB-0818-S-TCLP-GRID-42(2)


Tot Ion:240 Resp: 471427

Ion Ratio Lower Upper

240 100

120 8.0 6.9 10.3



236 25.7 21.2 31.8



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 81.689 ng

RT: 20.03 min Scan# 2850

Delta R.T. 0.00 min

Lab File: BG036502.D

Acq: 31 Aug 2018 12:36


Tgt Ion:244 Resp: 1647617

Ion Ratio Lower Upper

244 100

212 9.1 7.0 10.6



122 10.1 7.1 10.7




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
 Pervlene-d12
 Concen: 20.000 ng
 RT: 24.90 min Scan# 3679
 Delta R.T. 0.00 min
 Lab File: BG036502.D
 Acq: 31 Aug 2018 12:36

Instrument :
 BNA_G
 ClientSampleId :
 CB-0818-S-TCLP-GRID-42(2)

Tot Ion	Ratio	Lower	Upper
264	100		
260	22.8	19.6	29.4
265	23.0	17.4	26.0



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

