

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG083118\
 Data File : BG036520.D
 Acq On : 1 Sep 2018 00:59
 Operator : JU/SJ
 Sample : J4726-02
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 KG-SLUDGE-1

Quant Time: Sep 01 02:39:09 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG082318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Aug 31 13:03:20 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.06	152	56731	20.00	ng	0.00
21) Naphthalene-d8	10.87	136	228885	20.00	ng	0.00
38) Acenaphthene-d10	14.69	164	151954	20.00	ng	0.00
63) Phenanthrene-d10	17.42	188	402521	20.00	ng	0.00
75) Chrysene-d12	21.69	240	439964	20.00	ng	0.00
86) Perylene-d12	24.90	264	415749	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.63	112	365806	102.29	ng	0.00
7) Phenol-d6	7.21	99	453935	88.65	ng	0.00
23) Nitrobenzene-d5	9.22	82	360853	85.54	ng	0.00
41) 2,4,6-Tribromophenol	16.17	330	244570	134.89	ng	0.00
44) 2-Fluorobiphenyl	13.31	172	845303	79.43	ng	0.00
78) Terphenyl-d14	20.03	244	1514940	80.48	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG083118\
Data File : BG036520.D
Acq On : 1 Sep 2018 00:59
Operator : JU/SJ
Sample : J4726-02
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
KG-SLUDGE-1

Quant Time: Sep 01 02:39:09 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG082318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Aug 31 13:03:20 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 8.06 min Scan# 812
 Delta R.T. -0.01 min
 Lab File: BG036520.D
 Acq: 1 Sep 2018 00:59

Instrument :
 BNA_G
 ClientSampleId :
 KG-SLUDGE-1

Tot Ion:152 Resp: 56731
 Ion Ratio Lower Upper
 152 100
 150 149.7 119.5 179.3
 115 57.7 44.5 66.7




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
 Concen: 102.286 ng
 RT: 5.63 min Scan# 398
 Delta R.T. 0.00 min
 Lab File: BG036520.D
 Acq: 1 Sep 2018 00:59

Tgt Ion:112 Resp: 365806
 Ion Ratio Lower Upper
 112 100
 64 68.8 57.2 85.8
 63 35.6 30.8 46.2



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BG
 Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 88.652 ng

RT: 7.21 min Scan# 668

Delta R.T. -0.01 min

Lab File: BG036520.D

Acq: 1 Sep 2018 00:59

Instrument :

BNA_G

ClientSampleId :

KG-SLUDGE-1


Tot Ion: 99 Resp: 453935

Ion Ratio Lower Upper




99 100

42 19.0 16.5 24.7

71 34.8 29.4 44.2



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.87 min Scan# 1290

Delta R.T. 0.00 min

Lab File: BG036520.D

Acq: 1 Sep 2018 00:59

Tgt Ion: 136 Resp: 228885


Ion Ratio Lower Upper

136 100



137 11.1 8.8 13.2


54 10.7 9.2 13.8

68 6.1 5.8 8.6



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 85.539 ng
RT: 9.22 min Scan# 1009
Delta R.T. -0.01 min
Lab File: BG036520.D
Acq: 1 Sep 2018 00:59




Instrument :
BNA_G
ClientSampleId :
KG-SLUDGE-1


Tot Ion	82	Resp	360853
Ion Ratio	Lower	Upper	
82	100		
128	42.1	33.3	49.9
54	55.7	45.1	67.7



#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.69 min Scan# 1940
Delta R.T. 0.00 min
Lab File: BG036520.D
Acq: 1 Sep 2018 00:59

Tgt Ion	164	Resp	151954
Ion Ratio	Lower	Upper	
164	100		
162	101.5	80.7	121.1
160	44.0	35.3	52.9





#41

2,4,6-Tribromophenol

Concen: 134.887 ng

RT: 16.17 min Scan# 2192

Delta R.T. -0.01 min

Lab File: BG036520.D

Acq: 1 Sep 2018 00:59

Instrument :

BNA_G

ClientSampleId :

KG-SLUDGE-1


Tot Ion:330 Resp: 244570

Ion Ratio Lower Upper




330 100

332 97.2 75.4 113.2

141 37.2 30.7 46.1



Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E



#44

2-Fluorobiphenyl

Concen: 79.428 ng

RT: 13.31 min Scan# 1706

Delta R.T. 0.00 min

Lab File: BG036520.D

Acq: 1 Sep 2018 00:59


Tgt Ion:172 Resp: 845303

Ion Ratio Lower Upper



172 100


171 38.8 31.3 46.9

170 25.4 21.0 31.6



Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.42 min Scan# 2406
Delta R.T. -0.01 min
Lab File: BG036520.D
Acq: 1 Sep 2018 00:59




Instrument :
BNA_G
ClientSampleId :
KG-SLUDGE-1


Tot Ion:188 Resp: 402521
Ion Ratio Lower Upper
188 100
94 7.6 6.7 10.1
80 9.1 8.1 12.1



#75
Chrysene-d12
Concen: 20.000 ng
RT: 21.69 min Scan# 3132
Delta R.T. -0.01 min
Lab File: BG036520.D
Acq: 1 Sep 2018 00:59

Tgt Ion:240 Resp: 439964
Ion Ratio Lower Upper
240 100
120 7.6 6.9 10.3
236 25.6 21.2 31.8





#78

Terphenyl-d14

Concen: 80.482 ng

RT: 20.03 min Scan# 2850

Delta R.T. 0.00 min

Lab File: BG036520.D

Acq: 1 Sep 2018 00:59

Instrument :

BNA_G

ClientSampleId :

KG-SLUDGE-1


Tot Ion:244 Resp: 1514940

Ion Ratio Lower Upper




244 100

212 8.8 7.0 10.6

122 9.3 7.1 10.7



Abundance Ion 244.00 (243.70 to 244.70): E
1500000
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 24.90 min Scan# 3679

Delta R.T. 0.00 min

Lab File: BG036520.D

Acq: 1 Sep 2018 00:59


Tgt Ion:264 Resp: 415749

Ion Ratio Lower Upper

264 100

260 23.3 19.6 29.4

265 21.5 17.4 26.0



Abundance Ion 264.00 (263.70 to 264.70): E
150000
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

