

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG090319\
 Data File : BG042687.D
 Acq On : 3 Sep 2019 14:01
 Operator : HP/JU
 Sample : PB122741BL
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB122741BL

Quant Time: Sep 04 04:36:21 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG082219.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Aug 22 14:29:15 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.00	152	31398	20.00	ng	0.00
21) Naphthalene-d8	10.82	136	120026	20.00	ng	0.00
39) Acenaphthene-d10	14.66	164	94655	20.00	ng	0.00
64) Phenanthrene-d10	17.41	188	221408	20.00	ng	0.00
76) Chrysene-d12	21.68	240	243265	20.00	ng	-0.01
87) Perylene-d12	24.93	264	285119	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.56	112	210637	135.87	ng	0.00
7) Phenol-d6	7.17	99	275184	131.41	ng	0.00
23) Nitrobenzene-d5	9.16	82	160417	92.36	ng	-0.01
42) 2,4,6-Tribromophenol	16.15	330	182064	135.33	ng	-0.01
45) 2-Fluorobiphenyl	13.28	172	577002	103.10	ng	0.00
79) Terphenyl-d14	20.02	244	1105720	98.27	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG090319\
Data File : BG042687.D
Acq On : 3 Sep 2019 14:01
Operator : HP/JU
Sample : PB122741BL
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB122741BL

Quant Time: Sep 04 04:36:21 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG082219.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 22 14:29:15 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.00 min Scan# 836
Delta R.T. -0.01 min
Lab File: BG042687.D
Acq: 3 Sep 2019 14:01

Instrument :
BNA_G
ClientSampleId :
PB122741BL

Tot Ion:152 Resp: 31398
Ion Ratio Lower Upper
152 100
150 158.5 125.4 188.0
115 49.5 38.5 57.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 135.869 ng
RT: 5.56 min Scan# 420
Delta R.T. -0.01 min
Lab File: BG042687.D
Acq: 3 Sep 2019 14:01

Tgt Ion:112 Resp: 210637
Ion Ratio Lower Upper
112 100
64 53.0 42.8 64.2
63 28.3 22.7 34.1



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 131.409 ng

RT: 7.17 min Scan# 694

Delta R.T. -0.01 min

Lab File: BG042687.D

Acq: 3 Sep 2019 14:01

Instrument :

BNA_G

ClientSampleId :

PB122741BL


Tot Ion: 99 Resp: 275184

Ion Ratio Lower Upper




99 100

42 15.0 12.0 18.0

71 34.8 26.3 39.5



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.82 min Scan# 1316

Delta R.T. -0.01 min

Lab File: BG042687.D

Acq: 3 Sep 2019 14:01

Tgt Ion: 136 Resp: 120026


Ion Ratio Lower Upper

136 100



137 11.4 8.7 13.1


54 6.3 4.9 7.3

68 3.3 3.6 5.4#



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 92.359 ng
 RT: 9.16 min Scan# 1034
 Delta R.T. -0.01 min
 Lab File: BG042687.D
 Acq: 3 Sep 2019 14:01




Instrument :
 BNA_G
 ClientSampleId :
 PB122741BL


Tot Ion	82	Resp	160417
Ion Ratio	Lower	Upper	
82	100		
128	50.8	40.7	61.1
54	47.4	36.3	54.5



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.66 min Scan# 1969
 Delta R.T. -0.01 min
 Lab File: BG042687.D
 Acq: 3 Sep 2019 14:01

Tgt Ion	164	Resp	94655
Ion Ratio	Lower	Upper	
164	100		
162	98.6	79.9	119.9
160	41.2	34.3	51.5





#42

2,4,6-Tribromophenol

Concen: 135.327 ng

RT: 16.15 min Scan# 2223

Delta R.T. -0.01 min

Lab File: BG042687.D

Acq: 3 Sep 2019 14:01

Instrument :

BNA_G

ClientSampleId :

PB122741BL


Tot Ion:330 Resp: 182064

Ion Ratio Lower Upper

330 100

332 101.1 77.4 116.0




141 26.8 21.4 32.0



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 103.098 ng

RT: 13.28 min Scan# 1734

Delta R.T. -0.01 min

Lab File: BG042687.D

Acq: 3 Sep 2019 14:01


Tgt Ion:172 Resp: 577002

Ion Ratio Lower Upper

172 100

171 37.0 30.5 45.7



170 23.7 20.2 30.2




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.41 min Scan# 2438

Delta R.T. -0.01 min

Lab File: BG042687.D

Acq: 3 Sep 2019 14:01

Instrument :

BNA_G

ClientSampleId :

PB122741BL


Tot Ion:188 Resp: 221408

Ion Ratio Lower Upper

188 100

94 5.4 4.5 6.7




80 5.3 4.9 7.3



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.68 min Scan# 3165

Delta R.T. -0.01 min

Lab File: BG042687.D

Acq: 3 Sep 2019 14:01


Tgt Ion:240 Resp: 243265

Ion Ratio Lower Upper

240 100

120 5.6 5.7 8.5#



236 25.2 21.0 31.4




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 98.266 ng

RT: 20.02 min Scan# 2882

Delta R.T. -0.01 min

Lab File: BG042687.D

Acq: 3 Sep 2019 14:01

Instrument :

BNA_G

ClientSampleId :

PB122741BL


Tot Ion:244 Resp: 1105720

Ion Ratio Lower Upper

244 100

212 7.4 6.0 9.0




122 6.9 6.7 10.1



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 24.93 min Scan# 3718

Delta R.T. -0.01 min

Lab File: BG042687.D

Acq: 3 Sep 2019 14:01


Tgt Ion:264 Resp: 285119

Ion Ratio Lower Upper

264 100

260 22.2 18.5 27.7

265 22.4 17.6 26.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

