

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG091319\
 Data File : BG042831.D
 Acq On : 14 Sep 2019 00:16
 Operator : HP/JU
 Sample : K4847-10
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SB-36-COMP

Quant Time: Sep 14 07:07:17 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG091219.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Sep 12 14:06:09 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.11	152	97003	20.00	ng	-0.01
21) Naphthalene-d8	10.92	136	389515	20.00	ng	-0.01
39) Acenaphthene-d10	14.74	164	260619	20.00	ng	0.00
64) Phenanthrene-d10	17.47	188	587390	20.00	ng	-0.01
76) Chrysene-d12	21.75	240	547401	20.00	ng	-0.01
87) Perylene-d12	25.02	264	593843	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.68	112	492123	88.20	ng	0.00
7) Phenol-d6	7.27	99	748384	93.45	ng	0.00
23) Nitrobenzene-d5	9.27	82	467694	62.51	ng	-0.01
42) 2,4,6-Tribromophenol	16.22	330	312144	90.02	ng	0.00
45) 2-Fluorobiphenyl	13.36	172	1053375	63.98	ng	-0.01
79) Terphenyl-d14	20.08	244	1623551	65.73	ng	-0.01
Target Compounds						
10) Phenol	7.29	94	33106	4.031	ng	85
50) Dimethylphthalate	14.18	163	96889	4.963	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG091319\
Data File : BG042831.D
Acq On : 14 Sep 2019 00:16
Operator : HP/JU
Sample : K4847-10
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SB-36-COMP

Quant Time: Sep 14 07:07:17 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG091219.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Sep 12 14:06:09 2019
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.11 min Scan# 855
Delta R.T. -0.01 min
Lab File: BG042831.D
Acq: 14 Sep 2019 00:16

Instrument :
BNA_G
ClientSampleId :
SB-36-COMP

Tot Ion	Ratio	Lower	Upper
152	100		
150	147.1	118.9	178.3
115	60.5	47.4	71.2






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 88.201 ng
RT: 5.68 min Scan# 441
Delta R.T. -0.01 min
Lab File: BG042831.D
Acq: 14 Sep 2019 00:16

Tgt Ion	Ratio	Lower	Upper
112	100		
64	74.1	60.2	90.2
63	41.2	31.2	46.8






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BG

Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 93.448 ng

RT: 7.27 min Scan# 711

Delta R.T. 0.00 min

Lab File: BG042831.D

Acq: 14 Sep 2019 00:16

Instrument :

BNA_G

ClientSampleId :

SB-36-COMP


Tot Ion: 99 Resp: 748384

Ion Ratio Lower Upper




99 100

42 21.6 17.5 26.3

71 39.7 32.0 48.0



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#10

Phenol

Concen: 4.031 ng

RT: 7.29 min Scan# 715

Delta R.T. -0.01 min

Lab File: BG042831.D

Acq: 14 Sep 2019 00:16


Tgt Ion: 94 Resp: 33106

Ion Ratio Lower Upper



94 100


65 45.0 15.0 55.0

66 54.7 26.1 66.1



Abundance Ion 94.00 (93.70 to 94.70): BGC
Ion 65.00 (64.70 to 65.70): BGC
Ion 66.00 (65.70 to 66.70): BGC









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.92 min Scan# 1333
Delta R.T. -0.01 min
Lab File: BG042831.D
Acq: 14 Sep 2019 00:16




Instrument :
BNA_G
ClientSampleId :
SB-36-COMP


Tot Ion:136	Resp:	389515	
Ion Ratio	Lower	Upper	
136 100			
137 12.0	9.0	13.6	
54 10.9	9.4	14.0	
68 6.0	5.4	8.2	



#23
Nitrobenzene-d5
Concen: 62.512 ng
RT: 9.27 min Scan# 1052
Delta R.T. -0.01 min
Lab File: BG042831.D
Acq: 14 Sep 2019 00:16

Tgt Ion: 82	Resp: 467694
Ion Ratio	Lower Upper
82 100	
128 37.2	29.8 44.8
54 56.8	46.1 69.1





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.74 min Scan# 1982

Delta R.T. -0.01 min

Lab File: BG042831.D

Acq: 14 Sep 2019 00:16

Instrument :





BNA_G

ClientSampleId :

SB-36-COMP

Tot Ion:164 Resp: 260619

Ion	Ratio	Lower	Upper
164	100		
162	102.3	84.6	126.8
160	44.7	34.2	51.2



#42

2,4,6-Tribromophenol

Concen: 90.024 ng

RT: 16.22 min Scan# 2234




Delta R.T. -0.01 min


Lab File: BG042831.D

Acq: 14 Sep 2019 00:16

Tgt Ion:330 Resp: 312144

Ion	Ratio	Lower	Upper
330	100		
332	98.0	76.7	115.1
141	35.4	27.0	40.6









#45
 2-Fluorobiphenyl
 Concen: 63.979 ng
 RT: 13.36 min Scan# 1748
 Delta R.T. -0.01 min
 Lab File: BG042831.D
 Acq: 14 Sep 2019 00:16

Instrument :
 BNA_G
 ClientSampleId :
 SB-36-COMP

Tot Ion:172 Resp: 1053375




Ion	Ratio	Lower	Upper
172	100		
171	37.4	28.9	43.3
170	24.8	19.1	28.7




#50
 Dimethylphthalate
 Concen: 4.963 ng
 RT: 14.18 min Scan# 1887
 Delta R.T. -0.02 min
 Lab File: BG042831.D
 Acq: 14 Sep 2019 00:16

Tgt Ion:163 Resp: 96889

Ion	Ratio	Lower	Upper
163	100		
194	4.6	4.2	6.4
164	10.8	8.4	12.6









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.47 min Scan# 2448
Delta R.T. -0.01 min
Lab File: BG042831.D
Acq: 14 Sep 2019 00:16

Instrument :
BNA_G
ClientSampleId :
SB-36-COMP

Tot Ion:188 Resp: 587390
Ion Ratio Lower Upper
188 100
94 7.7 4.8 7.2#
80 9.4 6.6 9.8




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BG
Ion 80.00 (79.70 to 80.70): BG






#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.75 min Scan# 3176
Delta R.T. -0.01 min
Lab File: BG042831.D
Acq: 14 Sep 2019 00:16

Tgt Ion:240 Resp: 547401
Ion Ratio Lower Upper
240 100
120 6.4 5.4 8.2
236 26.2 21.7 32.5



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 65.733 ng

RT: 20.08 min Scan# 2892

Delta R.T. -0.01 min

Lab File: BG042831.D

Acq: 14 Sep 2019 00:16

Instrument :

BNA_G

ClientSampleId :

SB-36-COMP


Tot Ion:244 Resp: 1623551

Ion Ratio Lower Upper




244 100

212 8.1 6.6 10.0

122 8.2 6.2 9.4



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.02 min Scan# 3733

Delta R.T. -0.02 min

Lab File: BG042831.D

Acq: 14 Sep 2019 00:16


Tgt Ion:264 Resp: 593843

Ion Ratio Lower Upper

264 100

260 23.9 18.2 27.2

265 21.6 16.9 25.3



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

