

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG091418\
 Data File : BG036720.D
 Acq On : 15 Sep 2018 00:35
 Operator : JU/SJ
 Sample : J4892-06
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 C-MW-11-091118

Quant Time: Sep 15 02:56:34 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG082318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Aug 31 13:03:20 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.05	152	57856	20.00	ng	-0.01
21) Naphthalene-d8	10.85	136	241833	20.00	ng	-0.01
38) Acenaphthene-d10	14.67	164	162338	20.00	ng	-0.01
63) Phenanthrene-d10	17.42	188	424668	20.00	ng	-0.01
75) Chrysene-d12	21.68	240	420008	20.00	ng	-0.01
86) Perylene-d12	24.89	264	424310	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.62	112	179558	49.23	ng	0.00
7) Phenol-d6	7.21	99	153692	29.43	ng	-0.01
23) Nitrobenzene-d5	9.21	82	391067	87.74	ng	-0.01
41) 2,4,6-Tribromophenol	16.16	330	293932	151.74	ng	-0.01
44) 2-Fluorobiphenyl	13.30	172	944890	83.11	ng	-0.01
78) Terphenyl-d14	20.03	244	1548184	86.16	ng	0.00
Target Compounds						
49) Dimethylphthalate	14.12	163	179315	13.527	ng	Qvalue 100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG091418\
Data File : BG036720.D
Acq On : 15 Sep 2018 00:35
Operator : JU/SJ
Sample : J4892-06
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
C-MW-11-091118

Quant Time: Sep 15 02:56:34 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG082318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Aug 31 13:03:20 2018
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 8.05 min Scan# 811
 Delta R.T. -0.01 min
 Lab File: BG036720.D
 Acq: 15 Sep 2018 00:35

Instrument :
 BNA_G
 ClientSampleId :
 C-MW-11-091118

Tot Ion	Ratio	Lower	Upper
152	100		
150	150.9	119.5	179.3
115	61.7	44.5	66.7






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
 Concen: 49.231 ng
 RT: 5.62 min Scan# 397
 Delta R.T. -0.01 min
 Lab File: BG036720.D
 Acq: 15 Sep 2018 00:35

Tgt Ion	Ratio	Lower	Upper
112	100		
64	72.3	57.2	85.8
63	36.6	30.8	46.2






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BG

Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 29.432 ng

RT: 7.21 min Scan# 667

Delta R.T. -0.01 min

Lab File: BG036720.D

Acq: 15 Sep 2018 00:35

Instrument :

BNA_G

ClientSampleId :

C-MW-11-091118


Tot Ion: 99 Resp: 153692

Ion Ratio Lower Upper




99 100

42 18.3 16.5 24.7

71 33.9 29.4 44.2



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.85 min Scan# 1288

Delta R.T. -0.01 min

Lab File: BG036720.D

Acq: 15 Sep 2018 00:35

Tgt Ion: 136 Resp: 241833


Ion Ratio Lower Upper

136 100



137 10.4 8.8 13.2


54 9.6 9.2 13.8

68 6.7 5.8 8.6



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 87.738 ng
 RT: 9.21 min Scan# 1008
 Delta R.T. -0.01 min
 Lab File: BG036720.D
 Acq: 15 Sep 2018 00:35




Instrument :
 BNA_G
 ClientSampleId :
 C-MW-11-091118


Tot Ion	82	Resp	391067
Ion Ratio	Lower	Upper	
82	100		
128	42.8	33.3	49.9
54	55.5	45.1	67.7



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.67 min Scan# 1938
 Delta R.T. -0.01 min
 Lab File: BG036720.D
 Acq: 15 Sep 2018 00:35

Tgt Ion	164	Resp	162338
Ion Ratio	Lower	Upper	
164	100		
162	106.7	80.7	121.1
160	47.5	35.3	52.9






#41
 2,4,6-Tribromophenol
 Concen: 151.742 ng
 RT: 16.16 min Scan# 2191
 Delta R.T. -0.01 min
 Lab File: BG036720.D
 Acq: 15 Sep 2018 00:35

Instrument :
 BNA_G
 ClientSampleId :
 C-MW-11-091118

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.3	75.4	113.2
141	36.6	30.7	46.1






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#44
 2-Fluorobiphenyl
 Concen: 83.106 ng
 RT: 13.30 min Scan# 1704
 Delta R.T. -0.01 min
 Lab File: BG036720.D
 Acq: 15 Sep 2018 00:35

Tgt Ion	Ratio	Lower	Upper
172	100		
171	38.2	31.3	46.9
170	25.2	21.0	31.6






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 13.527 ng

RT: 14.12 min Scan# 1844

Delta R.T. -0.02 min

Lab File: BG036720.D

Acq: 15 Sep 2018 00:35

Instrument :

BNA_G

ClientSampleId :

C-MW-11-091118


Tot Ion:163 Resp: 179315

Ion Ratio Lower Upper

163 100

194 5.0 4.0 6.0




164 10.3 8.1 12.1



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.42 min Scan# 2405

Delta R.T. -0.01 min

Lab File: BG036720.D

Acq: 15 Sep 2018 00:35


Tgt Ion:188 Resp: 424668

Ion Ratio Lower Upper

188 100

94 8.0 6.7 10.1



80 8.9 8.1 12.1




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC





#75

Chrysene-d12

Concen: 20.000 ng

RT: 21.68 min Scan# 3131

Delta R.T. -0.01 min

Lab File: BG036720.D

Acq: 15 Sep 2018 00:35

Instrument :

BNA_G

ClientSampleId :

C-MW-11-091118


Tot Ion:240 Resp: 420008

Ion Ratio Lower Upper

240 100

120 7.8 6.9 10.3




236 24.8 21.2 31.8



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 86.156 ng

RT: 20.03 min Scan# 2849

Delta R.T. -0.01 min

Lab File: BG036720.D

Acq: 15 Sep 2018 00:35


Tgt Ion:244 Resp: 1548184

Ion Ratio Lower Upper

244 100

212 9.3 7.0 10.6



122 8.8 7.1 10.7




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Pervlene-d12
Concen: 20.000 ng
RT: 24.89 min Scan# 3676
Delta R.T. -0.02 min
Lab File: BG036720.D
Acq: 15 Sep 2018 00:35

Instrument :
BNA_G
ClientSampleId :
C-MW-11-091118

Tot Ion: 264 Resp: 424310

Ion	Ratio	Lower	Upper
264	100		
260	25.2	19.6	29.4
265	21.1	17.4	26.0

