

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG091718\
 Data File : BG036761.D
 Acq On : 17 Sep 2018 19:21
 Operator : JU/SJ
 Sample : J4773-04
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 CL-01-091418-B

Quant Time: Sep 18 02:07:24 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG082318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Aug 31 13:03:20 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.05	152	66998	20.00	ng	-0.01
21) Naphthalene-d8	10.86	136	253813	20.00	ng	-0.01
38) Acenaphthene-d10	14.68	164	161798	20.00	ng	-0.01
63) Phenanthrene-d10	17.42	188	414476	20.00	ng	-0.01
75) Chrysene-d12	21.68	240	431374	20.00	ng	-0.02
86) Perylene-d12	24.89	264	419748	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.63	112	421843	99.88	ng	0.00
7) Phenol-d6	7.21	99	527189	87.18	ng	-0.01
23) Nitrobenzene-d5	9.21	82	398301	85.14	ng	-0.01
41) 2,4,6-Tribromophenol	16.16	330	247327	128.11	ng	-0.01
44) 2-Fluorobiphenyl	13.30	172	872526	77.00	ng	-0.01
78) Terphenyl-d14	20.02	244	1492198	80.85	ng	-0.01


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG091718\
Data File : BG036761.D
Acq On : 17 Sep 2018 19:21
Operator : JU/SJ
Sample : J4773-04
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
CL-01-091418-B

Quant Time: Sep 18 02:07:24 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG082318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Aug 31 13:03:20 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.05 min Scan# 811
Delta R.T. -0.01 min
Lab File: BG036761.D
Acq: 17 Sep 2018 19:21

Instrument :
BNA_G
ClientSampleId :
CL-01-091418-B

Tot Ion:152 Resp: 66998
Ion Ratio Lower Upper
152 100
150 142.5 119.5 179.3
115 55.5 44.5 66.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 99.879 ng
RT: 5.63 min Scan# 398
Delta R.T. 0.00 min
Lab File: BG036761.D
Acq: 17 Sep 2018 19:21

Tgt Ion:112 Resp: 421843
Ion Ratio Lower Upper
112 100
64 68.9 57.2 85.8
63 37.3 30.8 46.2



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 87.181 ng

RT: 7.21 min Scan# 667

Delta R.T. -0.01 min

Lab File: BG036761.D

Acq: 17 Sep 2018 19:21

Instrument :

BNA_G

ClientSampleId :

CL-01-091418-B


Tot Ion: 99 Resp: 527189

Ion Ratio Lower Upper




99 100

42 19.9 16.5 24.7

71 35.1 29.4 44.2



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.86 min Scan# 1288

Delta R.T. -0.01 min

Lab File: BG036761.D

Acq: 17 Sep 2018 19:21

Tgt Ion: 136 Resp: 253813


Ion Ratio Lower Upper

136 100



137 11.4 8.8 13.2


54 10.6 9.2 13.8

68 6.6 5.8 8.6



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 85.143 ng
 RT: 9.21 min Scan# 1008
 Delta R.T. -0.01 min
 Lab File: BG036761.D
 Acq: 17 Sep 2018 19:21

Instrument :
 BNA_G
 ClientSampleId :
 CL-01-091418-B

Tot Ion: 82 Resp: 398301
 Ion Ratio Lower Upper
 82 100
 128 41.6 33.3 49.9
 54 56.2 45.1 67.7




Abundance Ion 82.00 (81.70 to 82.70): BGC
 Ion 128.00 (127.70 to 128.70): BGC
 Ion 54.00 (53.70 to 54.70): BGC





#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.68 min Scan# 1938
 Delta R.T. -0.01 min
 Lab File: BG036761.D
 Acq: 17 Sep 2018 19:21

Tgt Ion: 164 Resp: 161798
 Ion Ratio Lower Upper
 164 100
 162 101.4 80.7 121.1
 160 44.6 35.3 52.9



Abundance Ion 164.00 (163.70 to 164.70): BGC
 Ion 162.00 (161.70 to 162.70): BGC
 Ion 160.00 (159.70 to 160.70): BGC








#41
 2,4,6-Tribromophenol
 Concen: 128.108 ng
 RT: 16.16 min Scan# 2191
 Delta R.T. -0.01 min
 Lab File: BG036761.D
 Acq: 17 Sep 2018 19:21

Instrument :
 BNA_G
 ClientSampleId :
 CL-01-091418-B

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.4	75.4	113.2
141	36.9	30.7	46.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 76.998 ng
 RT: 13.30 min Scan# 1704
 Delta R.T. -0.01 min
 Lab File: BG036761.D
 Acq: 17 Sep 2018 19:21

Tgt Ion	Ratio	Lower	Upper
172	100		
171	38.0	31.3	46.9
170	25.5	21.0	31.6



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.42 min Scan# 2405
Delta R.T. -0.01 min
Lab File: BG036761.D
Acq: 17 Sep 2018 19:21




Instrument :
BNA_G
ClientSampleId :
CL-01-091418-B

Tot Ion	Ratio	Lower	Upper
188	100		
94	7.2	6.7	10.1
80	8.6	8.1	12.1



#75
Chrysene-d12
Concen: 20.000 ng
RT: 21.68 min Scan# 3130
Delta R.T. -0.02 min
Lab File: BG036761.D
Acq: 17 Sep 2018 19:21

Tgt Ion	Ratio	Lower	Upper
240	100		
120	7.9	6.9	10.3
236	26.8	21.2	31.8





#78

Terphenyl-d14

Concen: 80.853 ng

RT: 20.02 min Scan# 2848

Delta R.T. -0.01 min

Lab File: BG036761.D

Acq: 17 Sep 2018 19:21

Instrument :

BNA_G

ClientSampleId :

CL-01-091418-B


Tot Ion:244 Resp: 1492198

Ion Ratio Lower Upper

244 100

212 9.0 7.0 10.6




122 9.8 7.1 10.7



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 24.89 min Scan# 3676

Delta R.T. -0.02 min

Lab File: BG036761.D

Acq: 17 Sep 2018 19:21


Tgt Ion:264 Resp: 419748

Ion Ratio Lower Upper

264 100

260 23.7 19.6 29.4

265 21.2 17.4 26.0



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

